

How to Cite this article: PROPERTIES AND UNITS FOR TRANSFUSION MEDICINE AND IMMUNOHAEMATOLOGY (Technical report) (IFCC-IUPAC 2003) <http://www.ifcc.org/ejifcc/vol15no1/150102200405n.htm>

## INTERNATIONAL FEDERATION OF CLINICAL CHEMISTRY AND LABORATORY MEDICINE

### SCIENTIFIC DIVISION

COMMITTEE ON NOMENCLATURE,  
PROPERTIES AND UNITS (C-NPU)# and  
INTERNATIONAL UNION OF PURE AND  
APPLIED CHEMISTRY CHEMISTRY AND  
HUMAN HEALTH DIVISION(VII) §

Project number 2001-059-1-700:

PROPERTIES AND UNITS FOR  
TRANSFUSION MEDICINE AND  
IMMUNOHAEMATOLOGY (Technical  
report) (IFCC-IUPAC 2003)

Prepared for publication by

KIM VARMING<sup>{1}</sup>, URBAN FORSUM<sup>{2}</sup>, IVAN  
BRUUNSHUUS<sup>{3}</sup>, and HENRIK OLESEN<sup>{3}</sup>

*Dept. Clin. Immunology, Aalborg University  
Hospital, Aalborg, Denmark*

*Div. Clin. Microbiology, Linköping University,  
Linköping, Sweden*

*The National Board of Health , Copenhagen S,  
Denmark*

#The combined Membership of the IFCC Committee during the preparation of this report (2001- 2002) was as follows:

Chairman: U. Forsum (Sweden). Members: P. Soares de Araujo (Brazil; 1994- ); R. Dybkær (Denmark; 1996- ); A. Jabor (Czech Republic; 1998- ); W. R. Külpmann (Germany; 1998- ); G. Nordin (Sweden; 2000-

§The combined Memberships of the Task Group during the preparation of this report (2001-2002) was as follows:

Chairman: U. Forsum (Sweden). Members: P. Soares de Araujo (Brazil); R. Dybkær (Denmark); A. Jabor (Czech Republic); G. Nordin (Sweden) and W. Külpmann (Germany)

Please forward comments to:

K. Varming, Dept. Clin. Immunology, Aalborg University Hospital, Postbox 561, DK-9100 Aalborg, Denmark; e-mail: [varming@aes.nja.dk](mailto:varming@aes.nja.dk)

### Synopsis

This document is part of an ongoing effort to standardize transmission of laboratory data across cultural and linguistic domains, without attempting to standardize the routine language used by clinicians and laboratory practitioners.

It comprises a general introduction, and an alphabetic list of properties. The list is based on the syntax for properties recommended by the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) and the International Union of Pure and Applied Chemistry (IUPAC) [1]. The nomenclature is primarily from the Working Party on Terminology of the International Society of Blood Transfusion (ISBT) [2-5].

### General introduction

The purpose of this document is to create a systematic terminology, that can be used as the basis for encoding laboratory messages in the domain of transfusion medicine and immunohaematology. The systematic terms and unique codes for properties recommended for scientific communication and in requests and reports are primarily for the purpose of unambiguous data exchange. Their use by clinicians or laboratory practitioners is optional but encouraged.

### Syntax and definitions

**syntax** : System (specification) —  
Component (specification); kind-of-  
property (specification) = (x) . (x) [1].

EXAMPLES: NPU21943 Neutrophilocytes (Blood) —  
Immunoglobulin A; arbitrary entitic number (procedure)  
= ? arbitrary unit

NPU01945 Erythrocytes (Blood)—Erythrocyte antigen; taxon (ABO; RhD; procedure) = ?

**system:** demarcated arrangement of a set of elements and a set of relationships between these elements [6]

EXAMPLE: a portion of blood, a portion of plasma, a portion of erythrocytes.

**component:** definable part of a system [6]

EXAMPLE: Erythrocyte A antibody as part of a plasma sample.

kind of property: attribute of phenomena, bodies or substances that may be distinguished qualitatively [6]

NOTE 1 - In ENV 1614 the term property (in a general sense) is used as synonym for kind-of-property [6].

NOTE 2 - A kind of property may be qualified by each user to nominal scale, ordinal scale, difference scale or ratio scale. The last three types of kind-of-property are also called kind-of-quantity.

**compatibility:** mutual tolerance

NOTE 1 - There is presently no officially approved definition. The definition for this kind-of-property is for use in this document only.

EXAMPLE: NPU21410 Plasma B-lymphocyte antibody; compatibility (donationID; absent present) = ?

**nominal scale:** scale with a set of possible values for a given kind-of-property that are each a word or symbol without any relation to magnitude [1]

EXAMPLE: taxon of erythrocyte antigen in a sample of blood identified as BARC; Cra.

NOTE - The values may be listed in any order according to practical considerations and convention.

**ordinal scale:** scale with an ordered set of possible values for a given kind-of-quantity that are each a word or symbol used for ranking according to magnitude, but where differences or ratios between values have no arithmetic meaning [1]

EXAMPLE: arbitrary number of Immunoglobulin M molecules (median) per erythrocyte in a sample of blood found as "0" or "1"; or "absent" or "present"; or "negative" or "positive".

**ratio scale:** scale of measurement with an ordered set of values for a given kind of measurable quantity that are each a product of numerical value and unit of measurement such that a given ratio between values corresponds to the ratio between magnitudes of the measurable quantities along the scale [1]

EXAMPLE: entitic number of immunoglobulin A molecules (median) per thrombocyte in a sample of thrombocytes.

list of related properties: some requests elicit a series of related properties that may be grouped under a common heading in a report. The heading is for requesting and the list of properties presented is for selection by the individual laboratory

EXAMPLE: NPU21970 P—HNA antibody (IgM); arb.c. (list; 0 1)

NPU21971 P—HNA-1a antibody (IgM); arb.c. = 0

NPU21972 P—HNA-1b antibody (IgM); arb.c. = 0

NPU21973 P—HNA-1c antibody (IgM); arb.c. = 0

NPU21974 P—HNA-2a antibody (IgM); arb.c. = 1

NPU21975 P—HNA-3a antibody (IgM); arb.c. = 0

NPU21976 P—HNA-4a antibody (IgM); arb.c. = 0

NPU21977 P—HNA-5a antibody (IgM); arb.c. = 0

Alternatively the request and report in these cases may be reduced to a single entry using the kind-of-property taxon and nominal results if the actual list of properties looked for in the procedure is part of the general information from the laboratory.

EXAMPLE: NPU21924 P—HNA antibody (IgM); taxon = HNA-2a

**designation of property:** set of data elements comprising information on system, component and kind-of-property and their adherent specifications.

NOTE 1 - There is presently no officially approved definition. This definition is for use in this document only.

NOTE 2 - Information about identification of system, time and result is not considered in the entries of this document.

EXAMPLE: Lymphocytes (Blood)—B-lymphocytes (immature); number fraction.

**International Coding Scheme Identifier, ICSI:** identifier assigned to uniquely identify a registered coding scheme for use in information interchange [7]

EXAMPLE: "NPU" for codes allocated by the C-NPU of the IFCC-IUPAC.

**code value:** result of applying a coding scheme to an element in a coded set [7]

EXAMPLE of number and term: 21406 for Blood—Crossmatch (electronic); expiry (date and hour; procedure)”.

### Systematic Request and Report of Clinical Laboratory Results

The parts comprised in the concept of ‘term of property’ and in the concept of ‘term of a result’ are presented in table 1.

By convention, properties and results of examinations are connected through an operator.

- Parts 1 and 2 are Essential for a request; that is information on patient identification, time or time interval for sampling, and information on the property requested.
- The laboratory report on a particular property comprises the three parts 1, 2 and 3.
- To each element in part 2 may be added a specification as a parenthetic suffix for clarification and to avoid ambiguity.
- Note(s) (part 4) relating to, for example, diagnosis, medication, haemolysis or hardware breakdown are not included, except when needed for the interpretation of results such as pretreatment of patient or subject.
- Thus the elements of a term for a type of property comprise: System (specification) — Component (specification); kind-of-property (specification in the form of procedural details).
- This is as recommended by IFCC and IUPAC [1] and by the European standard ENV 1614:1995 [6].
- EXAMPLE: Erythrocytes (Blood) — Erythrocyte antigen; taxon (ABO; RhD; procedure).
- The elements of a result comprise: an operator (= < ? > ? etc.), a numerical value and any unit or name, usually in symbolic form. This is as recommended by the European standard ENV 12435:1996 [8].
- Nominal and ordinal scale values carry no unit. In difference and ratio scales the unit must never be omitted in reporting results, except for the unit 1.
- It is further recommended that the result includes or refers to a value for a measure of uncertainty [8].
- The names of components are primarily from the Working Party of the International Society of Blood Transfusion [2, 3, 4, 5].
- In addition to the systematic term of the property, an example is given in abbreviated format.

For details, see IUPAC–IFCC (Recommendations 1995). Syntax and semantic rules [9].

### Elements of an Entry

The terms recommended are given in bold, that is: the systematic term for the type of property, the unit and the code value.

- 1 Name of system and parenthetic specification spelled out in full, and followed by a long dash (em dash)
- 2 Alphanumeric chemical prefixes to component name
- 3 Recommended name of component and parenthetic specification Shifted to the left for alphabetical sorting and searching, and followed by a semicolon
- 4 Kind-of-property and parenthetic specification
- 5 Unit
- 6 Molar mass (M) for conversion from other units
- 7 Presently recommended calibrator
- 8 Previous calibrator (s)
- 9 Other term (s)
- 10 Authority: Code value for the international organisation recommending the name of the component or the combined elements of an entry
- 11 Note with any further information
- 12 [NPUXXXXX]. Code value, intended for interlaboratory transmission between databases
- 13 Example in abbreviated form

The term “arbitrary” in principle cannot be related to a volume. In clinical chemistry, however, a less well defined “in-house” or a regional calibrator is often referred to and is expressed in “arbitrary unit per litre” in order to enable comparison of patient data over time and regionally. In each of these instances further information should be given in the parenthesis “procedure”

In the examples given, a question mark, “?”, has been used to represent the value of a result for properties including quantities.

### EXAMPLE

- 1 Erythrocytes (Blood) —
- 2 none
- 3 Complement + Immunoglobulin;
- 4 arbitrary entitic number (procedure)
- 5 arbitrary unit
- 6 none
- 7 none
- 8 none
- 9 Other term (s): Coombs test
- 10 none
- 11 none
- 12 NPU20001

13. Ercs(B)—Complement + Immunoglobulin;  
arb.entific num. = ? arb.unit

IUPAC International Union of Pure and Applied  
Chemistry

## References

- 1 IUPAC–IFCC (International Union of Pure and Applied Chemistry–International Federation of Clinical Chemistry), Commission/Committee on Quantities and Units (in Clinical Chemistry), 1995. Compendium of terminology and nomenclature of properties in clinical laboratory sciences. The Silver Book. JC Rigg, SS Brown, R Dybkaer, H Olesen. Oxford: Blackwell Science, 290 pp.
- 2 ISBT Working Party on Terminology for Red Cell Surface Antigens. Terminology for red cell surface antigens. Blood group terminology. Prepared for publication by Geoff Daniels September 2000. <http://www.iccbba.com/wpantigentables.htm>
- 3 ISBT Working Party on Platelet and Granulocyte Serology, Granulocyte Antigen Working Party. Nomenclature of Granulocyte Alloantigens. Prepared for publication by J Bux. Vox Sang. 1999; 77:251
- 4 International Society for Thrombosis and Haemostasis (ISTH) and International Society of Blood Transfusion (ISBT). Human Platelet Alloantigens (HPA). Institute for Clinical Immunology and Transfusion Medicine, Justus Liebig University Giessen, Germany 20 November 2002 <http://www.med.uni-giessen.de/immunologie/Forschungsschwerpunkte.htm>
- 5 The Anthony Nolan Trust. HLA Informatics Group. 19 July 2002 <http://www.anthonynolan.org.uk/HIG/nomenc.html>
- 6 CEN/TC 251, 1995. European Prestandard ENV 1614. Medical informatics. Structure for nomenclature, classification and coding of properties in clinical laboratory sciences
- 7 International Organization for Standardization. International Standard ISO/IEC7826-1:1994 Information technology – General structure for the interchange of code values – Part 1: Identification of coding schemes
- 8 CEN/TC 251, 1996. European Prestandard ENV 12435:1996. Medical Informatics. Expression of the results of measurement in health sciences
- 9 Syntax and semantic rules. Prepared for publication by H Olesen. Pure Appl. Chem. 1995; 67: 1563-74; Eur. J. Clin. Chem. Clin. Biochem. 1995; 33: 627-36; Clin. Chim. Acta 1996; 245: S5-S21.

## Index of Abbreviations

C-NPU Commission on Nomenclature, Properties and Units

IFCC International Federation of Clinical Chemistry and Laboratory Medicine

ISBT International Society of Blood Transfusion

## LIST OF PROPERTIES IN TRANSFUSION MEDICINE AND IMMUNOHAEMATOLOGY

<p><b>Blood—</b>  <b>Aberrant cell population(fenotype);</b>  <b>taxon</b>  <b>NPU21860</b>                      B—Aberrant cell population(fenotype); taxon = ?</p>	<p><b>Blood—</b>  <b>B-lymphocytes(immature);</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21821</b>                      B—B-lymphocytes(immature); num.c. = ? × 10<sup>9</sup>/l</p>
<p><b>Bone marrow—</b>  <b>Aberrant cell population(fenotype);</b>  <b>taxon</b>  <b>NPU21864</b>                      Marrow—Aberrant cell population(fenotype); taxon = ?</p>	<p><b>Bone marrow—</b>  <b>B-lymphocytes(immature);</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21839</b>                      Marrow—B-lymphocytes(immature); num.c. = ? × 10<sup>9</sup>/l</p>
<p><b>Blood—</b>  <b>Aberrant cell population;</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21858</b>                      B—Aberrant cell population; num.c. = ? × 10<sup>9</sup>/l</p>	<p><b>Lymphocytes(Blood)—</b>  <b>B-lymphocytes(immature);</b>  <b>number fraction</b>  <b>NPU21783</b>                      Lymcs(B)—B-lymphocytes(immature); num.fr. = ?</p>
<p><b>Bone marrow—</b>  <b>Aberrant cell population;</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21862</b>                      Marrow—Aberrant cell population; num.c. = ? × 10<sup>9</sup>/l</p>	<p><b>Lymphocytes(Bone marrow)—</b>  <b>B-lymphocytes(immature);</b>  <b>number fraction</b>  <b>NPU21802</b>                      Lymcs(Marrow)—B-lymphocytes(immature); num.fr. = ?</p>
<p><b>Leukocytes(Blood)—</b>  <b>Aberrant cell population;</b>  <b>number fraction</b>  <b>NPU21859</b>                      Lkcs(B)—Aberrant cell population; num.fr. = ?</p>	<p><b>Blood—</b>  <b>B-lymphocytes(mature);</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21820</b>                      B—B-lymphocytes(mature); num.c. = ? × 10<sup>9</sup>/l</p>
<p><b>Leukocytes(Bone marrow)—</b>  <b>Aberrant cell population;</b>  <b>number fraction</b>  <b>NPU21863</b>                      Lkcs(Marrow)—Aberrant cell population; num.fr. = ?</p>	<p><b>Bone marrow—</b>  <b>B-lymphocytes(mature);</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21838</b>                      Marrow—B-lymphocytes(mature); num.c. = ? × 10<sup>9</sup>/l</p>
<p><b>Blood—</b>  <b>Aberrant cell population;</b>  <b>taxon(immunofluorescence)</b>  <b>NPU21857</b>                      B—Aberrant cell population; taxon(imm.flu.) = ?</p>	<p><b>Lymphocytes(Blood)—</b>  <b>B-lymphocytes(mature);</b>  <b>number fraction</b>  <b>NPU21782</b>                      Lymcs(B)—B-lymphocytes(mature); num.fr. = ?</p>
<p><b>Bone marrow—</b>  <b>Aberrant cell population;</b>  <b>taxon(immunofluorescence)</b>  <b>NPU21861</b>                      Marrow—Aberrant cell population; taxon(imm.flu.) = ?</p>	<p><b>Lymphocytes(Bone marrow)—</b>  <b>B-lymphocytes(mature);</b>  <b>number fraction</b>  <b>NPU21801</b>                      Lymcs(Marrow)—B-lymphocytes(mature); num.fr. = ?</p>
<p><b>Culture(Lymphocytes; Blood)—</b>  <b>Allogene cells stimulated lymphocytes;</b>  <b>relative number concentration(stimulated/unstimulated;</b>  <b>procedure)</b>                      Other term(s): mixed leucocyte reaction; MLR  <b>NPU21414</b>                      Culture(Lymcs; B)—Allogene cells stimulated lymphocytes;                      rel.num.c.(stim./unstim.; proc.) = ?</p>	<p><b>Lymphocytes(Blood)—</b>  <b>B-lymphocytes;</b>  <b>compatibility(Plasma; donationID; absent present)</b>  <b>NPU21409</b>                      Lymcs(B)—B-lymphocytes; compatibility(P; donationID; absent present) = ?</p>
<p><b>Plasma—</b>  <b>B-lymphocyte antibody;</b>  <b>compatibility(donationID; absent present)</b>  <b>NPU21410</b>                      P—B-lymphocyte antibody; compatibility(donationID; absent present) = ?</p>	<p><b>Blood—</b>  <b>B-lymphocytes;</b>  <b>number concentration</b>  <b>10<sup>9</sup>/litre</b>  <b>NPU21819</b>                      B—B-lymphocytes; num.c. = ? × 10<sup>9</sup>/l</p>

**Bone marrow—**  
**B-lymphocytes;**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21837**  
Marrow—B-lymphocytes; num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**B-lymphocytes;**  
**number fraction**  
**NPU21781**  
Lymcs(B)—B-lymphocytes; num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**B-lymphocytes;**  
**number fraction**  
**NPU21800**  
Lymcs(Marrow)—B-lymphocytes; num.fr. = ?

**Culture(Lymphocytes; Blood)—**  
**Candida albicans stimulated lymphocytes;**  
**relative number concentration(stimulated/unstimulated;**  
**procedure)**  
**NPU21415**  
Culture(Lymcs; B)—*Candida albicans* stimulated lymphocytes;  
rel.num.c.(stim./unstim.; proc.) = ?

**Erythrocytes(Blood)—**  
**Complement C3b;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20002**  
Eracs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit

**Neutrophilocytes(Blood)—**  
**Complement C3b;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21940**  
Ntrcs(B)—Complement C3b; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Complement C3b;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20055**  
Tracs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—**  
**Complement C3b;**  
**arbitrary number(procedure)**  
**NPU20026**  
Eracs(B)—Complement C3b; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Complement C3b;**  
**arbitrary number(procedure)**  
**NPU20044**  
Tracs(B)—Complement C3b; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Complement C3b;**  
**entitic number**  
**NPU20015**  
Eracs(B)—Complement C3b; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Complement C3b;**  
**entitic number**  
**NPU21952**  
Ntrcs(B)—Complement C3b; entitic num. = ?

**Thrombocytes(Blood)—**  
**Complement C3b;**  
**entitic number**  
**NPU20066**  
Tracs(B)—Complement C3b; entitic num. = ?

**Erythrocytes(Blood)—**  
**Complement C3d;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
Authority: ICW91  
**NPU01733**  
Eracs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit

**Neutrophilocytes(Blood)—**  
**Complement C3d;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21941**  
Ntrcs(B)—Complement C3d; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Complement C3d;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20056**  
Tracs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—**  
**Complement C3d;**  
**arbitrary number(procedure)**  
**NPU20027**  
Eracs(B)—Complement C3d; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Complement C3d;**  
**arbitrary number(procedure)**  
**NPU20045**  
Tracs(B)—Complement C3d; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Complement C3d;**  
**entitic number**  
Authority: ICW91  
**NPU03886**  
Eracs(B)—Complement C3d; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Complement C3d;**  
**entitic number**  
**NPU21953**  
Ntrcs(B)—Complement C3d; entitic num. = ?

**Thrombocytes(Blood)—**  
**Complement C3d;**  
**entitic number**  
**NPU20067**  
Tracs(B)—Complement C3d; entitic num. = ?

**Erythrocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary entitic number(list; procedure)**

Other term(s): Coombs test

**NPU20000**

Eracs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)  
NPU20001 Eracs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit  
NPU20002 Eracs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit  
NPU01733 Eracs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit  
NPU20176 Eracs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit  
NPU01947 Eracs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit  
NPU20003 Eracs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit  
NPU04066 Eracs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit  
NPU04067 Eracs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit  
NPU04068 Eracs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit  
NPU04069 Eracs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit  
NPU02487 Eracs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

**Neutrophilocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary entitic number(list; procedure)**

**NPU21938**

Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)  
NPU21939 Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit  
NPU21940 Ntrcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit  
NPU21941 Ntrcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit  
NPU21942 Ntrcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit  
NPU21943 Ntrcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit  
NPU21944 Ntrcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit  
NPU21945 Ntrcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit  
NPU21946 Ntrcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit  
NPU21947 Ntrcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit  
NPU21948 Ntrcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit  
NPU21949 Ntrcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

**Thrombocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary entitic number(list; procedure)**

**NPU20053**

Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)  
NPU20054 Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit  
NPU20055 Trcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit  
NPU20056 Trcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit  
NPU20179 Trcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit  
NPU20057 Trcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit  
NPU20058 Trcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit  
NPU20059 Trcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit  
NPU20060 Trcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit  
NPU20061 Trcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit  
NPU20062 Trcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit  
NPU20063 Trcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary entitic number(procedure)  
arbitrary unit**

Other term(s): Coombs test

**NPU20001**

Eracs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

**Neutrophilocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary entitic number(procedure)  
arbitrary unit**

**NPU21939**

Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

**Thrombocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary entitic number(procedure)  
arbitrary unit**

**NPU20054**

Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary number(list; procedure)**

**NPU20024**

Eracs(B)—Complement+Immunoglobulin; arb.num.(list; proc.)  
NPU20025 Eracs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?  
NPU20026 Eracs(B)—Complement C3b; arb.num.(proc.) = ?  
NPU20027 Eracs(B)—Complement C3d; arb.num.(proc.) = ?  
NPU20175 Eracs(B)—Immunoglobulin; arb.num.(proc.) = ?  
NPU20028 Eracs(B)—Immunoglobulin A; arb.num.(proc.) = ?  
NPU04070 Eracs(B)—Immunoglobulin G; arb.num.(proc.) = ?  
NPU20030 Eracs(B)—Immunoglobulin G1; arb.num.(proc.) = ?  
NPU20031 Eracs(B)—Immunoglobulin G2; arb.num.(proc.) = ?  
NPU20032 Eracs(B)—Immunoglobulin G3; arb.num.(proc.) = ?  
NPU20033 Eracs(B)—Immunoglobulin G4; arb.num.(proc.) = ?  
NPU20034 Eracs(B)—Immunoglobulin M; arb.num.(proc.) = ?

**Thrombocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary number(list; procedure)  
NPU20042**  
Trcs(B)—Complement+Immunoglobulin; arb.num.(list; proc.) = ?  
NPU20043 Trcs(B)—Complement+Immunoglobulin;  
arb.num.(proc.) = ?  
NPU20044 Trcs(B)—Complement C3b; arb.num.(proc.) = ?  
NPU20045 Trcs(B)—Complement C3d; arb.num.(proc.) = ?  
NPU20178 Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?  
NPU20046 Trcs(B)—Immunoglobulin A; arb.num.(proc.) = ?  
NPU20047 Trcs(B)—Immunoglobulin G; arb.num.(proc.) = ?  
NPU20048 Trcs(B)—Immunoglobulin G1; arb.num.(proc.) = ?  
NPU20049 Trcs(B)—Immunoglobulin G2; arb.num.(proc.) = ?  
NPU20050 Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?  
NPU20051 Trcs(B)—Immunoglobulin G4; arb.num.(proc.) = ?  
NPU20052 Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?

**Erythrocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary number(procedure)  
NPU20025**  
ErCs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?

**Thrombocytes(Blood)—  
Complement+Immunoglobulin;  
arbitrary number(procedure)  
NPU20043**  
Trcs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?

**Erythrocytes(Blood)—  
Complement+Immunoglobulin;  
entitic number**  
Other term(s): Coombs direct test; Anti globulin reaction  
Authority: ICW91  
**NPU03868**  
ErCs(B)—Complement+Immunoglobulin; entitic num. = ?

**Neutrophilocytes(Blood)—  
Complement+Immunoglobulin;  
entitic number  
NPU21951**  
Ntrcs(B)—Complement+Immunoglobulin; entitic num. = ?

**Thrombocytes(Blood)—  
Complement+Immunoglobulin;  
entitic number  
NPU20065**  
Trcs(B)—Complement+Immunoglobulin; entitic num. = ?

**Erythrocytes(Blood)—  
Complement+Immunoglobulin;  
entitic number(list)  
NPU20013**  
ErCs(B)—Complement+Immunoglobulin; entitic num.(list)  
NPU03868 ErCs(B)—Complement+Immunoglobulin; entitic  
num. = ?  
NPU20015 ErCs(B)—Complement C3b; entitic num. = ?  
NPU03886 ErCs(B)—Complement C3d; entitic num. = ?  
NPU20177 ErCs(B)—Immunoglobulin; entitic num. = ?  
NPU02475 ErCs(B)—Immunoglobulin A; entitic num. = ?  
NPU01948 ErCs(B)—Immunoglobulin G; entitic num. = ?  
NPU01949 ErCs(B)—Immunoglobulin G1; entitic num. = ?  
NPU01950 ErCs(B)—Immunoglobulin G2; entitic num. = ?  
NPU01951 ErCs(B)—Immunoglobulin G3; entitic num. = ?  
NPU01952 ErCs(B)—Immunoglobulin G4; entitic num. = ?  
NPU01953 ErCs(B)—Immunoglobulin M; entitic num. = ?

**Neutrophilocytes(Blood)—  
Complement+Immunoglobulin;  
entitic number(list)  
NPU21950**  
Ntrcs(B)—Complement+Immunoglobulin; entitic num.(list)  
NPU21951 Ntrcs(B)—Complement+Immunoglobulin; entitic  
num. = ?  
NPU21952 Ntrcs(B)—Complement C3b; entitic num. = ?  
NPU21953 Ntrcs(B)—Complement C3d; entitic num. = ?  
NPU21954 Ntrcs(B)—Immunoglobulin; entitic num. = ?  
NPU21955 Ntrcs(B)—Immunoglobulin A; entitic num. = ?  
NPU21956 Ntrcs(B)—Immunoglobulin G; entitic num. = ?  
NPU21957 Ntrcs(B)—Immunoglobulin G1; entitic num. = ?  
NPU21958 Ntrcs(B)—Immunoglobulin G2; entitic num. = ?  
NPU21959 Ntrcs(B)—Immunoglobulin G3; entitic num. = ?  
NPU21960 Ntrcs(B)—Immunoglobulin G4; entitic num. = ?  
NPU21961 Ntrcs(B)—Immunoglobulin M; entitic num. = ?

**Thrombocytes(Blood)—  
Complement+Immunoglobulin;  
entitic number(list)  
NPU20064**  
Trcs(B)—Complement+Immunoglobulin; entitic num.(list)  
NPU20065 Trcs(B)—Complement+Immunoglobulin; entitic  
num. = ?  
NPU20066 Trcs(B)—Complement C3b; entitic num. = ?  
NPU20067 Trcs(B)—Complement C3d; entitic num. = ?  
NPU20180 Trcs(B)—Immunoglobulin; entitic num. = ?  
NPU20068 Trcs(B)—Immunoglobulin A; entitic num. = ?  
NPU20069 Trcs(B)—Immunoglobulin G; entitic num. = ?  
NPU20070 Trcs(B)—Immunoglobulin G1; entitic num. = ?  
NPU20071 Trcs(B)—Immunoglobulin G2; entitic num. = ?  
NPU20072 Trcs(B)—Immunoglobulin G3; entitic num. = ?  
NPU20073 Trcs(B)—Immunoglobulin G4; entitic num. = ?  
NPU20074 Trcs(B)—Immunoglobulin M; entitic num. = ?

**Culture(Lymphocytes; Blood)—  
Concanavalin A stimulated lymphocytes;  
relative number ratio(actual/norm; procedure)  
NPU21422**  
Culture(Lymcs; B)—Concanavalin A stimulated lymphocytes;  
rel.num.ratio(actual/norm; proc.) = ?

**Blood—  
Crossmatch(electronic);  
expiry(date&hour; procedure)  
Other term(s): bac, abc, bas test  
NPU21406**  
B—Crossmatch(elect.); expiry(d&h; proc.) = ?

**Culture(Lymphocytes; Blood)—  
Cytomegalovirus stimulated lymphocytes;  
relative number concentration(stimulated/unstimulated;  
procedure)  
NPU21416**  
Culture(Lymcs; B)—Cytomegalovirus stimulated lymphocytes;  
rel.num.c.(stim./unstim.; proc.) = ?

**Plasma—  
Erythrocyte `N' antibody;  
arbitrary concentration(20 °C; procedure)  
NPU20423**  
P—Erythrocyte `N' antibody; arb.c.(20 °C; proc.) = ?

**Plasma—  
Erythrocyte `N' antibody;  
arbitrary concentration(37 °C; procedure)  
NPU20424**  
P—Erythrocyte `N' antibody; arb.c.(37 °C; proc.) = ?

**Plasma—  
Erythrocyte `N' antibody;  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU20875**  
P—Erythrocyte `N' antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte `N' antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20876**  
P—Erythrocyte `N' antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte `N' antigen;**  
**arbitrary number(procedure)**  
**NPU20201**  
Ercs(B)—Erythrocyte `N' antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte A antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20428**  
P—Erythrocyte A antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte A antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20427**  
P—Erythrocyte A antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte A antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20880**  
P—Erythrocyte A antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte A antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20879**  
P—Erythrocyte A antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte A antigen;**  
**arbitrary number(procedure)**  
**NPU21915**  
Ercs(B)—Erythrocyte A antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte A1 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20425**  
P—Erythrocyte A1 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte A1 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20426**  
P—Erythrocyte A1 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte A1 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20877**  
P—Erythrocyte A1 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte A1 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20878**  
P—Erythrocyte A1 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte A1 antigen;**  
**arbitrary number(procedure)**  
**NPU21914**  
Ercs(B)—Erythrocyte A1 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ALe<sup>b</sup>antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20429**  
P—Erythrocyte ALe<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ALe<sup>b</sup>antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20430**  
P—Erythrocyte ALe<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ALe<sup>b</sup>antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20881**  
P—Erythrocyte ALe<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ALe<sup>b</sup>antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20882**  
P—Erythrocyte ALe<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ALe<sup>b</sup>antigen;**  
**arbitrary number(procedure)**  
**NPU20202**  
Ercs(B)—Erythrocyte ALe<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte An<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20431**  
P—Erythrocyte An<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte An<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20432**  
P—Erythrocyte An<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte An<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20883**  
P—Erythrocyte An<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte An<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20884**  
P—Erythrocyte An<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte An<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20203**  
Ercs(B)—Erythrocyte An<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**

**Erythrocyte antibody;  
arbitrary concentration(list)  
NPU21747**

- P—Erythrocyte antibody; arb.c.(list)  
NPU20423 P—Erythrocyte `N` antibody; arb.c.(20 °C; proc.) = ?  
NPU20424 P—Erythrocyte `N` antibody; arb.c.(37 °C; proc.) = ?  
NPU20425 P—Erythrocyte A1 antibody; arb.c.(20 °C; proc.) = ?  
NPU20426 P—Erythrocyte A1 antibody; arb.c.(37 °C; proc.) = ?  
NPU20428 P—Erythrocyte A antibody; arb.c.(20 °C; proc.) = ?  
NPU20427 P—Erythrocyte A antibody; arb.c.(37 °C; proc.) = ?  
NPU20429 P—Erythrocyte ALe<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?  
NPU20430 P—Erythrocyte ALe<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?  
NPU20431 P—Erythrocyte An<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20432 P—Erythrocyte An<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20433 P—Erythrocyte Au<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20434 P—Erythrocyte Au<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20435 P—Erythrocyte Au<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?  
NPU20436 P—Erythrocyte Au<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?  
NPU20437 P—Erythrocyte B antibody; arb.c.(20 °C; proc.) = ?  
NPU20438 P—Erythrocyte B antibody; arb.c.(37 °C; proc.) = ?  
NPU20439 P—Erythrocyte BARC antibody; arb.c.(20 °C; proc.) = ?  
NPU20440 P—Erythrocyte BARC antibody; arb.c.(37 °C; proc.) = ?  
NPU20441 P—Erythrocyte Be<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20442 P—Erythrocyte Be<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20443 P—Erythrocyte BLe<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?  
NPU20444 P—Erythrocyte BLe<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?  
NPU20445 P—Erythrocyte BOW antibody; arb.c.(20 °C; proc.) = ?  
NPU20446 P—Erythrocyte BOW antibody; arb.c.(37 °C; proc.) = ?  
NPU20447 P—Erythrocyte Bp<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20448 P—Erythrocyte Bp<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20449 P—Erythrocyte C antibody; arb.c.(20 °C; proc.) = ?  
NPU20450 P—Erythrocyte c antibody; arb.c.(20 °C; proc.) = ?  
NPU20451 P—Erythrocyte C antibody; arb.c.(37 °C; proc.) = ?  
NPU20452 P—Erythrocyte c antibody; arb.c.(37 °C; proc.) = ?  
NPU20453 P—Erythrocyte CD99 antibody; arb.c.(20 °C; proc.) = ?  
NPU20454 P—Erythrocyte CD99 antibody; arb.c.(37 °C; proc.) = ?  
NPU20455 P—Erythrocyte Ce antibody; arb.c.(20 °C; proc.) = ?  
NPU20456 P—Erythrocyte CE antibody; arb.c.(20 °C; proc.) = ?  
NPU20457 P—Erythrocyte cE antibody; arb.c.(20 °C; proc.) = ?  
NPU20458 P—Erythrocyte Ce antibody; arb.c.(37 °C; proc.) = ?  
NPU20459 P—Erythrocyte CE antibody; arb.c.(37 °C; proc.) = ?  
NPU20460 P—Erythrocyte cE antibody; arb.c.(37 °C; proc.) = ?  
NPU20461 P—Erythrocyte C<sup>G</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20462 P—Erythrocyte C<sup>G</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20463 P—Erythrocyte Ch1 antibody; arb.c.(20 °C; proc.) = ?  
NPU20464 P—Erythrocyte Ch1 antibody; arb.c.(37 °C; proc.) = ?  
NPU20465 P—Erythrocyte Ch2 antibody; arb.c.(20 °C; proc.) = ?  
NPU20466 P—Erythrocyte Ch2 antibody; arb.c.(37 °C; proc.) = ?  
NPU20467 P—Erythrocyte Ch3 antibody; arb.c.(20 °C; proc.) = ?  
NPU20468 P—Erythrocyte Ch3 antibody; arb.c.(37 °C; proc.) = ?  
NPU20469 P—Erythrocyte Ch4 antibody; arb.c.(20 °C; proc.) = ?  
NPU20470 P—Erythrocyte Ch4 antibody; arb.c.(37 °C; proc.) = ?  
NPU20471 P—Erythrocyte Ch5 antibody; arb.c.(20 °C; proc.) = ?  
NPU20472 P—Erythrocyte Ch5 antibody; arb.c.(37 °C; proc.) = ?  
NPU20473 P—Erythrocyte Ch6 antibody; arb.c.(20 °C; proc.) = ?  
NPU20474 P—Erythrocyte Ch6 antibody; arb.c.(37 °C; proc.) = ?  
NPU20475 P—Erythrocyte Cf<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20476 P—Erythrocyte Cf<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20477 P—Erythrocyte c-like antibody; arb.c.(20 °C; proc.) = ?  
NPU20478 P—Erythrocyte c-like antibody; arb.c.(37 °C; proc.) = ?  
NPU20479 P—Erythrocyte Co3 antibody; arb.c.(20 °C; proc.) = ?  
NPU20480 P—Erythrocyte Co3 antibody; arb.c.(37 °C; proc.) = ?  
NPU20481 P—Erythrocyte Co<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20482 P—Erythrocyte Co<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20483 P—Erythrocyte Co<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?  
NPU20484 P—Erythrocyte Co<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?  
NPU20485 P—Erythrocyte Cr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20486 P—Erythrocyte Cr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20487 P—Erythrocyte Crawford antibody; arb.c.(20 °C; proc.) = ?  
NPU20488 P—Erythrocyte Crawford antibody; arb.c.(37 °C; proc.) = ?  
NPU20489 P—Erythrocyte C<sup>w</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20490 P—Erythrocyte C<sup>w</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20491 P—Erythrocyte C<sup>x</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20492 P—Erythrocyte C<sup>x</sup> antibody; arb.c.(37 °C; proc.) = ?  
NPU20493 P—Erythrocyte DANE antibody; arb.c.(20 °C; proc.) = ?  
NPU20494 P—Erythrocyte DANE antibody; arb.c.(37 °C; proc.) = ?  
NPU20495 P—Erythrocyte D antibody; arb.c.(20 °C; proc.) = ?  
NPU20496 P—Erythrocyte D antibody; arb.c.(37 °C; proc.) = ?  
NPU20497 P—Erythrocyte Dantu antibody; arb.c.(20 °C; proc.) = ?  
NPU20498 P—Erythrocyte Dantu antibody; arb.c.(37 °C; proc.) = ?  
NPU20499 P—Erythrocyte Dav antibody; arb.c.(20 °C; proc.) = ?  
NPU20500 P—Erythrocyte Dav antibody; arb.c.(37 °C; proc.) = ?  
NPU20501 P—Erythrocyte Dh<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
NPU20502 P—Erythrocyte Dh<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

NPU20503 P—Erythrocyte Di<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20504 P—Erythrocyte Di<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20505 P—Erythrocyte Di<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20506 P—Erythrocyte Di<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20507 P—Erythrocyte Do<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20508 P—Erythrocyte Do<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20509 P—Erythrocyte Do<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20510 P—Erythrocyte Do<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20511 P—Erythrocyte Dr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20512 P—Erythrocyte Dr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20513 P—Erythrocyte D<sup>w</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20514 P—Erythrocyte D<sup>w</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20515 P—Erythrocyte E antibody; arb.c.(20 °C; proc.) = ?  
 NPU20516 P—Erythrocyte e antibody; arb.c.(20 °C; proc.) = ?  
 NPU20517 P—Erythrocyte E antibody; arb.c.(37 °C; proc.) = ?  
 NPU20518 P—Erythrocyte e antibody; arb.c.(37 °C; proc.) = ?  
 NPU20519 P—Erythrocyte ELO antibody; arb.c.(20 °C; proc.) = ?  
 NPU20520 P—Erythrocyte ELO antibody; arb.c.(37 °C; proc.) = ?  
 NPU20521 P—Erythrocyte En<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20522 P—Erythrocyte En<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20523 P—Erythrocyte ENAV antibody; arb.c.(20 °C; proc.) = ?  
 NPU20524 P—Erythrocyte ENAV antibody; arb.c.(37 °C; proc.) = ?  
 NPU20525 P—Erythrocyte ENEH antibody; arb.c.(20 °C; proc.) = ?  
 NPU20526 P—Erythrocyte ENEH antibody; arb.c.(37 °C; proc.) = ?  
 NPU20527 P—Erythrocyte ENEP antibody; arb.c.(20 °C; proc.) = ?  
 NPU20528 P—Erythrocyte ENEP antibody; arb.c.(37 °C; proc.) = ?  
 NPU20529 P—Erythrocyte ENKT antibody; arb.c.(20 °C; proc.) = ?  
 NPU20530 P—Erythrocyte ENKT antibody; arb.c.(37 °C; proc.) = ?  
 NPU20531 P—Erythrocyte ERIK antibody; arb.c.(20 °C; proc.) = ?  
 NPU20532 P—Erythrocyte ERIK antibody; arb.c.(37 °C; proc.) = ?  
 NPU20533 P—Erythrocyte Es<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20534 P—Erythrocyte Es<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20535 P—Erythrocyte Evans antibody; arb.c.(20 °C; proc.) = ?  
 NPU20536 P—Erythrocyte Evans antibody; arb.c.(37 °C; proc.) = ?  
 NPU20537 P—Erythrocyte E<sup>w</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20538 P—Erythrocyte E<sup>w</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20539 P—Erythrocyte f antibody; arb.c.(20 °C; proc.) = ?  
 NPU20540 P—Erythrocyte f antibody; arb.c.(37 °C; proc.) = ?  
 NPU20541 P—Erythrocyte Far antibody; arb.c.(20 °C; proc.) = ?  
 NPU20542 P—Erythrocyte Far antibody; arb.c.(37 °C; proc.) = ?  
 NPU20543 P—Erythrocyte FPTT antibody; arb.c.(20 °C; proc.) = ?  
 NPU20544 P—Erythrocyte FPTT antibody; arb.c.(37 °C; proc.) = ?  
 NPU20545 P—Erythrocyte Fr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20546 P—Erythrocyte Fr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20547 P—Erythrocyte Fy3 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20548 P—Erythrocyte Fy3 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20549 P—Erythrocyte Fy4 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20550 P—Erythrocyte Fy4 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20551 P—Erythrocyte Fy5 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20552 P—Erythrocyte Fy5 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20553 P—Erythrocyte Fy6 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20554 P—Erythrocyte Fy6 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20555 P—Erythrocyte Fy<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20556 P—Erythrocyte Fy<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20557 P—Erythrocyte Fy<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20558 P—Erythrocyte Fy<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20559 P—Erythrocyte G antibody; arb.c.(20 °C; proc.) = ?  
 NPU20560 P—Erythrocyte G antibody; arb.c.(37 °C; proc.) = ?  
 NPU20561 P—Erythrocyte Ge2 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20562 P—Erythrocyte Ge2 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20563 P—Erythrocyte Ge3 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20564 P—Erythrocyte Ge3 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20565 P—Erythrocyte Ge4 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20566 P—Erythrocyte Ge4 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20567 P—Erythrocyte Go<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20568 P—Erythrocyte Go<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20569 P—Erythrocyte Gy<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20570 P—Erythrocyte Gy<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20571 P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?  
 NPU20572 P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?  
 NPU20573 P—Erythrocyte H antibody; arb.c.(20 °C; proc.) = ?  
 NPU20574 P—Erythrocyte H antibody; arb.c.(37 °C; proc.) = ?  
 NPU20575 P—Erythrocyte He antibody; arb.c.(20 °C; proc.) = ?  
 NPU20576 P—Erythrocyte He antibody; arb.c.(37 °C; proc.) = ?  
 NPU20577 P—Erythrocyte Hg<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20578 P—Erythrocyte Hg<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20579 P—Erythrocyte Hil antibody; arb.c.(20 °C; proc.) = ?  
 NPU20580 P—Erythrocyte Hil antibody; arb.c.(37 °C; proc.) = ?  
 NPU20581 P—Erythrocyte Hop antibody; arb.c.(20 °C; proc.) = ?  
 NPU20582 P—Erythrocyte Hop antibody; arb.c.(37 °C; proc.) = ?  
 NPU20583 P—Erythrocyte Hr antibody; arb.c.(20 °C; proc.) = ?  
 NPU20584 P—Erythrocyte Hr antibody; arb.c.(37 °C; proc.) = ?  
 NPU20585 P—Erythrocyte hr<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

? NPU20586 P—Erythrocyte Hr<sup>b</sup> antibody; arb.c.(20 °C; proc.) =  
 ? NPU20587 P—Erythrocyte hr<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20588 P—Erythrocyte Hr<sup>b</sup> antibody; arb.c.(37 °C; proc.) =  
 ? NPU20589 P—Erythrocyte hr<sup>H</sup> antibody; arb.c.(20 °C; proc.) =  
 ? NPU20590 P—Erythrocyte hr<sup>H</sup> antibody; arb.c.(37 °C; proc.) =  
 ? NPU20591 P—Erythrocyte Hr<sub>o</sub> antibody; arb.c.(20 °C; proc.) =  
 ? NPU20592 P—Erythrocyte Hr<sub>o</sub> antibody; arb.c.(37 °C; proc.) =  
 ? NPU20593 P—Erythrocyte hr<sup>S</sup> antibody; arb.c.(20 °C; proc.) =  
 ? NPU20594 P—Erythrocyte hr<sup>S</sup> antibody; arb.c.(37 °C; proc.) =  
 ? NPU20595 P—Erythrocyte Hut antibody; arb.c.(20 °C; proc.) =  
 ? NPU20596 P—Erythrocyte Hut antibody; arb.c.(37 °C; proc.) =  
 ? NPU20597 P—Erythrocyte Hy antibody; arb.c.(20 °C; proc.) =  
 ? NPU20598 P—Erythrocyte Hy antibody; arb.c.(37 °C; proc.) =  
 ? NPU20599 P—Erythrocyte IFC antibody; arb.c.(20 °C; proc.) =  
 ? NPU20600 P—Erythrocyte IFC antibody; arb.c.(37 °C; proc.) =  
 ? NPU20601 P—Erythrocyte In<sup>a</sup> antibody; arb.c.(20 °C; proc.) =  
 ? NPU20602 P—Erythrocyte In<sup>a</sup> antibody; arb.c.(37 °C; proc.) =  
 ? NPU20603 P—Erythrocyte In<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20604 P—Erythrocyte In<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20605 P—Erythrocyte JAL antibody; arb.c.(20 °C; proc.) =  
 ? NPU20606 P—Erythrocyte JAL antibody; arb.c.(37 °C; proc.) =  
 ? NPU20607 P—Erythrocyte Jk3 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20608 P—Erythrocyte Jk3 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20609 P—Erythrocyte Jk<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20610 P—Erythrocyte Jk<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20611 P—Erythrocyte Jk<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20612 P—Erythrocyte Jk<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20613 P—Erythrocyte Jr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20614 P—Erythrocyte Jr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20615 P—Erythrocyte Jk<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20616 P—Erythrocyte Jk<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20617 P—Erythrocyte Js<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20618 P—Erythrocyte Js<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20619 P—Erythrocyte Js<sup>b</sup> antibody; arb.c.(20 °C; proc.) = = ?  
 ? NPU20620 P—Erythrocyte Js<sup>b</sup> antibody; arb.c.(37 °C; proc.) = = ?  
 ? NPU20621 P—Erythrocyte K11 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20622 P—Erythrocyte K11 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20623 P—Erythrocyte K12 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20624 P—Erythrocyte K12 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20625 P—Erythrocyte K13 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20626 P—Erythrocyte K13 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20627 P—Erythrocyte K14 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20628 P—Erythrocyte K14 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20629 P—Erythrocyte K16 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20630 P—Erythrocyte K16 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20631 P—Erythrocyte K17 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20632 P—Erythrocyte K17 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20633 P—Erythrocyte K18 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20634 P—Erythrocyte K18 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20635 P—Erythrocyte K19 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20636 P—Erythrocyte K19 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20637 P—Erythrocyte K22 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20638 P—Erythrocyte K22 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20639 P—Erythrocyte K23 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20640 P—Erythrocyte K23 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20641 P—Erythrocyte K24 antibody; arb.c.(20 °C; proc.) =  
 ? NPU20642 P—Erythrocyte K24 antibody; arb.c.(37 °C; proc.) =  
 ? NPU20643 P—Erythrocyte K antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20644 P—Erythrocyte k antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20645 P—Erythrocyte K antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20646 P—Erythrocyte k antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20647 P—Erythrocyte Km antibody; arb.c.(20 °C; proc.) =  
 NPU20648 P—Erythrocyte Km antibody; arb.c.(37 °C; proc.) =  
 NPU20649 P—Erythrocyte Kn<sup>a</sup> antibody; arb.c.(20 °C; proc.) =  
 NPU20650 P—Erythrocyte Kn<sup>a</sup> antibody; arb.c.(37 °C; proc.) =  
 NPU20651 P—Erythrocyte Kn<sup>b</sup> antibody; arb.c.(20 °C; proc.) =  
 NPU20652 P—Erythrocyte Kn<sup>b</sup> antibody; arb.c.(37 °C; proc.) =  
 NPU20653 P—Erythrocyte Kp<sup>a</sup> antibody; arb.c.(20 °C; proc.) =  
 NPU20654 P—Erythrocyte Kp<sup>a</sup> antibody; arb.c.(37 °C; proc.) =  
 NPU20655 P—Erythrocyte Kp<sup>b</sup> antibody; arb.c.(20 °C; proc.) =  
 NPU20656 P—Erythrocyte Kp<sup>b</sup> antibody; arb.c.(37 °C; proc.) =  
 NPU20657 P—Erythrocyte Kp<sup>c</sup> antibody; arb.c.(20 °C; proc.) =  
 NPU20658 P—Erythrocyte Kp<sup>c</sup> antibody; arb.c.(37 °C; proc.) =  
 NPU20659 P—Erythrocyte KREP antibody; arb.c.(20 °C; proc.) =  
 NPU20660 P—Erythrocyte KREP antibody; arb.c.(37 °C; proc.) =  
 NPU20661 P—Erythrocyte Ku antibody; arb.c.(20 °C; proc.) =  
 NPU20662 P—Erythrocyte Ku antibody; arb.c.(37 °C; proc.) =  
 NPU20663 P—Erythrocyte Kx antibody; arb.c.(20 °C; proc.) =  
 NPU20664 P—Erythrocyte Kx antibody; arb.c.(37 °C; proc.) =  
 NPU20665 P—Erythrocyte Le<sup>a</sup> antibody; arb.c.(20 °C; proc.) =

? NPU20666 P—Erythrocyte Le<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20667 P—Erythrocyte Le<sup>ab</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20668 P—Erythrocyte Le<sup>ab</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20669 P—Erythrocyte Le<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20670 P—Erythrocyte Le<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20671 P—Erythrocyte Le<sup>bH</sup> antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20672 P—Erythrocyte Le<sup>bH</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20673 P—Erythrocyte Ls<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20674 P—Erythrocyte Ls<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20675 P—Erythrocyte Lu11 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20676 P—Erythrocyte Lu11 antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20677 P—Erythrocyte Lu12 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20678 P—Erythrocyte Lu12 antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20679 P—Erythrocyte Lu13 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20680 P—Erythrocyte Lu13 antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20681 P—Erythrocyte Lu14 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20682 P—Erythrocyte Lu14 antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20683 P—Erythrocyte Lu16 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20684 P—Erythrocyte Lu16 antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20685 P—Erythrocyte Lu17 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20686 P—Erythrocyte Lu17 antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20687 P—Erythrocyte Lu20 antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20688 P—Erythrocyte Lu20 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20689 P—Erythrocyte Lu3 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20690 P—Erythrocyte Lu3 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20691 P—Erythrocyte Lu4 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20692 P—Erythrocyte Lu4 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20693 P—Erythrocyte Lu5 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20694 P—Erythrocyte Lu5 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20695 P—Erythrocyte Lu6 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20696 P—Erythrocyte Lu6 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20697 P—Erythrocyte Lu7 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20698 P—Erythrocyte Lu7 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20699 P—Erythrocyte Lu8 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20700 P—Erythrocyte Lu8 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20701 P—Erythrocyte Lu9 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20702 P—Erythrocyte Lu9 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20703 P—Erythrocyte Lu<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20704 P—Erythrocyte Lu<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20705 P—Erythrocyte Lu<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20706 P—Erythrocyte Lu<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20707 P—Erythrocyte LW<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20708 P—Erythrocyte LW<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20709 P—Erythrocyte LW<sup>ab</sup> antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20710 P—Erythrocyte LW<sup>ab</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20711 P—Erythrocyte LW<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20712 P—Erythrocyte LW<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20713 P—Erythrocyte M antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20714 P—Erythrocyte M antibody; arb.c.(37 °C; proc.) = ?  
 = ? NPU20715 P—Erythrocyte MAR antibody; arb.c.(20 °C; proc.) = ?  
 = ? NPU20716 P—Erythrocyte MAR antibody; arb.c.(37 °C; proc.) = ?  
 NPU20717 P—Erythrocyte MARS antibody; arb.c.(20 °C; proc.) = ?  
 NPU20718 P—Erythrocyte MARS antibody; arb.c.(37 °C; proc.) = ?  
 NPU20719 P—Erythrocyte M<sup>c</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20720 P—Erythrocyte M<sup>c</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20721 P—Erythrocyte McC<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20722 P—Erythrocyte McC<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20723 P—Erythrocyte McC<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20724 P—Erythrocyte McC<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20725 P—Erythrocyte M<sup>e</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20726 P—Erythrocyte M<sup>e</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20727 P—Erythrocyte MER2 antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20728 P—Erythrocyte MER2 antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20729 P—Erythrocyte M<sup>G</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20730 P—Erythrocyte M<sup>G</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20731 P—Erythrocyte Mi<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20732 P—Erythrocyte Mi<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20733 P—Erythrocyte MINY antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20734 P—Erythrocyte MINY antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20735 P—Erythrocyte Mit antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20736 P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20737 P—Erythrocyte Mo<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20738 P—Erythrocyte Mo<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20739 P—Erythrocyte Mi<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20740 P—Erythrocyte Mi<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 ? NPU20741 P—Erythrocyte Mur antibody; arb.c.(20 °C; proc.) = ?  
 ? NPU20742 P—Erythrocyte Mur antibody; arb.c.(37 °C; proc.) = ?

NPU20743 P—Erythrocyte MUT antibody; arb.c.(20 °C; proc.) = ?  
 NPU20744 P—Erythrocyte MUT antibody; arb.c.(37 °C; proc.) = ?  
 NPU20745 P—Erythrocyte M<sup>v</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20746 P—Erythrocyte M<sup>v</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20747 P—Erythrocyte N antibody; arb.c.(20 °C; proc.) = ?  
 NPU20748 P—Erythrocyte N antibody; arb.c.(37 °C; proc.) = ?  
 NPU20749 P—Erythrocyte NFLD antibody; arb.c.(20 °C; proc.) = ?  
 NPU20750 P—Erythrocyte NFLD antibody; arb.c.(37 °C; proc.) = ?  
 NPU20751 P—Erythrocyte Nob antibody; arb.c.(20 °C; proc.) = ?  
 NPU20752 P—Erythrocyte Nob antibody; arb.c.(37 °C; proc.) = ?  
 NPU20753 P—Erythrocyte Nou antibody; arb.c.(20 °C; proc.) = ?  
 NPU20754 P—Erythrocyte Nou antibody; arb.c.(37 °C; proc.) = ?  
 NPU20755 P—Erythrocyte Ny<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20756 P—Erythrocyte Ny<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20757 P—Erythrocyte Ok<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20758 P—Erythrocyte Ok<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20759 P—Erythrocyte Or antibody; arb.c.(20 °C; proc.) = ?  
 NPU20760 P—Erythrocyte Or antibody; arb.c.(37 °C; proc.) = ?  
 NPU20761 P—Erythrocyte Os<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20762 P—Erythrocyte Os<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20763 P—Erythrocyte P1 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20764 P—Erythrocyte P1 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20765 P—Erythrocyte Rb<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20766 P—Erythrocyte Rb<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20767 P—Erythrocyte Rg1 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20768 P—Erythrocyte Rg1 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20769 P—Erythrocyte Rg2 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20770 P—Erythrocyte Rg2 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20771 P—Erythrocyte Rh29 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20772 P—Erythrocyte Rh29 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20773 P—Erythrocyte Rh32 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20774 P—Erythrocyte Rh32 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20775 P—Erythrocyte Rh33 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20776 P—Erythrocyte Rh33 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20777 P—Erythrocyte Rh35 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20778 P—Erythrocyte Rh35 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20779 P—Erythrocyte Rh39 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20780 P—Erythrocyte Rh39 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20781 P—Erythrocyte Rh41 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20782 P—Erythrocyte Rh41 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20783 P—Erythrocyte Rh42 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20784 P—Erythrocyte Rh42 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20785 P—Erythrocyte Ri<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20786 P—Erythrocyte Ri<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20787 P—Erythrocyte Riv antibody; arb.c.(20 °C; proc.) = ?  
 NPU20788 P—Erythrocyte Riv antibody; arb.c.(37 °C; proc.) = ?  
 NPU20789 P—Erythrocyte S antibody; arb.c.(20 °C; proc.) = ?  
 NPU20790 P—Erythrocyte s antibody; arb.c.(20 °C; proc.) = ?  
 NPU20791 P—Erythrocyte S antibody; arb.c.(37 °C; proc.) = ?  
 NPU20792 P—Erythrocyte s antibody; arb.c.(37 °C; proc.) = ?  
 NPU20793 P—Erythrocyte SAT antibody; arb.c.(20 °C; proc.) = ?  
 NPU20794 P—Erythrocyte SAT antibody; arb.c.(37 °C; proc.) = ?  
 NPU20795 P—Erythrocyte Sc1 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20796 P—Erythrocyte Sc1 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20797 P—Erythrocyte Sc2 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20798 P—Erythrocyte Sc2 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20799 P—Erythrocyte Sc3 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20800 P—Erythrocyte Sc3 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20801 P—Erythrocyte s<sup>D</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20802 P—Erythrocyte s<sup>D</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20803 P—Erythrocyte Sec antibody; arb.c.(20 °C; proc.) = ?  
 NPU20804 P—Erythrocyte Sec antibody; arb.c.(37 °C; proc.) = ?  
 NPU20805 P—Erythrocyte Sl<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20806 P—Erythrocyte Sl<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20807 P—Erythrocyte St<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20808 P—Erythrocyte St<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20809 P—Erythrocyte STEM antibody; arb.c.(20 °C; proc.) = ?  
 NPU20810 P—Erythrocyte STEM antibody; arb.c.(37 °C; proc.) = ?  
 NPU20811 P—Erythrocyte SW1 antibody; arb.c.(20 °C; proc.) = ?  
 NPU20812 P—Erythrocyte SW1 antibody; arb.c.(37 °C; proc.) = ?  
 NPU20813 P—Erythrocyte Sw<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20814 P—Erythrocyte Sw<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20815 P—Erythrocyte Tar antibody; arb.c.(20 °C; proc.) = ?  
 NPU20816 P—Erythrocyte Tar antibody; arb.c.(37 °C; proc.) = ?  
 NPU20817 P—Erythrocyte Tc<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20818 P—Erythrocyte Tc<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20819 P—Erythrocyte Tc<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20820 P—Erythrocyte Tc<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20821 P—Erythrocyte Tc<sup>c</sup> antibody; arb.c.(20 °C; proc.) = ?

NPU20822 P—Erythrocyte Tc<sup>c</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20823 P—Erythrocyte TOU antibody; arb.c.(20 °C; proc.) = ?  
 NPU20824 P—Erythrocyte TOU antibody; arb.c.(37 °C; proc.) = ?  
 NPU20825 P—Erythrocyte Tr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20826 P—Erythrocyte Tr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20827 P—Erythrocyte TSEN antibody; arb.c.(20 °C; proc.) = ?  
 NPU20828 P—Erythrocyte TSEN antibody; arb.c.(37 °C; proc.) = ?  
 NPU20829 P—Erythrocyte U antibody; arb.c.(20 °C; proc.) = ?  
 NPU20830 P—Erythrocyte U antibody; arb.c.(37 °C; proc.) = ?  
 NPU20831 P—Erythrocyte Ul<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20832 P—Erythrocyte Ul<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20833 P—Erythrocyte UMC antibody; arb.c.(20 °C; proc.) = ?  
 NPU20834 P—Erythrocyte UMC antibody; arb.c.(37 °C; proc.) = ?  
 NPU20835 P—Erythrocyte V antibody; arb.c.(20 °C; proc.) = ?  
 NPU20836 P—Erythrocyte V antibody; arb.c.(37 °C; proc.) = ?  
 NPU20837 P—Erythrocyte Vg<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20838 P—Erythrocyte Vg<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20839 P—Erythrocyte Vil antibody; arb.c.(20 °C; proc.) = ?  
 NPU20840 P—Erythrocyte Vil antibody; arb.c.(37 °C; proc.) = ?  
 NPU20841 P—Erythrocyte VLAN antibody; arb.c.(20 °C; proc.) = ?  
 NPU20842 P—Erythrocyte VLAN antibody; arb.c.(37 °C; proc.) = ?  
 NPU20843 P—Erythrocyte Vr antibody; arb.c.(20 °C; proc.) = ?  
 NPU20844 P—Erythrocyte Vr antibody; arb.c.(37 °C; proc.) = ?  
 NPU20845 P—Erythrocyte VS antibody; arb.c.(20 °C; proc.) = ?  
 NPU20846 P—Erythrocyte VS antibody; arb.c.(37 °C; proc.) = ?  
 NPU20847 P—Erythrocyte Vw antibody; arb.c.(20 °C; proc.) = ?  
 NPU20848 P—Erythrocyte Vw antibody; arb.c.(37 °C; proc.) = ?  
 NPU20849 P—Erythrocyte WARR antibody; arb.c.(20 °C; proc.) = ?  
 NPU20850 P—Erythrocyte WARR antibody; arb.c.(37 °C; proc.) = ?  
 NPU20851 P—Erythrocyte Wb antibody; arb.c.(20 °C; proc.) = ?  
 NPU20852 P—Erythrocyte Wb antibody; arb.c.(37 °C; proc.) = ?  
 NPU20853 P—Erythrocyte Wd<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20854 P—Erythrocyte Wd<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20855 P—Erythrocyte WES<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20856 P—Erythrocyte WES<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20857 P—Erythrocyte WES<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20858 P—Erythrocyte WES<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20859 P—Erythrocyte WH antibody; arb.c.(20 °C; proc.) = ?  
 NPU20860 P—Erythrocyte WH antibody; arb.c.(37 °C; proc.) = ?  
 NPU20861 P—Erythrocyte Wr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20862 P—Erythrocyte Wr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20863 P—Erythrocyte Wr<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20864 P—Erythrocyte Wr<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20865 P—Erythrocyte Wu antibody; arb.c.(20 °C; proc.) = ?  
 NPU20866 P—Erythrocyte Wu antibody; arb.c.(37 °C; proc.) = ?  
 NPU20867 P—Erythrocyte Xg<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20868 P—Erythrocyte Xg<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20869 P—Erythrocyte Yk<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20870 P—Erythrocyte Yk<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20871 P—Erythrocyte Yt<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20872 P—Erythrocyte Yt<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?  
 NPU20873 P—Erythrocyte Yt<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?  
 NPU20874 P—Erythrocyte Yt<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte antibody;**  
**compatibility(donationID; absent present)**  
**NPU21913**  
 P—Erythrocyte antibody; compatibility(donationID; absent present) = ?

**Erythrocytes(Blood)—**

**Erythrocyte antigen;**

**arbitrary number(list; procedure)**

**NPU20200**

ErCs(B)—Erythrocyte antigen; arb.num.(list; proc.)

NPU20201 ErCs(B)—Erythrocyte 'N' antigen; arb.num.(proc.) = ?

NPU21914 ErCs(B)—Erythrocyte A1 antigen; arb.num.(proc.) = ?

NPU21915 ErCs(B)—Erythrocyte A antigen; arb.num.(proc.) = ?

NPU20202 ErCs(B)—Erythrocyte ALe<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU20203 ErCs(B)—Erythrocyte An<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20204 ErCs(B)—Erythrocyte Au<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20205 ErCs(B)—Erythrocyte Au<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU21916 ErCs(B)—Erythrocyte B antigen; arb.num.(proc.) = ?

NPU20206 ErCs(B)—Erythrocyte BARC antigen; arb.num.(proc.) = ?

NPU20207 ErCs(B)—Erythrocyte Be<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20208 ErCs(B)—Erythrocyte BLe<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU20209 ErCs(B)—Erythrocyte BOW antigen; arb.num.(proc.) = ?

NPU20210 ErCs(B)—Erythrocyte Bp<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20211 ErCs(B)—Erythrocyte C antigen; arb.num.(proc.) = ?

NPU20212 ErCs(B)—Erythrocyte c antigen; arb.num.(proc.) = ?

NPU20213 ErCs(B)—Erythrocyte CD99 antigen; arb.num.(proc.) = ?

NPU20214 ErCs(B)—Erythrocyte Ce antigen; arb.num.(proc.) = ?

NPU20215 ErCs(B)—Erythrocyte CE antigen; arb.num.(proc.) = ?

NPU20216 ErCs(B)—Erythrocyte cE antigen; arb.num.(proc.) = ?

NPU20217 ErCs(B)—Erythrocyte C<sup>G</sup> antigen; arb.num.(proc.) = ?

NPU20218 ErCs(B)—Erythrocyte Ch1 antigen; arb.num.(proc.) = ?

NPU20219 ErCs(B)—Erythrocyte Ch2 antigen; arb.num.(proc.) = ?

NPU20220 ErCs(B)—Erythrocyte Ch3 antigen; arb.num.(proc.) = ?

NPU20221 ErCs(B)—Erythrocyte Ch4 antigen; arb.num.(proc.) = ?

NPU20222 ErCs(B)—Erythrocyte Ch5 antigen; arb.num.(proc.) = ?

NPU20223 ErCs(B)—Erythrocyte Ch6 antigen; arb.num.(proc.) = ?

NPU20224 ErCs(B)—Erythrocyte Cl<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20225 ErCs(B)—Erythrocyte c-like antigen; arb.num.(proc.) = ?

NPU20226 ErCs(B)—Erythrocyte Co3 antigen; arb.num.(proc.) = ?

NPU20227 ErCs(B)—Erythrocyte Co<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20228 ErCs(B)—Erythrocyte Co<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU20229 ErCs(B)—Erythrocyte Cr<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20230 ErCs(B)—Erythrocyte Crawford antigen; arb.num.(proc.) = ?

NPU20231 ErCs(B)—Erythrocyte C<sup>w</sup> antigen; arb.num.(proc.) = ?

NPU20232 ErCs(B)—Erythrocyte C<sup>x</sup> antigen; arb.num.(proc.) = ?

NPU20233 ErCs(B)—Erythrocyte DANE antigen; arb.num.(proc.) = ?

NPU21917 ErCs(B)—Erythrocyte D antigen; arb.num.(proc.) = ?

NPU20234 ErCs(B)—Erythrocyte Dantu antigen; arb.num.(proc.) = ?

NPU20235 ErCs(B)—Erythrocyte Dav antigen; arb.num.(proc.) = ?

NPU20236 ErCs(B)—Erythrocyte Dh<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20237 ErCs(B)—Erythrocyte Di<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20238 ErCs(B)—Erythrocyte Di<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU20239 ErCs(B)—Erythrocyte Do<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20240 ErCs(B)—Erythrocyte Do<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU20241 ErCs(B)—Erythrocyte Dr<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20242 ErCs(B)—Erythrocyte D<sup>w</sup> antigen; arb.num.(proc.) = ?

NPU20243 ErCs(B)—Erythrocyte E antigen; arb.num.(proc.) = ?

NPU20244 ErCs(B)—Erythrocyte e antigen; arb.num.(proc.) = ?

NPU20245 ErCs(B)—Erythrocyte ELO antigen; arb.num.(proc.) = ?

NPU20246 ErCs(B)—Erythrocyte En<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20247 ErCs(B)—Erythrocyte ENAV antigen; arb.num.(proc.) = ?

NPU20248 ErCs(B)—Erythrocyte ENEH antigen; arb.num.(proc.) = ?

NPU20249 ErCs(B)—Erythrocyte ENEP antigen; arb.num.(proc.) = ?

NPU20250 ErCs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?

NPU20251 ErCs(B)—Erythrocyte ERIK antigen; arb.num.(proc.) = ?

NPU20252 ErCs(B)—Erythrocyte Es<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20253 ErCs(B)—Erythrocyte Evans antigen; arb.num.(proc.) = ?

NPU20254 ErCs(B)—Erythrocyte E<sup>w</sup> antigen; arb.num.(proc.) = ?

NPU20255 ErCs(B)—Erythrocyte f antigen; arb.num.(proc.) = ?

NPU20256 ErCs(B)—Erythrocyte Far antigen; arb.num.(proc.) = ?

NPU20257 ErCs(B)—Erythrocyte FPTT antigen; arb.num.(proc.) = ?

NPU20258 ErCs(B)—Erythrocyte Fr<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20259 ErCs(B)—Erythrocyte Fy3 antigen; arb.num.(proc.) = ?

NPU20260 ErCs(B)—Erythrocyte Fy4 antigen; arb.num.(proc.) = ?

NPU20261 ErCs(B)—Erythrocyte Fy5 antigen; arb.num.(proc.) = ?

NPU20262 ErCs(B)—Erythrocyte Fy6 antigen; arb.num.(proc.) = ?

NPU20263 ErCs(B)—Erythrocyte Fy<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20264 ErCs(B)—Erythrocyte Fy<sup>b</sup> antigen; arb.num.(proc.) = ?

NPU20265 ErCs(B)—Erythrocyte G antigen; arb.num.(proc.) = ?

NPU20266 ErCs(B)—Erythrocyte Ge2 antigen; arb.num.(proc.) = ?

NPU20267 ErCs(B)—Erythrocyte Ge3 antigen; arb.num.(proc.) = ?

NPU20268 ErCs(B)—Erythrocyte Ge4 antigen; arb.num.(proc.) = ?

NPU20269 ErCs(B)—Erythrocyte Go<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20270 ErCs(B)—Erythrocyte Gy<sup>a</sup> antigen; arb.num.(proc.) = ?

NPU20271 ErCs(B)—Erythrocyte HAG antigen; arb.num.(proc.) = ?



NPU20349 ErCs(B)—Erythrocyte MER2 antigen; arb.num.(proc.) = ?  
 NPU20350 ErCs(B)—Erythrocyte M<sup>G</sup> antigen; arb.num.(proc.) = ?  
 NPU20351 ErCs(B)—Erythrocyte Mi<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20352 ErCs(B)—Erythrocyte MINY antigen; arb.num.(proc.) = ?  
 NPU20353 ErCs(B)—Erythrocyte Mit antigen; arb.num.(proc.) = ?  
 NPU20354 ErCs(B)—Erythrocyte Mo<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20355 ErCs(B)—Erythrocyte Mt<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20356 ErCs(B)—Erythrocyte Mur antigen; arb.num.(proc.) = ?  
 NPU20357 ErCs(B)—Erythrocyte MUT antigen; arb.num.(proc.) = ?  
 NPU20358 ErCs(B)—Erythrocyte M<sup>V</sup> antigen; arb.num.(proc.) = ?  
 NPU20359 ErCs(B)—Erythrocyte N antigen; arb.num.(proc.) = ?  
 NPU20360 ErCs(B)—Erythrocyte NFLD antigen; arb.num.(proc.) = ?  
 NPU20361 ErCs(B)—Erythrocyte Nob antigen; arb.num.(proc.) = ?  
 NPU20362 ErCs(B)—Erythrocyte Nou antigen; arb.num.(proc.) = ?  
 NPU20363 ErCs(B)—Erythrocyte Ny<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20364 ErCs(B)—Erythrocyte Ok<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20365 ErCs(B)—Erythrocyte Or antigen; arb.num.(proc.) = ?  
 NPU20366 ErCs(B)—Erythrocyte Os<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20367 ErCs(B)—Erythrocyte P1 antigen; arb.num.(proc.) = ?  
 NPU20368 ErCs(B)—Erythrocyte Rb<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20369 ErCs(B)—Erythrocyte Rg1 antigen; arb.num.(proc.) = ?  
 NPU20370 ErCs(B)—Erythrocyte Rg2 antigen; arb.num.(proc.) = ?  
 NPU20371 ErCs(B)—Erythrocyte Rh29 antigen; arb.num.(proc.) = ?  
 NPU20372 ErCs(B)—Erythrocyte Rh32 antigen; arb.num.(proc.) = ?  
 NPU20373 ErCs(B)—Erythrocyte Rh33 antigen; arb.num.(proc.) = ?  
 NPU20374 ErCs(B)—Erythrocyte Rh35 antigen; arb.num.(proc.) = ?  
 NPU20375 ErCs(B)—Erythrocyte Rh39 antigen; arb.num.(proc.) = ?  
 NPU20376 ErCs(B)—Erythrocyte Rh41 antigen; arb.num.(proc.) = ?  
 NPU20377 ErCs(B)—Erythrocyte Rh42 antigen; arb.num.(proc.) = ?  
 NPU20378 ErCs(B)—Erythrocyte Ri<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20379 ErCs(B)—Erythrocyte Riv antigen; arb.num.(proc.) = ?  
 NPU20380 ErCs(B)—Erythrocyte S antigen; arb.num.(proc.) = ?  
 NPU20381 ErCs(B)—Erythrocyte s antigen; arb.num.(proc.) = ?  
 NPU20382 ErCs(B)—Erythrocyte SAT antigen; arb.num.(proc.) = ?  
 NPU20383 ErCs(B)—Erythrocyte Sc1 antigen; arb.num.(proc.) = ?  
 NPU20384 ErCs(B)—Erythrocyte Sc2 antigen; arb.num.(proc.) = ?  
 NPU20385 ErCs(B)—Erythrocyte Sc3 antigen; arb.num.(proc.) = ?  
 NPU20386 ErCs(B)—Erythrocyte s<sup>D</sup> antigen; arb.num.(proc.) = ?  
 NPU20387 ErCs(B)—Erythrocyte Sec antigen; arb.num.(proc.) = ?  
 NPU20388 ErCs(B)—Erythrocyte SI<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20389 ErCs(B)—Erythrocyte St<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20390 ErCs(B)—Erythrocyte STEM antigen; arb.num.(proc.) = ?  
 NPU20391 ErCs(B)—Erythrocyte SW1 antigen; arb.num.(proc.) = ?  
 NPU20392 ErCs(B)—Erythrocyte Sw<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20393 ErCs(B)—Erythrocyte Tar antigen; arb.num.(proc.) = ?  
 NPU20394 ErCs(B)—Erythrocyte Tc<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20395 ErCs(B)—Erythrocyte Tc<sup>b</sup> antigen; arb.num.(proc.) = ?  
 NPU20396 ErCs(B)—Erythrocyte Tc<sup>c</sup> antigen; arb.num.(proc.) = ?  
 NPU20397 ErCs(B)—Erythrocyte TOU antigen; arb.num.(proc.) = ?  
 NPU20398 ErCs(B)—Erythrocyte Tr<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20399 ErCs(B)—Erythrocyte TSEN antigen; arb.num.(proc.) = ?  
 NPU20400 ErCs(B)—Erythrocyte U antigen; arb.num.(proc.) = ?  
 NPU20401 ErCs(B)—Erythrocyte UI<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20402 ErCs(B)—Erythrocyte UMC antigen; arb.num.(proc.) = ?  
 NPU20403 ErCs(B)—Erythrocyte V antigen; arb.num.(proc.) = ?  
 NPU20404 ErCs(B)—Erythrocyte Vg<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20405 ErCs(B)—Erythrocyte Vil antigen; arb.num.(proc.) = ?  
 NPU20406 ErCs(B)—Erythrocyte VLAN antigen; arb.num.(proc.) = ?  
 NPU20407 ErCs(B)—Erythrocyte Vr antigen; arb.num.(proc.) = ?  
 NPU20408 ErCs(B)—Erythrocyte VS antigen; arb.num.(proc.) = ?  
 NPU20409 ErCs(B)—Erythrocyte Vw antigen; arb.num.(proc.) = ?  
 NPU20410 ErCs(B)—Erythrocyte WARR antigen; arb.num.(proc.) = ?  
 NPU20411 ErCs(B)—Erythrocyte Wb antigen; arb.num.(proc.) = ?  
 NPU20412 ErCs(B)—Erythrocyte Wd<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20413 ErCs(B)—Erythrocyte WES<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20414 ErCs(B)—Erythrocyte WES<sup>b</sup> antigen; arb.num.(proc.) = ?  
 NPU20415 ErCs(B)—Erythrocyte WH antigen; arb.num.(proc.) = ?  
 NPU20416 ErCs(B)—Erythrocyte Wr<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20417 ErCs(B)—Erythrocyte Wr<sup>b</sup> antigen; arb.num.(proc.) = ?  
 NPU20418 ErCs(B)—Erythrocyte Wu antigen; arb.num.(proc.) = ?  
 NPU20419 ErCs(B)—Erythrocyte Xg<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20420 ErCs(B)—Erythrocyte Yk<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20421 ErCs(B)—Erythrocyte Yt<sup>a</sup> antigen; arb.num.(proc.) = ?  
 NPU20422 ErCs(B)—Erythrocyte Yt<sup>b</sup> antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte antigen;**  
**taxon(AB0; Rhesus D; procedure)**  
**NPU01945**  
 ErCs(B)—Erythrocyte antigen; taxon(AB0; Rh D; proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte antigen;**  
**taxon(procedure)**  
**NPU01946**  
 ErCs(B)—Erythrocyte antigen; taxon(proc.) = ?

**Plasma—**  
**Erythrocyte Au<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20433**  
 P—Erythrocyte Au<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Au<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20434**  
 P—Erythrocyte Au<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Au<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20885**  
 P—Erythrocyte Au<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Au<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20886**  
 P—Erythrocyte Au<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Au<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20204**  
 ErCs(B)—Erythrocyte Au<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Au<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20435**  
 P—Erythrocyte Au<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Au<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20436**  
 P—Erythrocyte Au<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Au<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20887**  
 P—Erythrocyte Au<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Au<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20888**  
 P—Erythrocyte Au<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Au<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20205**  
 ErCs(B)—Erythrocyte Au<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte B antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20437**  
 P—Erythrocyte B antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte B antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20438**  
 P—Erythrocyte B antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte B antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20889**  
 P—Erythrocyte B antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte B antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20890**  
 P—Erythrocyte B antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte B antigen;**  
**arbitrary number(procedure)**  
**NPU21916**  
 ErCs(B)—Erythrocyte B antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte BARC antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20439**  
 P—Erythrocyte BARC antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte BARC antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20440**  
 P—Erythrocyte BARC antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte BARC antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20891**  
 P—Erythrocyte BARC antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte BARC antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20892**  
 P—Erythrocyte BARC antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte BARC antigen;**  
**arbitrary number(procedure)**  
**NPU20206**  
 ErCs(B)—Erythrocyte BARC antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Be<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20441**  
 P—Erythrocyte Be<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Be<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20442  
P—Erythrocyte Be<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Be<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU20893  
P—Erythrocyte Be<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Be<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU20894  
P—Erythrocyte Be<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Be<sup>a</sup> antigen;**  
arbitrary number(procedure)  
NPU20207  
ErCs(B)—Erythrocyte Be<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte BLe<sup>b</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20443  
P—Erythrocyte BLe<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte BLe<sup>b</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20444  
P—Erythrocyte BLe<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte BLe<sup>b</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU20895  
P—Erythrocyte BLe<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte BLe<sup>b</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU20896  
P—Erythrocyte BLe<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte BLe<sup>b</sup> antigen;**  
arbitrary number(procedure)  
NPU20208  
ErCs(B)—Erythrocyte BLe<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte BOW antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20445  
P—Erythrocyte BOW antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte BOW antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20446  
P—Erythrocyte BOW antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte BOW antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU20897  
P—Erythrocyte BOW antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte BOW antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU20898  
P—Erythrocyte BOW antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte BOW antigen;**  
arbitrary number(procedure)  
NPU20209  
ErCs(B)—Erythrocyte BOW antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Bp<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20447  
P—Erythrocyte Bp<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Bp<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20448  
P—Erythrocyte Bp<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Bp<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU20899  
P—Erythrocyte Bp<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Bp<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU20900  
P—Erythrocyte Bp<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Bp<sup>a</sup> antigen;**  
arbitrary number(procedure)  
NPU20210  
ErCs(B)—Erythrocyte Bp<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte C antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20449  
P—Erythrocyte C antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte c antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20450  
P—Erythrocyte c antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20451  
P—Erythrocyte C antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte c antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20452**  
P—Erythrocyte c antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20901**  
P—Erythrocyte C antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte c antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20902**  
P—Erythrocyte c antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte C antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20903**  
P—Erythrocyte C antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte c antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20904**  
P—Erythrocyte c antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte C antigen;**  
**arbitrary number(procedure)**  
**NPU20211**  
Ercs(B)—Erythrocyte C antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte c antigen;**  
**arbitrary number(procedure)**  
**NPU20212**  
Ercs(B)—Erythrocyte c antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>G</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20461**  
P—Erythrocyte C<sup>G</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>G</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20462**  
P—Erythrocyte C<sup>G</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>G</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20913**  
P—Erythrocyte C<sup>G</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte C<sup>G</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20914**  
P—Erythrocyte C<sup>G</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte C<sup>G</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20217**  
Ercs(B)—Erythrocyte C<sup>G</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>w</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20489**  
P—Erythrocyte C<sup>w</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>w</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20490**  
P—Erythrocyte C<sup>w</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>w</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20941**  
P—Erythrocyte C<sup>w</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte C<sup>w</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20942**  
P—Erythrocyte C<sup>w</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte C<sup>w</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20231**  
Ercs(B)—Erythrocyte C<sup>w</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>x</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20491**  
P—Erythrocyte C<sup>x</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>x</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20492**  
P—Erythrocyte C<sup>x</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte C<sup>x</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20943**  
P—Erythrocyte C<sup>x</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte C<sup>x</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20944**  
P—Erythrocyte C<sup>x</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte C<sup>x</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20232**  
Ercs(B)—Erythrocyte C<sup>x</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte CD99 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20453**  
P—Erythrocyte CD99 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte CD99 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20454**  
P—Erythrocyte CD99 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte CD99 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20905**  
P—Erythrocyte CD99 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte CD99 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20906**  
P—Erythrocyte CD99 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte CD99 antigen;**  
**arbitrary number(procedure)**  
**NPU20213**  
ErCs(B)—Erythrocyte CD99 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ce antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20455**  
P—Erythrocyte Ce antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte CE antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20456**  
P—Erythrocyte CE antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte cE antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20457**  
P—Erythrocyte cE antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ce antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20458**  
P—Erythrocyte Ce antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte CE antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20459**  
P—Erythrocyte CE antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte cE antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20460**  
P—Erythrocyte cE antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ce antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20907**  
P—Erythrocyte Ce antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte CE antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20908**  
P—Erythrocyte CE antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte cE antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20909**  
P—Erythrocyte cE antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ce antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20910**  
P—Erythrocyte Ce antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte CE antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20911**  
P—Erythrocyte CE antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte cE antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20912**  
P—Erythrocyte cE antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ce antigen;**  
**arbitrary number(procedure)**  
**NPU20214**  
ErCs(B)—Erythrocyte Ce antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte CE antigen;**  
**arbitrary number(procedure)**  
**NPU20215**  
ErCs(B)—Erythrocyte CE antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte cE antigen;**  
**arbitrary number(procedure)**  
**NPU20216**  
ErCs(B)—Erythrocyte cE antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ch1 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20463**  
P—Erythrocyte Ch1 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch1 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20464**  
P—Erythrocyte Ch1 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch1 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20915**  
P—Erythrocyte Ch1 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ch1 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20916**  
P—Erythrocyte Ch1 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ch1 antigen;**  
arbitrary number(procedure)  
**NPU20218**  
Ercs(B)—Erythrocyte Ch1 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ch2 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20465**  
P—Erythrocyte Ch2 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch2 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20466**  
P—Erythrocyte Ch2 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch2 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20917**  
P—Erythrocyte Ch2 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ch2 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20918**  
P—Erythrocyte Ch2 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ch2 antigen;**  
arbitrary number(procedure)  
**NPU20219**  
Ercs(B)—Erythrocyte Ch2 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ch3 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20467**  
P—Erythrocyte Ch3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch3 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20468**  
P—Erythrocyte Ch3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch3 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20919**  
P—Erythrocyte Ch3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ch3 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20920**  
P—Erythrocyte Ch3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ch3 antigen;**  
arbitrary number(procedure)  
**NPU20220**  
Ercs(B)—Erythrocyte Ch3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ch4 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20469**  
P—Erythrocyte Ch4 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch4 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20470**  
P—Erythrocyte Ch4 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch4 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20921**  
P—Erythrocyte Ch4 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ch4 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20922**  
P—Erythrocyte Ch4 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ch4 antigen;**  
arbitrary number(procedure)  
**NPU20221**  
Ercs(B)—Erythrocyte Ch4 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ch5 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20471**  
P—Erythrocyte Ch5 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch5 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20472**  
P—Erythrocyte Ch5 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch5 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20923**  
P—Erythrocyte Ch5 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ch5 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20924**  
P—Erythrocyte Ch5 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ch5 antigen;**  
**arbitrary number(procedure)**  
**NPU20222**  
ErCs(B)—Erythrocyte Ch5 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ch6 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20473**  
P—Erythrocyte Ch6 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch6 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20474**  
P—Erythrocyte Ch6 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ch6 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20925**  
P—Erythrocyte Ch6 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ch6 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20926**  
P—Erythrocyte Ch6 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ch6 antigen;**  
**arbitrary number(procedure)**  
**NPU20223**  
ErCs(B)—Erythrocyte Ch6 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Cl<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20475**  
P—Erythrocyte Cl<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Cl<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20476**  
P—Erythrocyte Cl<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Cl<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20927**  
P—Erythrocyte Cl<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Cl<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20928**  
P—Erythrocyte Cl<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Cl<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20224**  
ErCs(B)—Erythrocyte Cl<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte c-like antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20477**  
P—Erythrocyte c-like antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte c-like antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20478**  
P—Erythrocyte c-like antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte c-like antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20929**  
P—Erythrocyte c-like antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte c-like antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20930**  
P—Erythrocyte c-like antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte c-like antigen;**  
**arbitrary number(procedure)**  
**NPU20225**  
ErCs(B)—Erythrocyte c-like antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Co<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20481**  
P—Erythrocyte Co<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Co<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20482**  
P—Erythrocyte Co<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Co<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20933**  
P—Erythrocyte Co<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Co<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20934**  
P—Erythrocyte Co<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Co<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20227**  
ErCs(B)—Erythrocyte Co<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Co<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20483**  
P—Erythrocyte Co<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Co<sup>b</sup>antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20484**  
P—Erythrocyte Co<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Co<sup>b</sup>antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20935**  
P—Erythrocyte Co<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Co<sup>b</sup>antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20936**  
P—Erythrocyte Co<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Co<sup>b</sup>antigen;**  
arbitrary number(procedure)  
**NPU20228**  
ErCs(B)—Erythrocyte Co<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Co3 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20479**  
P—Erythrocyte Co3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Co3 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20480**  
P—Erythrocyte Co3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Co3 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20931**  
P—Erythrocyte Co3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Co3 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20932**  
P—Erythrocyte Co3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Co3 antigen;**  
arbitrary number(procedure)  
**NPU20226**  
ErCs(B)—Erythrocyte Co3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Cr<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20485**  
P—Erythrocyte Cr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Cr<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20486**  
P—Erythrocyte Cr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Cr<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20937**  
P—Erythrocyte Cr<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Cr<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20938**  
P—Erythrocyte Cr<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Cr<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20229**  
ErCs(B)—Erythrocyte Cr<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Crawford antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20487**  
P—Erythrocyte Crawford antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Crawford antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20488**  
P—Erythrocyte Crawford antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Crawford antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20939**  
P—Erythrocyte Crawford antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Crawford antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20940**  
P—Erythrocyte Crawford antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Crawford antigen;**  
arbitrary number(procedure)  
**NPU20230**  
ErCs(B)—Erythrocyte Crawford antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte D antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20495**  
P—Erythrocyte D antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte D antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20496**  
P—Erythrocyte D antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte D antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20947**  
P—Erythrocyte D antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte D antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20948**  
P—Erythrocyte D antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte D antigen;**  
arbitrary number(procedure)  
**NPU21917**  
ErCs(B)—Erythrocyte D antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte D<sup>w</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20513**  
P—Erythrocyte D<sup>w</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte D<sup>w</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20514**  
P—Erythrocyte D<sup>w</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte D<sup>w</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20965**  
P—Erythrocyte D<sup>w</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte D<sup>w</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20966**  
P—Erythrocyte D<sup>w</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte D<sup>w</sup> antigen;**  
arbitrary number(procedure)  
**NPU20242**  
ErCs(B)—Erythrocyte D<sup>w</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte DANE antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20493**  
P—Erythrocyte DANE antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte DANE antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20494**  
P—Erythrocyte DANE antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte DANE antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20945**  
P—Erythrocyte DANE antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte DANE antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20946**  
P—Erythrocyte DANE antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte DANE antigen;**  
arbitrary number(procedure)  
**NPU20233**  
ErCs(B)—Erythrocyte DANE antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Dantu antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20497**  
P—Erythrocyte Dantu antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dantu antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20498**  
P—Erythrocyte Dantu antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dantu antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20949**  
P—Erythrocyte Dantu antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Dantu antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20950**  
P—Erythrocyte Dantu antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Dantu antigen;**  
arbitrary number(procedure)  
**NPU20234**  
ErCs(B)—Erythrocyte Dantu antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Dav antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20499**  
P—Erythrocyte Dav antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dav antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20500**  
P—Erythrocyte Dav antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dav antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20951**  
P—Erythrocyte Dav antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Dav antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20952**  
P—Erythrocyte Dav antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Dav antigen;**  
arbitrary number(procedure)  
**NPU20235**  
ErCs(B)—Erythrocyte Dav antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Dh<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20501**  
P—Erythrocyte Dh<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dh<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20502**  
P—Erythrocyte Dh<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dh<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20953**  
P—Erythrocyte Dh<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Dh<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20954**  
P—Erythrocyte Dh<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Dh<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20236**  
ErCs(B)—Erythrocyte Dh<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Di<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20503**  
P—Erythrocyte Di<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Di<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20504**  
P—Erythrocyte Di<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Di<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20955**  
P—Erythrocyte Di<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Di<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20956**  
P—Erythrocyte Di<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Di<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20237**  
ErCs(B)—Erythrocyte Di<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Di<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20505**  
P—Erythrocyte Di<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Di<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20506**  
P—Erythrocyte Di<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Di<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20957**  
P—Erythrocyte Di<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Di<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20958**  
P—Erythrocyte Di<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Di<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20238**  
ErCs(B)—Erythrocyte Di<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Do<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20507**  
P—Erythrocyte Do<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Do<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20508**  
P—Erythrocyte Do<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Do<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20959**  
P—Erythrocyte Do<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Do<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20960**  
P—Erythrocyte Do<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Do<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20239**  
ErCs(B)—Erythrocyte Do<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Do<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20509**  
P—Erythrocyte Do<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Do<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20510**  
P—Erythrocyte Do<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Do<sup>b</sup>antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20961**  
P—Erythrocyte Do<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Do<sup>b</sup>antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20962**  
P—Erythrocyte Do<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Do<sup>b</sup>antigen;**  
arbitrary number(procedure)  
**NPU20240**  
ErCs(B)—Erythrocyte Do<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Dr<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20511**  
P—Erythrocyte Dr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dr<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20512**  
P—Erythrocyte Dr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Dr<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20963**  
P—Erythrocyte Dr<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Dr<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20964**  
P—Erythrocyte Dr<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Dr<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20241**  
ErCs(B)—Erythrocyte Dr<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte E antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20515**  
P—Erythrocyte E antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte e antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20516**  
P—Erythrocyte e antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte E antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20517**  
P—Erythrocyte E antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte e antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20518**  
P—Erythrocyte e antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte E antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20967**  
P—Erythrocyte E antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte e antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20968**  
P—Erythrocyte e antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte E antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20969**  
P—Erythrocyte E antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte e antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20970**  
P—Erythrocyte e antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte E antigen;**  
arbitrary number(procedure)  
**NPU20243**  
ErCs(B)—Erythrocyte E antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte e antigen;**  
arbitrary number(procedure)  
**NPU20244**  
ErCs(B)—Erythrocyte e antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte E<sup>w</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20537**  
P—Erythrocyte E<sup>w</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte E<sup>w</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20538**  
P—Erythrocyte E<sup>w</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte E<sup>w</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20989**  
P—Erythrocyte E<sup>w</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte E<sup>w</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20990**  
P—Erythrocyte E<sup>w</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte E<sup>w</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20254**  
ErCs(B)—Erythrocyte E<sup>w</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ELO antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20519**  
P—Erythrocyte ELO antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ELO antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20520**  
P—Erythrocyte ELO antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ELO antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20971**  
P—Erythrocyte ELO antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ELO antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20972**  
P—Erythrocyte ELO antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ELO antigen;**  
**arbitrary number(procedure)**  
**NPU20245**  
ErCs(B)—Erythrocyte ELO antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte En<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20521**  
P—Erythrocyte En<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte En<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20522**  
P—Erythrocyte En<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte En<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20973**  
P—Erythrocyte En<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte En<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20974**  
P—Erythrocyte En<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte En<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20246**  
ErCs(B)—Erythrocyte En<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ENAV antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20523**  
P—Erythrocyte ENAV antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENAV antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20524**  
P—Erythrocyte ENAV antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENAV antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20975**  
P—Erythrocyte ENAV antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ENAV antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20976**  
P—Erythrocyte ENAV antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ENAV antigen;**  
**arbitrary number(procedure)**  
**NPU20247**  
ErCs(B)—Erythrocyte ENAV antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ENEH antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20525**  
P—Erythrocyte ENEH antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENEH antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20526**  
P—Erythrocyte ENEH antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENEH antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20977**  
P—Erythrocyte ENEH antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ENEH antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20978**  
P—Erythrocyte ENEH antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ENEH antigen;**  
**arbitrary number(procedure)**  
**NPU20248**  
ErCs(B)—Erythrocyte ENEH antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ENEP antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20527**  
P—Erythrocyte ENEP antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENEP antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20528**  
P—Erythrocyte ENEP antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENEP antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20979**  
P—Erythrocyte ENEP antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ENEP antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20980**  
P—Erythrocyte ENEP antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ENEP antigen;**  
**arbitrary number(procedure)**  
**NPU20249**  
ErCs(B)—Erythrocyte ENEP antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ENKT antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20529**  
P—Erythrocyte ENKT antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENKT antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20530**  
P—Erythrocyte ENKT antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ENKT antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20981**  
P—Erythrocyte ENKT antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ENKT antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20982**  
P—Erythrocyte ENKT antibody; arb.subst.c.(37 °C; proc.) = ?  
= ? arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ENKT antigen;**  
**arbitrary number(procedure)**  
**NPU20250**  
ErCs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte ERIK antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20531**  
P—Erythrocyte ERIK antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ERIK antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20532**  
P—Erythrocyte ERIK antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte ERIK antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20983**  
P—Erythrocyte ERIK antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte ERIK antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20984**  
P—Erythrocyte ERIK antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte ERIK antigen;**  
**arbitrary number(procedure)**  
**NPU20251**  
ErCs(B)—Erythrocyte ERIK antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Es<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20533**  
P—Erythrocyte Es<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Es<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20534**  
P—Erythrocyte Es<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Es<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20985**  
P—Erythrocyte Es<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Es<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20986**  
P—Erythrocyte Es<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Es<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20252**  
ErCs(B)—Erythrocyte Es<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Evans antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20535**  
P—Erythrocyte Evans antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Evans antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20536**  
P—Erythrocyte Evans antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Evans antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20987**  
P—Erythrocyte Evans antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Evans antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20988**  
P—Erythrocyte Evans antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Evans antigen;**  
arbitrary number(procedure)  
**NPU20253**  
Ercs(B)—Erythrocyte Evans antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte f antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20539**  
P—Erythrocyte f antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte f antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20540**  
P—Erythrocyte f antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte f antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20991**  
P—Erythrocyte f antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte f antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20992**  
P—Erythrocyte f antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte f antigen;**  
arbitrary number(procedure)  
**NPU20255**  
Ercs(B)—Erythrocyte f antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Far antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20541**  
P—Erythrocyte Far antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Far antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20542**  
P—Erythrocyte Far antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Far antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20993**  
P—Erythrocyte Far antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Far antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20994**  
P—Erythrocyte Far antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Far antigen;**  
arbitrary number(procedure)  
**NPU20256**  
Ercs(B)—Erythrocyte Far antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte FPTT antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20543**  
P—Erythrocyte FPTT antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte FPTT antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20544**  
P—Erythrocyte FPTT antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte FPTT antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20995**  
P—Erythrocyte FPTT antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte FPTT antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20996**  
P—Erythrocyte FPTT antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte FPTT antigen;**  
arbitrary number(procedure)  
**NPU20257**  
Ercs(B)—Erythrocyte FPTT antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fr<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20545**  
P—Erythrocyte Fr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fr<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20546**  
P—Erythrocyte Fr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fr<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU20997**  
P—Erythrocyte Fr<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fr<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU20998**  
P—Erythrocyte Fr<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fr<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20258**  
Ercs(B)—Erythrocyte Fr<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fy<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20555**  
P—Erythrocyte Fy<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20556**  
P—Erythrocyte Fy<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21007**  
P—Erythrocyte Fy<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fy<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21008**  
P—Erythrocyte Fy<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fy<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20263**  
ErCs(B)—Erythrocyte Fy<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fy<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20557**  
P—Erythrocyte Fy<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20558**  
P—Erythrocyte Fy<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21009**  
P—Erythrocyte Fy<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fy<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21010**  
P—Erythrocyte Fy<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fy<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20264**  
ErCs(B)—Erythrocyte Fy<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fy3 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20547**  
P—Erythrocyte Fy3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy3 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20548**  
P—Erythrocyte Fy3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy3 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU20999**  
P—Erythrocyte Fy3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fy3 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21000**  
P—Erythrocyte Fy3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fy3 antigen;**  
**arbitrary number(procedure)**  
**NPU20259**  
ErCs(B)—Erythrocyte Fy3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fy4 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20549**  
P—Erythrocyte Fy4 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy4 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20550**  
P—Erythrocyte Fy4 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy4 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21001**  
P—Erythrocyte Fy4 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fy4 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21002**  
P—Erythrocyte Fy4 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fy4 antigen;**  
**arbitrary number(procedure)**  
**NPU20260**  
ErCs(B)—Erythrocyte Fy4 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fy5 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20551**  
P—Erythrocyte Fy5 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy5 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20552**  
P—Erythrocyte Fy5 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy5 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21003**  
P—Erythrocyte Fy5 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fy5 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21004**  
P—Erythrocyte Fy5 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fy5 antigen;**  
arbitrary number(procedure)  
**NPU20261**  
Ercs(B)—Erythrocyte Fy5 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Fy6 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20553**  
P—Erythrocyte Fy6 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy6 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20554**  
P—Erythrocyte Fy6 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Fy6 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21005**  
P—Erythrocyte Fy6 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Fy6 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21006**  
P—Erythrocyte Fy6 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Fy6 antigen;**  
arbitrary number(procedure)  
**NPU20262**  
Ercs(B)—Erythrocyte Fy6 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte G antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20559**  
P—Erythrocyte G antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte G antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20560**  
P—Erythrocyte G antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte G antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21011**  
P—Erythrocyte G antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte G antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21012**  
P—Erythrocyte G antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte G antigen;**  
arbitrary number(procedure)  
**NPU20265**  
Ercs(B)—Erythrocyte G antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ge2 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20561**  
P—Erythrocyte Ge2 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ge2 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20562**  
P—Erythrocyte Ge2 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ge2 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21013**  
P—Erythrocyte Ge2 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ge2 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21014**  
P—Erythrocyte Ge2 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ge2 antigen;**  
arbitrary number(procedure)  
**NPU20266**  
Ercs(B)—Erythrocyte Ge2 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ge3 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20563**  
P—Erythrocyte Ge3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ge3 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20564**  
P—Erythrocyte Ge3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ge3 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21015**  
P—Erythrocyte Ge3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ge3 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21016**  
P—Erythrocyte Ge3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ge3 antigen;**  
**arbitrary number(procedure)**  
**NPU20267**  
ErCs(B)—Erythrocyte Ge3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ge4 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20565**  
P—Erythrocyte Ge4 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ge4 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20566**  
P—Erythrocyte Ge4 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ge4 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21017**  
P—Erythrocyte Ge4 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ge4 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21018**  
P—Erythrocyte Ge4 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ge4 antigen;**  
**arbitrary number(procedure)**  
**NPU20268**  
ErCs(B)—Erythrocyte Ge4 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Go<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20567**  
P—Erythrocyte Go<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Go<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20568**  
P—Erythrocyte Go<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Go<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21019**  
P—Erythrocyte Go<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Go<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21020**  
P—Erythrocyte Go<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Go<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20269**  
ErCs(B)—Erythrocyte Go<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Gy<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20569**  
P—Erythrocyte Gy<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Gy<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20570**  
P—Erythrocyte Gy<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Gy<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21021**  
P—Erythrocyte Gy<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Gy<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21022**  
P—Erythrocyte Gy<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Gy<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20270**  
ErCs(B)—Erythrocyte Gy<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte H antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20573**  
P—Erythrocyte H antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte H antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20574**  
P—Erythrocyte H antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte H antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21025**  
P—Erythrocyte H antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte H antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21026**  
P—Erythrocyte H antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte H antigen;**  
**arbitrary number(procedure)**  
**NPU20272**  
ErCs(B)—Erythrocyte H antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte HAG antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20571**  
P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte HAG antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20572  
 P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte HAG antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21023  
 P—Erythrocyte HAG antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte HAG antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21024  
 P—Erythrocyte HAG antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte HAG antigen;**  
 arbitrary number(procedure)  
 NPU20271  
 ErCs(B)—Erythrocyte HAG antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte He antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20575  
 P—Erythrocyte He antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte He antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20576  
 P—Erythrocyte He antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte He antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21027  
 P—Erythrocyte He antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte He antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21028  
 P—Erythrocyte He antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte He antigen;**  
 arbitrary number(procedure)  
 NPU20273  
 ErCs(B)—Erythrocyte He antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hg<sup>a</sup> antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20577  
 P—Erythrocyte Hg<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hg<sup>a</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20578  
 P—Erythrocyte Hg<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hg<sup>a</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21029  
 P—Erythrocyte Hg<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Hg<sup>a</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21030  
 P—Erythrocyte Hg<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hg<sup>a</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20274  
 ErCs(B)—Erythrocyte Hg<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hil antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20579  
 P—Erythrocyte Hil antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hil antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20580  
 P—Erythrocyte Hil antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hil antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21031  
 P—Erythrocyte Hil antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Hil antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21032  
 P—Erythrocyte Hil antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hil antigen;**  
 arbitrary number(procedure)  
 NPU20275  
 ErCs(B)—Erythrocyte Hil antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hop antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20581  
 P—Erythrocyte Hop antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hop antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20582  
 P—Erythrocyte Hop antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hop antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21033  
 P—Erythrocyte Hop antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Hop antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21034**  
P—Erythrocyte Hop antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hop antigen;**  
**arbitrary number(procedure)**  
**NPU20276**  
ErCs(B)—Erythrocyte Hop antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hr antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20583**  
P—Erythrocyte Hr antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hr antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20584**  
P—Erythrocyte Hr antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hr antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21035**  
P—Erythrocyte Hr antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Hr antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21036**  
P—Erythrocyte Hr antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hr antigen;**  
**arbitrary number(procedure)**  
**NPU20277**  
ErCs(B)—Erythrocyte Hr antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hr<sub>o</sub> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20591**  
P—Erythrocyte Hr<sub>o</sub> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hr<sub>o</sub> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20592**  
P—Erythrocyte Hr<sub>o</sub> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hr<sub>o</sub> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21043**  
P—Erythrocyte Hr<sub>o</sub> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Hr<sub>o</sub> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21044**  
P—Erythrocyte Hr<sub>o</sub> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hr<sub>o</sub> antigen;**  
**arbitrary number(procedure)**  
**NPU20281**  
ErCs(B)—Erythrocyte Hr<sub>o</sub> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>b</sup>antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20585**  
P—Erythrocyte hr<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hr<sup>b</sup>antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20586**  
P—Erythrocyte Hr<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>b</sup>antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20587**  
P—Erythrocyte hr<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hr<sup>b</sup>antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20588**  
P—Erythrocyte Hr<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>b</sup>antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21037**  
P—Erythrocyte hr<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Hr<sup>b</sup>antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21038**  
P—Erythrocyte Hr<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte hr<sup>b</sup>antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21039**  
P—Erythrocyte hr<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Hr<sup>b</sup>antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21040**  
P—Erythrocyte Hr<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte hr<sup>b</sup>antigen;**  
**arbitrary number(procedure)**  
**NPU20278**  
ErCs(B)—Erythrocyte hr<sup>b</sup>antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte Hr<sup>b</sup>antigen;**  
**arbitrary number(procedure)**  
**NPU20279**  
ErCs(B)—Erythrocyte Hr<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>H</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20589**  
P—Erythrocyte hr<sup>H</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>H</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20590**  
P—Erythrocyte hr<sup>H</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>H</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21041**  
P—Erythrocyte hr<sup>H</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte hr<sup>H</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21042**  
P—Erythrocyte hr<sup>H</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte hr<sup>H</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20280**  
ErCs(B)—Erythrocyte hr<sup>H</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>S</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20593**  
P—Erythrocyte hr<sup>S</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>S</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20594**  
P—Erythrocyte hr<sup>S</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte hr<sup>S</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21045**  
P—Erythrocyte hr<sup>S</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte hr<sup>S</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21046**  
P—Erythrocyte hr<sup>S</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte hr<sup>S</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20282**  
ErCs(B)—Erythrocyte hr<sup>S</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hut antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20595**  
P—Erythrocyte Hut antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hut antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20596**  
P—Erythrocyte Hut antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hut antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21047**  
P—Erythrocyte Hut antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Hut antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21048**  
P—Erythrocyte Hut antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hut antigen;**  
**arbitrary number(procedure)**  
**NPU20283**  
ErCs(B)—Erythrocyte Hut antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Hy antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20597**  
P—Erythrocyte Hy antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hy antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20598**  
P—Erythrocyte Hy antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Hy antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21049**  
P—Erythrocyte Hy antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Hy antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21050**  
P—Erythrocyte Hy antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Hy antigen;**  
**arbitrary number(procedure)**  
**NPU20284**  
ErCs(B)—Erythrocyte Hy antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte IFC antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20599**  
P—Erythrocyte IFC antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte IFC antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20600**  
P—Erythrocyte IFC antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte IFC antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21051**  
P—Erythrocyte IFC antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte IFC antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21052**  
P—Erythrocyte IFC antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte IFC antigen;**  
arbitrary number(procedure)  
**NPU20285**  
ErCs(B)—Erythrocyte IFC antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte In<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20601**  
P—Erythrocyte In<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte In<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20602**  
P—Erythrocyte In<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte In<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21053**  
P—Erythrocyte In<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte In<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21054**  
P—Erythrocyte In<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte In<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20286**  
ErCs(B)—Erythrocyte In<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte In<sup>b</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20603**  
P—Erythrocyte In<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte In<sup>b</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20604**  
P—Erythrocyte In<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte In<sup>b</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21055**  
P—Erythrocyte In<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte In<sup>b</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21056**  
P—Erythrocyte In<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte In<sup>b</sup> antigen;**  
arbitrary number(procedure)  
**NPU20287**  
ErCs(B)—Erythrocyte In<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte JAL antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20605**  
P—Erythrocyte JAL antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte JAL antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20606**  
P—Erythrocyte JAL antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte JAL antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21057**  
P—Erythrocyte JAL antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte JAL antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21058**  
P—Erythrocyte JAL antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte JAL antigen;**  
arbitrary number(procedure)  
**NPU20288**  
ErCs(B)—Erythrocyte JAL antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Jk<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20609**  
P—Erythrocyte Jk<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jk<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20610**  
P—Erythrocyte Jk<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jk<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21061**  
P—Erythrocyte Jk<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Jk<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21062**  
P—Erythrocyte Jk<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Jk<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20290**  
ErCs(B)—Erythrocyte Jk<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Jk<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20611**  
P—Erythrocyte Jk<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jk<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20612**  
P—Erythrocyte Jk<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jk<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21063**  
P—Erythrocyte Jk<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Jk<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21064**  
P—Erythrocyte Jk<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Jk<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20291**  
ErCs(B)—Erythrocyte Jk<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Jk3 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20607**  
P—Erythrocyte Jk3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jk3 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20608**  
P—Erythrocyte Jk3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jk3 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21059**  
P—Erythrocyte Jk3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Jk3 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21060**  
P—Erythrocyte Jk3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Jk3 antigen;**  
**arbitrary number(procedure)**  
**NPU20289**  
ErCs(B)—Erythrocyte Jk3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Jn<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20613**  
P—Erythrocyte Jn<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jn<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20614**  
P—Erythrocyte Jn<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jn<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21065**  
P—Erythrocyte Jn<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Jn<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21066**  
P—Erythrocyte Jn<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Jn<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20292**  
ErCs(B)—Erythrocyte Jn<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Jo<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20615**  
P—Erythrocyte Jo<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jo<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20616**  
P—Erythrocyte Jo<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Jo<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21067**  
P—Erythrocyte Jo<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Jo<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21068**  
P—Erythrocyte Jo<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Jo<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20293**  
ErCs(B)—Erythrocyte Jo<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Js<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20617**  
P—Erythrocyte Js<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Js<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20618**  
 P—Erythrocyte Js<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Js<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21069**  
 P—Erythrocyte Js<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Js<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21070**  
 P—Erythrocyte Js<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Js<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20294**  
 ErCs(B)—Erythrocyte Js<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Js<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20619**  
 P—Erythrocyte Js<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Js<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20620**  
 P—Erythrocyte Js<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Js<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21071**  
 P—Erythrocyte Js<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Js<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21072**  
 P—Erythrocyte Js<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Js<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20295**  
 ErCs(B)—Erythrocyte Js<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20643**  
 P—Erythrocyte K antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte k antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20644**  
 P—Erythrocyte k antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20645**  
 P—Erythrocyte K antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte k antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20646**  
 P—Erythrocyte k antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU210<sup>9</sup>/5**  
 P—Erythrocyte K antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte k antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU210<sup>9</sup>/6**  
 P—Erythrocyte k antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte K antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU210<sup>9</sup>/7**  
 P—Erythrocyte K antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte k antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU210<sup>9</sup>/8**  
 P—Erythrocyte k antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K antigen;**  
**arbitrary number(procedure)**  
**NPU20307**  
 ErCs(B)—Erythrocyte K antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte k antigen;**  
**arbitrary number(procedure)**  
**NPU20308**  
 ErCs(B)—Erythrocyte k antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K11 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20621**  
 P—Erythrocyte K11 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K11 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20622**  
 P—Erythrocyte K11 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K11 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21073**  
 P—Erythrocyte K11 antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte K11 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21074**  
P—Erythrocyte K11 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K11 antigen;**  
**arbitrary number(procedure)**  
**NPU20296**  
ErCs(B)—Erythrocyte K11 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K12 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20623**  
P—Erythrocyte K12 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K12 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20624**  
P—Erythrocyte K12 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K12 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21075**  
P—Erythrocyte K12 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K12 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21076**  
P—Erythrocyte K12 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K12 antigen;**  
**arbitrary number(procedure)**  
**NPU20297**  
ErCs(B)—Erythrocyte K12 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K13 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20625**  
P—Erythrocyte K13 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K13 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20626**  
P—Erythrocyte K13 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K13 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21077**  
P—Erythrocyte K13 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K13 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21078**  
P—Erythrocyte K13 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K13 antigen;**  
**arbitrary number(procedure)**  
**NPU20298**  
ErCs(B)—Erythrocyte K13 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K14 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20627**  
P—Erythrocyte K14 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K14 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20628**  
P—Erythrocyte K14 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K14 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21079**  
P—Erythrocyte K14 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K14 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21080**  
P—Erythrocyte K14 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K14 antigen;**  
**arbitrary number(procedure)**  
**NPU20299**  
ErCs(B)—Erythrocyte K14 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K16 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20629**  
P—Erythrocyte K16 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K16 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20630**  
P—Erythrocyte K16 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K16 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21081**  
P—Erythrocyte K16 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K16 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21082**  
P—Erythrocyte K16 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K16 antigen;**  
**arbitrary number(procedure)**  
**NPU20300**  
ErCs(B)—Erythrocyte K16 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K17 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20631**  
P—Erythrocyte K17 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K17 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20632**  
P—Erythrocyte K17 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K17 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21083**  
P—Erythrocyte K17 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K17 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21084**  
P—Erythrocyte K17 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K17 antigen;**  
**arbitrary number(procedure)**  
**NPU20301**  
ErCs(B)—Erythrocyte K17 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K18 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20633**  
P—Erythrocyte K18 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K18 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20634**  
P—Erythrocyte K18 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K18 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21085**  
P—Erythrocyte K18 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K18 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21086**  
P—Erythrocyte K18 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K18 antigen;**  
**arbitrary number(procedure)**  
**NPU20302**  
ErCs(B)—Erythrocyte K18 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K19 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20635**  
P—Erythrocyte K19 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K19 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20636**  
P—Erythrocyte K19 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K19 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21087**  
P—Erythrocyte K19 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K19 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21088**  
P—Erythrocyte K19 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K19 antigen;**  
**arbitrary number(procedure)**  
**NPU20303**  
ErCs(B)—Erythrocyte K19 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K22 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20637**  
P—Erythrocyte K22 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K22 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20638**  
P—Erythrocyte K22 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K22 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21089**  
P—Erythrocyte K22 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K22 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU210<sup>9</sup>/0**  
P—Erythrocyte K22 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K22 antigen;**  
**arbitrary number(procedure)**  
**NPU20304**  
ErCs(B)—Erythrocyte K22 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K23 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20639**  
P—Erythrocyte K23 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K23 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20640**  
P—Erythrocyte K23 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K23 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU210<sup>9</sup>/1**  
P—Erythrocyte K23 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K23 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU210<sup>9</sup>/2**  
P—Erythrocyte K23 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K23 antigen;**  
arbitrary number(procedure)  
**NPU20305**  
Ercs(B)—Erythrocyte K23 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte K24 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20641**  
P—Erythrocyte K24 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K24 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20642**  
P—Erythrocyte K24 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte K24 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU210<sup>9</sup>/3**  
P—Erythrocyte K24 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte K24 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU210<sup>9</sup>/4**  
P—Erythrocyte K24 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte K24 antigen;**  
arbitrary number(procedure)  
**NPU20306**  
Ercs(B)—Erythrocyte K24 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Km antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20647**  
P—Erythrocyte Km antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Km antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20648**  
P—Erythrocyte Km antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Km antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU210<sup>9</sup>/9**  
P—Erythrocyte Km antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Km antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21100**  
P—Erythrocyte Km antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Km antigen;**  
arbitrary number(procedure)  
**NPU20309**  
Ercs(B)—Erythrocyte Km antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Kn<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20649**  
P—Erythrocyte Kn<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kn<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20650**  
P—Erythrocyte Kn<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kn<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21101**  
P—Erythrocyte Kn<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Kn<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21102**  
P—Erythrocyte Kn<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Kn<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20310**  
Ercs(B)—Erythrocyte Kn<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Kn<sup>b</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20651**  
P—Erythrocyte Kn<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kn<sup>b</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20652**  
P—Erythrocyte Kn<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kn<sup>b</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21103**  
P—Erythrocyte Kn<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Kn<sup>b</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21104**  
P—Erythrocyte Kn<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Kn<sup>b</sup>antigen;**  
**arbitrary number(procedure)**  
**NPU20311**  
ErCs(B)—Erythrocyte Kn<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20653**  
P—Erythrocyte Kp<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20654**  
P—Erythrocyte Kp<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21105**  
P—Erythrocyte Kp<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Kp<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21106**  
P—Erythrocyte Kp<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Kp<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20312**  
ErCs(B)—Erythrocyte Kp<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>b</sup>antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20655**  
P—Erythrocyte Kp<sup>b</sup>antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>b</sup>antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20656**  
P—Erythrocyte Kp<sup>b</sup>antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>b</sup>antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21107**  
P—Erythrocyte Kp<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Kp<sup>b</sup>antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21108**  
P—Erythrocyte Kp<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Kp<sup>b</sup>antigen;**  
**arbitrary number(procedure)**  
**NPU20313**  
ErCs(B)—Erythrocyte Kp<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>c</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20657**  
P—Erythrocyte Kp<sup>c</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>c</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20658**  
P—Erythrocyte Kp<sup>c</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kp<sup>c</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21109**  
P—Erythrocyte Kp<sup>c</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Kp<sup>c</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21110**  
P—Erythrocyte Kp<sup>c</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Kp<sup>c</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20314**  
ErCs(B)—Erythrocyte Kp<sup>c</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte KREP antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20659**  
P—Erythrocyte KREP antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte KREP antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20660**  
P—Erythrocyte KREP antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte KREP antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21111**  
P—Erythrocyte KREP antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte KREP antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21112**  
P—Erythrocyte KREP antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte KREP antigen;**  
**arbitrary number(procedure)**  
**NPU20315**  
ErCs(B)—Erythrocyte KREP antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ku antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20661**  
P—Erythrocyte Ku antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ku antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20662  
 P—Erythrocyte Ku antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ku antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21113  
 P—Erythrocyte Ku antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Ku antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21114  
 P—Erythrocyte Ku antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ku antigen;**  
 arbitrary number(procedure)  
 NPU20316  
 Ercs(B)—Erythrocyte Ku antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Kx antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20663  
 P—Erythrocyte Kx antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kx antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20664  
 P—Erythrocyte Kx antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Kx antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21115  
 P—Erythrocyte Kx antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Kx antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21116  
 P—Erythrocyte Kx antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Kx antigen;**  
 arbitrary number(procedure)  
 NPU20317  
 Ercs(B)—Erythrocyte Kx antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>a</sup> antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20665  
 P—Erythrocyte Le<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>a</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20666  
 P—Erythrocyte Le<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>a</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21117  
 P—Erythrocyte Le<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Le<sup>a</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21118  
 P—Erythrocyte Le<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Le<sup>a</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20318  
 Ercs(B)—Erythrocyte Le<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>ab</sup> antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20667  
 P—Erythrocyte Le<sup>ab</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>ab</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20668  
 P—Erythrocyte Le<sup>ab</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>ab</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21119  
 P—Erythrocyte Le<sup>ab</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Le<sup>ab</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21120  
 P—Erythrocyte Le<sup>ab</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Le<sup>ab</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20319  
 Ercs(B)—Erythrocyte Le<sup>ab</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>b</sup> antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20669  
 P—Erythrocyte Le<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>b</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20670  
 P—Erythrocyte Le<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>b</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21121  
 P—Erythrocyte Le<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Le<sup>b</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21122**  
P—Erythrocyte Le<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Le<sup>b</sup> antigen;**  
arbitrary number(procedure)  
**NPU20320**  
Ercs(B)—Erythrocyte Le<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>bH</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20671**  
P—Erythrocyte Le<sup>bH</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>bH</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20672**  
P—Erythrocyte Le<sup>bH</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Le<sup>bH</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21123**  
P—Erythrocyte Le<sup>bH</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Le<sup>bH</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21124**  
P—Erythrocyte Le<sup>bH</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Le<sup>bH</sup> antigen;**  
arbitrary number(procedure)  
**NPU20321**  
Ercs(B)—Erythrocyte Le<sup>bH</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ls<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20673**  
P—Erythrocyte Ls<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ls<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20674**  
P—Erythrocyte Ls<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ls<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21125**  
P—Erythrocyte Ls<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ls<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21126**  
P—Erythrocyte Ls<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ls<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20322**  
Ercs(B)—Erythrocyte Ls<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20703**  
P—Erythrocyte Lu<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20704**  
P—Erythrocyte Lu<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21155**  
P—Erythrocyte Lu<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21156**  
P—Erythrocyte Lu<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20337**  
Ercs(B)—Erythrocyte Lu<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu<sup>b</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20705**  
P—Erythrocyte Lu<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu<sup>b</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20706**  
P—Erythrocyte Lu<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu<sup>b</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21157**  
P—Erythrocyte Lu<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu<sup>b</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21158**  
P—Erythrocyte Lu<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu<sup>b</sup> antigen;**  
arbitrary number(procedure)  
**NPU20338**  
Ercs(B)—Erythrocyte Lu<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu11 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20675**  
P—Erythrocyte Lu11 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu11 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20676**  
P—Erythrocyte Lu11 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu11 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21127**  
P—Erythrocyte Lu11 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu11 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21128**  
P—Erythrocyte Lu11 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu11 antigen;**  
**arbitrary number(procedure)**  
**NPU20323**  
ErCs(B)—Erythrocyte Lu11 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu12 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20677**  
P—Erythrocyte Lu12 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu12 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20678**  
P—Erythrocyte Lu12 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu12 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21129**  
P—Erythrocyte Lu12 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu12 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21130**  
P—Erythrocyte Lu12 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu12 antigen;**  
**arbitrary number(procedure)**  
**NPU20324**  
ErCs(B)—Erythrocyte Lu12 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu13 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20679**  
P—Erythrocyte Lu13 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu13 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20680**  
P—Erythrocyte Lu13 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu13 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21131**  
P—Erythrocyte Lu13 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu13 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21132**  
P—Erythrocyte Lu13 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu13 antigen;**  
**arbitrary number(procedure)**  
**NPU20325**  
ErCs(B)—Erythrocyte Lu13 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu14 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20681**  
P—Erythrocyte Lu14 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu14 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20682**  
P—Erythrocyte Lu14 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu14 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21133**  
P—Erythrocyte Lu14 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu14 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21134**  
P—Erythrocyte Lu14 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu14 antigen;**  
**arbitrary number(procedure)**  
**NPU20326**  
ErCs(B)—Erythrocyte Lu14 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu16 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20683**  
P—Erythrocyte Lu16 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu16 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20684**  
P—Erythrocyte Lu16 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu16 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21135**  
P—Erythrocyte Lu16 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu16 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21136**  
P—Erythrocyte Lu16 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu16 antigen;**  
arbitrary number(procedure)  
**NPU20327**  
Ercs(B)—Erythrocyte Lu16 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu17 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20685**  
P—Erythrocyte Lu17 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu17 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20686**  
P—Erythrocyte Lu17 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu17 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21137**  
P—Erythrocyte Lu17 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu17 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21138**  
P—Erythrocyte Lu17 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu17 antigen;**  
arbitrary number(procedure)  
**NPU20328**  
Ercs(B)—Erythrocyte Lu17 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu20 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20687**  
P—Erythrocyte Lu20 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu20 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20688**  
P—Erythrocyte Lu20 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu20 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21139**  
P—Erythrocyte Lu20 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu20 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21140**  
P—Erythrocyte Lu20 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu20 antigen;**  
arbitrary number(procedure)  
**NPU20329**  
Ercs(B)—Erythrocyte Lu20 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu3 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20689**  
P—Erythrocyte Lu3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu3 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20690**  
P—Erythrocyte Lu3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu3 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21141**  
P—Erythrocyte Lu3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu3 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21142**  
P—Erythrocyte Lu3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu3 antigen;**  
arbitrary number(procedure)  
**NPU20330**  
Ercs(B)—Erythrocyte Lu3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu4 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20691**  
P—Erythrocyte Lu4 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu4 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20692**  
P—Erythrocyte Lu4 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu4 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21143**  
P—Erythrocyte Lu4 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu4 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21144**  
P—Erythrocyte Lu4 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu4 antigen;**  
**arbitrary number(procedure)**  
**NPU20331**  
ErCs(B)—Erythrocyte Lu4 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu5 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20693**  
P—Erythrocyte Lu5 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu5 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20694**  
P—Erythrocyte Lu5 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu5 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21145**  
P—Erythrocyte Lu5 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu5 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21146**  
P—Erythrocyte Lu5 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu5 antigen;**  
**arbitrary number(procedure)**  
**NPU20332**  
ErCs(B)—Erythrocyte Lu5 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu6 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20695**  
P—Erythrocyte Lu6 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu6 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20696**  
P—Erythrocyte Lu6 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu6 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21147**  
P—Erythrocyte Lu6 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu6 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21148**  
P—Erythrocyte Lu6 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu6 antigen;**  
**arbitrary number(procedure)**  
**NPU20333**  
ErCs(B)—Erythrocyte Lu6 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu7 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20697**  
P—Erythrocyte Lu7 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu7 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20698**  
P—Erythrocyte Lu7 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu7 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21149**  
P—Erythrocyte Lu7 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu7 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21150**  
P—Erythrocyte Lu7 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu7 antigen;**  
**arbitrary number(procedure)**  
**NPU20334**  
ErCs(B)—Erythrocyte Lu7 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu8 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20699**  
P—Erythrocyte Lu8 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu8 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20700**  
P—Erythrocyte Lu8 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu8 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21151**  
P—Erythrocyte Lu8 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu8 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21152**  
P—Erythrocyte Lu8 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu8 antigen;**  
**arbitrary number(procedure)**  
**NPU20335**  
ErCs(B)—Erythrocyte Lu8 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Lu9 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20701**  
P—Erythrocyte Lu9 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu9 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20702**  
P—Erythrocyte Lu9 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Lu9 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21153**  
P—Erythrocyte Lu9 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Lu9 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21154**  
P—Erythrocyte Lu9 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Lu9 antigen;**  
arbitrary number(procedure)  
**NPU20336**  
Ercs(B)—Erythrocyte Lu9 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20707**  
P—Erythrocyte LW<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20708**  
P—Erythrocyte LW<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21159**  
P—Erythrocyte LW<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte LW<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21160**  
P—Erythrocyte LW<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte LW<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20339**  
Ercs(B)—Erythrocyte LW<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>ab</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20709**  
P—Erythrocyte LW<sup>ab</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>ab</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20710**  
P—Erythrocyte LW<sup>ab</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>ab</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21161**  
P—Erythrocyte LW<sup>ab</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte LW<sup>ab</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21162**  
P—Erythrocyte LW<sup>ab</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte LW<sup>ab</sup> antigen;**  
arbitrary number(procedure)  
**NPU20340**  
Ercs(B)—Erythrocyte LW<sup>ab</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>b</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20711**  
P—Erythrocyte LW<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>b</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20712**  
P—Erythrocyte LW<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte LW<sup>b</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21163**  
P—Erythrocyte LW<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte LW<sup>b</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21164**  
P—Erythrocyte LW<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte LW<sup>b</sup> antigen;**  
arbitrary number(procedure)  
**NPU20341**  
Ercs(B)—Erythrocyte LW<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte M antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20713**  
P—Erythrocyte M antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20714**  
P—Erythrocyte M antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21165**  
P—Erythrocyte M antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte M antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21166**  
P—Erythrocyte M antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte M antigen;**  
arbitrary number(procedure)  
**NPU20342**  
ErCs(B)—Erythrocyte M antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>c</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20719**  
P—Erythrocyte M<sup>c</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>c</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20720**  
P—Erythrocyte M<sup>c</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>c</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21171**  
P—Erythrocyte M<sup>c</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte M<sup>c</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21172**  
P—Erythrocyte M<sup>c</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte M<sup>c</sup> antigen;**  
arbitrary number(procedure)  
**NPU20345**  
ErCs(B)—Erythrocyte M<sup>c</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>e</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20725**  
P—Erythrocyte M<sup>e</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>e</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20726**  
P—Erythrocyte M<sup>e</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>e</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21177**  
P—Erythrocyte M<sup>e</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte M<sup>e</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21178**  
P—Erythrocyte M<sup>e</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte M<sup>e</sup> antigen;**  
arbitrary number(procedure)  
**NPU20348**  
ErCs(B)—Erythrocyte M<sup>e</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>g</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20729**  
P—Erythrocyte M<sup>g</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>g</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20730**  
P—Erythrocyte M<sup>g</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>g</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21181**  
P—Erythrocyte M<sup>g</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte M<sup>g</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21182**  
P—Erythrocyte M<sup>g</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte M<sup>g</sup> antigen;**  
arbitrary number(procedure)  
**NPU20350**  
ErCs(B)—Erythrocyte M<sup>g</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>v</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20745**  
P—Erythrocyte M<sup>v</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>v</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20746**  
P—Erythrocyte M<sup>v</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte M<sup>v</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21197**  
P—Erythrocyte M<sup>v</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte M<sup>v</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21198**  
P—Erythrocyte M<sup>v</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte M<sup>v</sup> antigen;**  
arbitrary number(procedure)  
**NPU20358**  
ErCs(B)—Erythrocyte M<sup>v</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte MAR antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20715**  
P—Erythrocyte MAR antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MAR antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20716**  
P—Erythrocyte MAR antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MAR antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21167**  
P—Erythrocyte MAR antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte MAR antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21168**  
P—Erythrocyte MAR antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte MAR antigen;**  
**arbitrary number(procedure)**  
**NPU20343**  
ErCs(B)—Erythrocyte MAR antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte MARS antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20717**  
P—Erythrocyte MARS antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MARS antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20718**  
P—Erythrocyte MARS antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MARS antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21169**  
P—Erythrocyte MARS antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte MARS antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21170**  
P—Erythrocyte MARS antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte MARS antigen;**  
**arbitrary number(procedure)**  
**NPU20344**  
ErCs(B)—Erythrocyte MARS antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte McC<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20721**  
P—Erythrocyte McC<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte McC<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20722**  
P—Erythrocyte McC<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte McC<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21173**  
P—Erythrocyte McC<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte McC<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21174**  
P—Erythrocyte McC<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte McC<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20346**  
ErCs(B)—Erythrocyte McC<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte McC<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20723**  
P—Erythrocyte McC<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte McC<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20724**  
P—Erythrocyte McC<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte McC<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21175**  
P—Erythrocyte McC<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte McC<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21176**  
P—Erythrocyte McC<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte McC<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20347**  
ErCs(B)—Erythrocyte McC<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte MER2 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20727**  
P—Erythrocyte MER2 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MER2 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20728**  
P—Erythrocyte MER2 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MER2 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21179**  
P—Erythrocyte MER2 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte MER2 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21180**  
P—Erythrocyte MER2 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte MER2 antigen;**  
arbitrary number(procedure)  
**NPU20349**  
Ercs(B)—Erythrocyte MER2 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Mi<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20731**  
P—Erythrocyte Mi<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mi<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20732**  
P—Erythrocyte Mi<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mi<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21183**  
P—Erythrocyte Mi<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Mi<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21184**  
P—Erythrocyte Mi<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Mi<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20351**  
Ercs(B)—Erythrocyte Mi<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte MINY antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20733**  
P—Erythrocyte MINY antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MINY antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20734**  
P—Erythrocyte MINY antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MINY antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21185**  
P—Erythrocyte MINY antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte MINY antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21186**  
P—Erythrocyte MINY antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte MINY antigen;**  
arbitrary number(procedure)  
**NPU20352**  
Ercs(B)—Erythrocyte MINY antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Mit antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20735**  
P—Erythrocyte Mit antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mit antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20736**  
P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mit antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21187**  
P—Erythrocyte Mit antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Mit antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21188**  
P—Erythrocyte Mit antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Mit antigen;**  
arbitrary number(procedure)  
**NPU20353**  
Ercs(B)—Erythrocyte Mit antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Mo<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20737**  
P—Erythrocyte Mo<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mo<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20738**  
P—Erythrocyte Mo<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mo<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21189**  
P—Erythrocyte Mo<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Mo<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21190**  
P—Erythrocyte Mo<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Mo<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20354**  
ErCs(B)—Erythrocyte Mo<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Mt<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20739**  
P—Erythrocyte Mt<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mt<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20740**  
P—Erythrocyte Mt<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mt<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21191**  
P—Erythrocyte Mt<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Mt<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21192**  
P—Erythrocyte Mt<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Mt<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20355**  
ErCs(B)—Erythrocyte Mt<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Mur antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20741**  
P—Erythrocyte Mur antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mur antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20742**  
P—Erythrocyte Mur antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Mur antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21193**  
P—Erythrocyte Mur antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Mur antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21194**  
P—Erythrocyte Mur antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Mur antigen;**  
**arbitrary number(procedure)**  
**NPU20356**  
ErCs(B)—Erythrocyte Mur antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte MUT antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20743**  
P—Erythrocyte MUT antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MUT antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20744**  
P—Erythrocyte MUT antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte MUT antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21195**  
P—Erythrocyte MUT antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte MUT antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21196**  
P—Erythrocyte MUT antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte MUT antigen;**  
**arbitrary number(procedure)**  
**NPU20357**  
ErCs(B)—Erythrocyte MUT antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte N antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20747**  
P—Erythrocyte N antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte N antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20748**  
P—Erythrocyte N antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte N antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21199**  
P—Erythrocyte N antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte N antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21200**  
P—Erythrocyte N antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte N antigen;**  
**arbitrary number(procedure)**  
**NPU20359**  
ErCs(B)—Erythrocyte N antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte NFLD antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20749**  
P—Erythrocyte NFLD antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte NFLD antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20750**  
P—Erythrocyte NFLD antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte NFLD antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21201**  
P—Erythrocyte NFLD antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte NFLD antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21202**  
P—Erythrocyte NFLD antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte NFLD antigen;**  
arbitrary number(procedure)  
**NPU20360**  
Ercs(B)—Erythrocyte NFLD antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Nob antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20751**  
P—Erythrocyte Nob antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Nob antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20752**  
P—Erythrocyte Nob antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Nob antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21203**  
P—Erythrocyte Nob antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Nob antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21204**  
P—Erythrocyte Nob antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Nob antigen;**  
arbitrary number(procedure)  
**NPU20361**  
Ercs(B)—Erythrocyte Nob antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Nou antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20753**  
P—Erythrocyte Nou antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Nou antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20754**  
P—Erythrocyte Nou antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Nou antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21205**  
P—Erythrocyte Nou antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Nou antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21206**  
P—Erythrocyte Nou antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Nou antigen;**  
arbitrary number(procedure)  
**NPU20362**  
Ercs(B)—Erythrocyte Nou antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ny<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20755**  
P—Erythrocyte Ny<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ny<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20756**  
P—Erythrocyte Ny<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ny<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21207**  
P—Erythrocyte Ny<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ny<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21208**  
P—Erythrocyte Ny<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ny<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20363**  
Ercs(B)—Erythrocyte Ny<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ok<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20757**  
P—Erythrocyte Ok<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ok<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20758**  
P—Erythrocyte Ok<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ok<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21209**  
P—Erythrocyte Ok<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ok<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21210**  
P—Erythrocyte Ok<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ok<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20364**  
ErCs(B)—Erythrocyte Ok<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Or antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20759**  
P—Erythrocyte Or antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Or antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20760**  
P—Erythrocyte Or antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Or antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21211**  
P—Erythrocyte Or antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Or antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21212**  
P—Erythrocyte Or antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Or antigen;**  
**arbitrary number(procedure)**  
**NPU20365**  
ErCs(B)—Erythrocyte Or antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Os<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20761**  
P—Erythrocyte Os<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Os<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20762**  
P—Erythrocyte Os<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Os<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21213**  
P—Erythrocyte Os<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Os<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21214**  
P—Erythrocyte Os<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Os<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20366**  
ErCs(B)—Erythrocyte Os<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte P1 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20763**  
P—Erythrocyte P1 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte P1 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20764**  
P—Erythrocyte P1 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte P1 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21215**  
P—Erythrocyte P1 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte P1 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21216**  
P—Erythrocyte P1 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte P1 antigen;**  
**arbitrary number(procedure)**  
**NPU20367**  
ErCs(B)—Erythrocyte P1 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rb<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20765**  
P—Erythrocyte Rb<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rb<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20766**  
P—Erythrocyte Rb<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rb<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21217**  
P—Erythrocyte Rb<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rb<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21218**  
P—Erythrocyte Rb<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rb<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20368**  
ErCs(B)—Erythrocyte Rb<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rg1 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20767**  
P—Erythrocyte Rg1 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rg1 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20768**  
P—Erythrocyte Rg1 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rg1 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21219**  
P—Erythrocyte Rg1 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rg1 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21220**  
P—Erythrocyte Rg1 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rg1 antigen;**  
**arbitrary number(procedure)**  
**NPU20369**  
ErCs(B)—Erythrocyte Rg1 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rg2 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20769**  
P—Erythrocyte Rg2 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rg2 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20770**  
P—Erythrocyte Rg2 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rg2 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21221**  
P—Erythrocyte Rg2 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rg2 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21222**  
P—Erythrocyte Rg2 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rg2 antigen;**  
**arbitrary number(procedure)**  
**NPU20370**  
ErCs(B)—Erythrocyte Rg2 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh29 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20771**  
P—Erythrocyte Rh29 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh29 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20772**  
P—Erythrocyte Rh29 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh29 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21223**  
P—Erythrocyte Rh29 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh29 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21224**  
P—Erythrocyte Rh29 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh29 antigen;**  
**arbitrary number(procedure)**  
**NPU20371**  
ErCs(B)—Erythrocyte Rh29 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh32 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20773**  
P—Erythrocyte Rh32 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh32 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20774**  
P—Erythrocyte Rh32 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh32 antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21225**  
P—Erythrocyte Rh32 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh32 antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21226**  
P—Erythrocyte Rh32 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh32 antigen;**  
**arbitrary number(procedure)**  
**NPU20372**  
ErCs(B)—Erythrocyte Rh32 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh33 antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20775**  
P—Erythrocyte Rh33 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh33 antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20776**  
P—Erythrocyte Rh33 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh33 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21227**  
P—Erythrocyte Rh33 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh33 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21228**  
P—Erythrocyte Rh33 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh33 antigen;**  
arbitrary number(procedure)  
**NPU20373**  
Ercs(B)—Erythrocyte Rh33 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh35 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20777**  
P—Erythrocyte Rh35 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh35 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20778**  
P—Erythrocyte Rh35 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh35 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21229**  
P—Erythrocyte Rh35 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh35 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21230**  
P—Erythrocyte Rh35 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh35 antigen;**  
arbitrary number(procedure)  
**NPU20374**  
Ercs(B)—Erythrocyte Rh35 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh39 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20779**  
P—Erythrocyte Rh39 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh39 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20780**  
P—Erythrocyte Rh39 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh39 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21231**  
P—Erythrocyte Rh39 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh39 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21232**  
P—Erythrocyte Rh39 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh39 antigen;**  
arbitrary number(procedure)  
**NPU20375**  
Ercs(B)—Erythrocyte Rh39 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh41 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20781**  
P—Erythrocyte Rh41 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh41 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20782**  
P—Erythrocyte Rh41 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh41 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21233**  
P—Erythrocyte Rh41 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh41 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21234**  
P—Erythrocyte Rh41 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh41 antigen;**  
arbitrary number(procedure)  
**NPU20376**  
Ercs(B)—Erythrocyte Rh41 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Rh42 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20783**  
P—Erythrocyte Rh42 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh42 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20784**  
P—Erythrocyte Rh42 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Rh42 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21235**  
P—Erythrocyte Rh42 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Rh42 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21236**  
P—Erythrocyte Rh42 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Rh42 antigen;**  
**arbitrary number(procedure)**  
**NPU20377**  
ErCs(B)—Erythrocyte Rh42 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Ri<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20785**  
P—Erythrocyte Ri<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ri<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20786**  
P—Erythrocyte Ri<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Ri<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21237**  
P—Erythrocyte Ri<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Ri<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21238**  
P—Erythrocyte Ri<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Ri<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20378**  
ErCs(B)—Erythrocyte Ri<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Riv antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20787**  
P—Erythrocyte Riv antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Riv antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20788**  
P—Erythrocyte Riv antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Riv antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21239**  
P—Erythrocyte Riv antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Riv antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21240**  
P—Erythrocyte Riv antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Riv antigen;**  
**arbitrary number(procedure)**  
**NPU20379**  
ErCs(B)—Erythrocyte Riv antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte S antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20789**  
P—Erythrocyte S antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte s antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20790**  
P—Erythrocyte s antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte S antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20791**  
P—Erythrocyte S antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte s antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20792**  
P—Erythrocyte s antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte S antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21241**  
P—Erythrocyte S antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte s antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21242**  
P—Erythrocyte s antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte S antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21243**  
P—Erythrocyte S antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte s antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21244**  
P—Erythrocyte s antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte S antigen;**  
**arbitrary number(procedure)**  
**NPU20380**  
ErCs(B)—Erythrocyte S antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocyte s antigen;**  
**arbitrary number(procedure)**  
**NPU20381**  
ErCs(B)—Erythrocyte s antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte s<sup>D</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20801**  
P—Erythrocyte s<sup>D</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte s<sup>D</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20802**  
P—Erythrocyte s<sup>D</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte s<sup>D</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21253**  
P—Erythrocyte s<sup>D</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte s<sup>D</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21254**  
P—Erythrocyte s<sup>D</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte s<sup>D</sup> antigen;**  
arbitrary number(procedure)  
**NPU20386**  
ErCs(B)—Erythrocyte s<sup>D</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte SAT antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20793**  
P—Erythrocyte SAT antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte SAT antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20794**  
P—Erythrocyte SAT antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte SAT antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21245**  
P—Erythrocyte SAT antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte SAT antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21246**  
P—Erythrocyte SAT antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte SAT antigen;**  
arbitrary number(procedure)  
**NPU20382**  
ErCs(B)—Erythrocyte SAT antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Sc1 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20795**  
P—Erythrocyte Sc1 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sc1 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20796**  
P—Erythrocyte Sc1 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sc1 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21247**  
P—Erythrocyte Sc1 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Sc1 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21248**  
P—Erythrocyte Sc1 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Sc1 antigen;**  
arbitrary number(procedure)  
**NPU20383**  
ErCs(B)—Erythrocyte Sc1 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Sc2 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20797**  
P—Erythrocyte Sc2 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sc2 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20798**  
P—Erythrocyte Sc2 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sc2 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21249**  
P—Erythrocyte Sc2 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Sc2 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21250**  
P—Erythrocyte Sc2 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Sc2 antigen;**  
arbitrary number(procedure)  
**NPU20384**  
ErCs(B)—Erythrocyte Sc2 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Sc3 antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20799**  
P—Erythrocyte Sc3 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sc3 antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20800**  
P—Erythrocyte Sc3 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sc3 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21251**  
P—Erythrocyte Sc3 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Sc3 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21252**  
P—Erythrocyte Sc3 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Sc3 antigen;**  
arbitrary number(procedure)  
**NPU20385**  
Ercs(B)—Erythrocyte Sc3 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Sec antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20803**  
P—Erythrocyte Sec antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sec antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20804**  
P—Erythrocyte Sec antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sec antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21255**  
P—Erythrocyte Sec antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Sec antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21256**  
P—Erythrocyte Sec antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Sec antigen;**  
arbitrary number(procedure)  
**NPU20387**  
Ercs(B)—Erythrocyte Sec antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Si<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20805**  
P—Erythrocyte Si<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Si<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20806**  
P—Erythrocyte Si<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Si<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21257**  
P—Erythrocyte Si<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Si<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21258**  
P—Erythrocyte Si<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Si<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20388**  
Ercs(B)—Erythrocyte Si<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte St<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20807**  
P—Erythrocyte St<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte St<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20808**  
P—Erythrocyte St<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte St<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21259**  
P—Erythrocyte St<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte St<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21260**  
P—Erythrocyte St<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte St<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20389**  
Ercs(B)—Erythrocyte St<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte STEM antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20809**  
P—Erythrocyte STEM antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte STEM antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20810**  
P—Erythrocyte STEM antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte STEM antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21261**  
P—Erythrocyte STEM antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte STEM antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21262**  
P—Erythrocyte STEM antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte STEM antigen;**  
arbitrary number(procedure)  
**NPU20390**  
Ercs(B)—Erythrocyte STEM antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Sw<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20813  
P—Erythrocyte Sw<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sw<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20814  
P—Erythrocyte Sw<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Sw<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU21265  
P—Erythrocyte Sw<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Sw<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU21266  
P—Erythrocyte Sw<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Sw<sup>a</sup> antigen;**  
arbitrary number(procedure)  
NPU20392  
Ercs(B)—Erythrocyte Sw<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte SW1 antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20811  
P—Erythrocyte SW1 antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte SW1 antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20812  
P—Erythrocyte SW1 antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte SW1 antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU21263  
P—Erythrocyte SW1 antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte SW1 antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU21264  
P—Erythrocyte SW1 antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte SW1 antigen;**  
arbitrary number(procedure)  
NPU20391  
Ercs(B)—Erythrocyte SW1 antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Tar antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20815  
P—Erythrocyte Tar antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tar antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20816  
P—Erythrocyte Tar antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tar antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU21267  
P—Erythrocyte Tar antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Tar antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU21268  
P—Erythrocyte Tar antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Tar antigen;**  
arbitrary number(procedure)  
NPU20393  
Ercs(B)—Erythrocyte Tar antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20817  
P—Erythrocyte Tc<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20818  
P—Erythrocyte Tc<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
NPU21269  
P—Erythrocyte Tc<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Tc<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
NPU21270  
P—Erythrocyte Tc<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Tc<sup>a</sup> antigen;**  
arbitrary number(procedure)  
NPU20394  
Ercs(B)—Erythrocyte Tc<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>b</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
NPU20819  
P—Erythrocyte Tc<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>b</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
NPU20820  
P—Erythrocyte Tc<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>b</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21271  
 P—Erythrocyte Tc<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Tc<sup>b</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21272  
 P—Erythrocyte Tc<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Tc<sup>b</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20395  
 Ercs(B)—Erythrocyte Tc<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>c</sup> antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20821  
 P—Erythrocyte Tc<sup>c</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>c</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20822  
 P—Erythrocyte Tc<sup>c</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tc<sup>c</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21273  
 P—Erythrocyte Tc<sup>c</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Tc<sup>c</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21274  
 P—Erythrocyte Tc<sup>c</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Tc<sup>c</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20396  
 Ercs(B)—Erythrocyte Tc<sup>c</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte TOU antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20823  
 P—Erythrocyte TOU antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte TOU antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20824  
 P—Erythrocyte TOU antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte TOU antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21275  
 P—Erythrocyte TOU antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte TOU antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21276  
 P—Erythrocyte TOU antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte TOU antigen;**  
 arbitrary number(procedure)  
 NPU20397  
 Ercs(B)—Erythrocyte TOU antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Tr<sup>a</sup> antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20825  
 P—Erythrocyte Tr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tr<sup>a</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20826  
 P—Erythrocyte Tr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Tr<sup>a</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21277  
 P—Erythrocyte Tr<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Tr<sup>a</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21278  
 P—Erythrocyte Tr<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Tr<sup>a</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20398  
 Ercs(B)—Erythrocyte Tr<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte TSEN antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20827  
 P—Erythrocyte TSEN antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte TSEN antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20828  
 P—Erythrocyte TSEN antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte TSEN antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21279  
 P—Erythrocyte TSEN antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte TSEN antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21280  
 P—Erythrocyte TSEN antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte TSEN antigen;**  
**arbitrary number(procedure)**  
**NPU20399**  
ErCs(B)—Erythrocyte TSEN antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte U antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20829**  
P—Erythrocyte U antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte U antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20830**  
P—Erythrocyte U antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte U antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21281**  
P—Erythrocyte U antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte U antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21282**  
P—Erythrocyte U antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte U antigen;**  
**arbitrary number(procedure)**  
**NPU20400**  
ErCs(B)—Erythrocyte U antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte UI<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20831**  
P—Erythrocyte UI<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte UI<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20832**  
P—Erythrocyte UI<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte UI<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21283**  
P—Erythrocyte UI<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte UI<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21284**  
P—Erythrocyte UI<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte UI<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20401**  
ErCs(B)—Erythrocyte UI<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte UMC antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20833**  
P—Erythrocyte UMC antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte UMC antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20834**  
P—Erythrocyte UMC antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte UMC antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21285**  
P—Erythrocyte UMC antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte UMC antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21286**  
P—Erythrocyte UMC antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte UMC antigen;**  
**arbitrary number(procedure)**  
**NPU20402**  
ErCs(B)—Erythrocyte UMC antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte V antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20835**  
P—Erythrocyte V antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte V antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20836**  
P—Erythrocyte V antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte V antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21287**  
P—Erythrocyte V antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte V antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21288**  
P—Erythrocyte V antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte V antigen;**  
**arbitrary number(procedure)**  
**NPU20403**  
ErCs(B)—Erythrocyte V antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Vg<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20837**  
P—Erythrocyte Vg<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vg<sup>a</sup> antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20838  
 P—Erythrocyte Vg<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vg<sup>a</sup> antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21289  
 P—Erythrocyte Vg<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Vg<sup>a</sup> antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21290  
 P—Erythrocyte Vg<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Vg<sup>a</sup> antigen;**  
 arbitrary number(procedure)  
 NPU20404  
 ErCs(B)—Erythrocyte Vg<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Vil antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20839  
 P—Erythrocyte Vil antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vil antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20840  
 P—Erythrocyte Vil antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vil antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21291  
 P—Erythrocyte Vil antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Vil antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21292  
 P—Erythrocyte Vil antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Vil antigen;**  
 arbitrary number(procedure)  
 NPU20405  
 ErCs(B)—Erythrocyte Vil antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte VLAN antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20841  
 P—Erythrocyte VLAN antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte VLAN antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20842  
 P—Erythrocyte VLAN antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte VLAN antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21293  
 P—Erythrocyte VLAN antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte VLAN antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21294  
 P—Erythrocyte VLAN antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte VLAN antigen;**  
 arbitrary number(procedure)  
 NPU20406  
 ErCs(B)—Erythrocyte VLAN antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Vr antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20843  
 P—Erythrocyte Vr antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vr antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20844  
 P—Erythrocyte Vr antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vr antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21295  
 P—Erythrocyte Vr antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte Vr antibody;**  
 arbitrary substance concentration(37 °C; procedure)  
 arbitrary unit/litre  
 NPU21296  
 P—Erythrocyte Vr antibody; arb.subst.c.(37 °C; proc.) = ?  
 arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Vr antigen;**  
 arbitrary number(procedure)  
 NPU20407  
 ErCs(B)—Erythrocyte Vr antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte VS antibody;**  
 arbitrary concentration(20 °C; procedure)  
 NPU20845  
 P—Erythrocyte VS antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte VS antibody;**  
 arbitrary concentration(37 °C; procedure)  
 NPU20846  
 P—Erythrocyte VS antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte VS antibody;**  
 arbitrary substance concentration(20 °C; procedure)  
 arbitrary unit/litre  
 NPU21297  
 P—Erythrocyte VS antibody; arb.subst.c.(20 °C; proc.) = ?  
 arb.unit/l

**Plasma—**  
**Erythrocyte VS antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21298**  
P—Erythrocyte VS antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte VS antigen;**  
**arbitrary number(procedure)**  
**NPU20408**  
ErCs(B)—Erythrocyte VS antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Vw antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20847**  
P—Erythrocyte Vw antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vw antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20848**  
P—Erythrocyte Vw antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Vw antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21299**  
P—Erythrocyte Vw antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Vw antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21300**  
P—Erythrocyte Vw antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Vw antigen;**  
**arbitrary number(procedure)**  
**NPU20409**  
ErCs(B)—Erythrocyte Vw antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte WARR antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20849**  
P—Erythrocyte WARR antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WARR antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20850**  
P—Erythrocyte WARR antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WARR antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21301**  
P—Erythrocyte WARR antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte WARR antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21302**  
P—Erythrocyte WARR antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte WARR antigen;**  
**arbitrary number(procedure)**  
**NPU20410**  
ErCs(B)—Erythrocyte WARR antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Wb antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20851**  
P—Erythrocyte Wb antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wb antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20852**  
P—Erythrocyte Wb antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wb antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21303**  
P—Erythrocyte Wb antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Wb antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21304**  
P—Erythrocyte Wb antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Wb antigen;**  
**arbitrary number(procedure)**  
**NPU20411**  
ErCs(B)—Erythrocyte Wb antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Wd<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20853**  
P—Erythrocyte Wd<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wd<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20854**  
P—Erythrocyte Wd<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wd<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21305**  
P—Erythrocyte Wd<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Wd<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21306**  
P—Erythrocyte Wd<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Wd<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20412**  
ErCs(B)—Erythrocyte Wd<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte WES<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20855**  
P—Erythrocyte WES<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WES<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20856**  
P—Erythrocyte WES<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WES<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21307**  
P—Erythrocyte WES<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte WES<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21308**  
P—Erythrocyte WES<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte WES<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20413**  
ErCs(B)—Erythrocyte WES<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte WES<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20857**  
P—Erythrocyte WES<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WES<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20858**  
P—Erythrocyte WES<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WES<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21309**  
P—Erythrocyte WES<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte WES<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21310**  
P—Erythrocyte WES<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte WES<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20414**  
ErCs(B)—Erythrocyte WES<sup>b</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte WH antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20859**  
P—Erythrocyte WH antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WH antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20860**  
P—Erythrocyte WH antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte WH antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21311**  
P—Erythrocyte WH antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte WH antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21312**  
P—Erythrocyte WH antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte WH antigen;**  
**arbitrary number(procedure)**  
**NPU20415**  
ErCs(B)—Erythrocyte WH antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Wr<sup>a</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20861**  
P—Erythrocyte Wr<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wr<sup>a</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20862**  
P—Erythrocyte Wr<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wr<sup>a</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21313**  
P—Erythrocyte Wr<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Wr<sup>a</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21314**  
P—Erythrocyte Wr<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Wr<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20416**  
ErCs(B)—Erythrocyte Wr<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Wr<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20863**  
P—Erythrocyte Wr<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wr<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20864**  
P—Erythrocyte Wr<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wr<sup>b</sup>antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21315**  
P—Erythrocyte Wr<sup>b</sup>antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Wr<sup>b</sup>antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21316**  
P—Erythrocyte Wr<sup>b</sup>antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Wr<sup>b</sup>antigen;**  
arbitrary number(procedure)  
**NPU20417**  
Ercs(B)—Erythrocyte Wr<sup>b</sup>antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Wu antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20865**  
P—Erythrocyte Wu antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wu antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20866**  
P—Erythrocyte Wu antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Wu antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21317**  
P—Erythrocyte Wu antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Wu antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21318**  
P—Erythrocyte Wu antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Wu antigen;**  
arbitrary number(procedure)  
**NPU20418**  
Ercs(B)—Erythrocyte Wu antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Xg<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20867**  
P—Erythrocyte Xg<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Xg<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20868**  
P—Erythrocyte Xg<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Xg<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21319**  
P—Erythrocyte Xg<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Xg<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21320**  
P—Erythrocyte Xg<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Xg<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20419**  
Ercs(B)—Erythrocyte Xg<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Yk<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20869**  
P—Erythrocyte Yk<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Yk<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20870**  
P—Erythrocyte Yk<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Yk<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21321**  
P—Erythrocyte Yk<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Yk<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21322**  
P—Erythrocyte Yk<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Yk<sup>a</sup> antigen;**  
arbitrary number(procedure)  
**NPU20420**  
Ercs(B)—Erythrocyte Yk<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Yt<sup>a</sup> antibody;**  
arbitrary concentration(20 °C; procedure)  
**NPU20871**  
P—Erythrocyte Yt<sup>a</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Yt<sup>a</sup> antibody;**  
arbitrary concentration(37 °C; procedure)  
**NPU20872**  
P—Erythrocyte Yt<sup>a</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Yt<sup>a</sup> antibody;**  
arbitrary substance concentration(20 °C; procedure)  
arbitrary unit/litre  
**NPU21323**  
P—Erythrocyte Yt<sup>a</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Yt<sup>a</sup> antibody;**  
arbitrary substance concentration(37 °C; procedure)  
arbitrary unit/litre  
**NPU21324**  
P—Erythrocyte Yt<sup>a</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Yt<sup>a</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20421**  
ErCs(B)—Erythrocyte Yt<sup>a</sup> antigen; arb.num.(proc.) = ?

**Plasma—**  
**Erythrocyte Yt<sup>b</sup> antibody;**  
**arbitrary concentration(20 °C; procedure)**  
**NPU20873**  
P—Erythrocyte Yt<sup>b</sup> antibody; arb.c.(20 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Yt<sup>b</sup> antibody;**  
**arbitrary concentration(37 °C; procedure)**  
**NPU20874**  
P—Erythrocyte Yt<sup>b</sup> antibody; arb.c.(37 °C; proc.) = ?

**Plasma—**  
**Erythrocyte Yt<sup>b</sup> antibody;**  
**arbitrary substance concentration(20 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21325**  
P—Erythrocyte Yt<sup>b</sup> antibody; arb.subst.c.(20 °C; proc.) = ?  
arb.unit/l

**Plasma—**  
**Erythrocyte Yt<sup>b</sup> antibody;**  
**arbitrary substance concentration(37 °C; procedure)**  
**arbitrary unit/litre**  
**NPU21326**  
P—Erythrocyte Yt<sup>b</sup> antibody; arb.subst.c.(37 °C; proc.) = ?  
arb.unit/l

**Erythrocytes(Blood)—**  
**Erythrocyte Yt<sup>b</sup> antigen;**  
**arbitrary number(procedure)**  
**NPU20422**  
ErCs(B)—Erythrocyte Yt<sup>b</sup> antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Erythrocytes;**  
**compatibility(Plasma; donationID; absent present)**  
**NPU21754**  
ErCs(B)—Erythrocytes; compatibility(P; donationID; absent present) = ?

**Plasma—**  
**HLA antibody;**  
**arbitrary concentration(procedure)**  
**NPU21366**  
P—HLA antibody; arb.c.(proc.) = ?

**Plasma—**  
**HLA class antibody;**  
**taxon(list)**  
**NPU21367**  
P—HLA class antibody; taxon(list)  
NPU21368 P—HLA class I antibody; taxon(HLA-A HLA-B HLA-C antibody) = ?  
NPU21369 P—HLA class II antibody; taxon(HLA-DR HLA-DQ HLA-DP antibody) = ?

**Plasma—**  
**HLA class I antibody;**  
**number fraction(panel; procedure)**  
**NPU21407**  
P—HLA class I antibody; num.fr.(panel; proc.) = ?

**Plasma—**  
**HLA class I antibody;**  
**taxon(HLA-A HLA-B HLA-C antibody)**  
**NPU21368**  
P—HLA class I antibody; taxon(HLA-A HLA-B HLA-C antibody)  
= ?

**Leukocytes(Blood)—**  
**HLA class I antigen;**  
**taxon(list)**  
**NPU21374**  
Lkcs(B)—HLA class I antigen; taxon(list)  
NPU21375 Lkcs(B)—HLA-A antigen; taxon = ?  
NPU21376 Lkcs(B)—HLA-B antigen; taxon = ?  
NPU21377 Lkcs(B)—HLA-C antigen; taxon = ?

**Plasma—**  
**HLA class II antibody;**  
**number fraction(panel; procedure)**  
**NPU21408**  
P—HLA class II antibody; num.fr.(panel; proc.) = ?

**Plasma—**  
**HLA class II antibody;**  
**taxon(HLA-DR HLA-DQ HLA-DP antibody)**  
**NPU21369**  
P—HLA class II antibody; taxon(HLA-DR HLA-DQ HLA-DP antibody) = ?

**Leukocytes(Blood)—**  
**HLA class II antigen;**  
**taxon(list)**  
**NPU21384**  
Lkcs(B)—HLA class II antigen; taxon(list)  
NPU21385 Lkcs(B)—HLA-DP antigen; taxon = ?  
NPU21386 Lkcs(B)—HLA-DQ antigen; taxon = ?  
NPU21387 Lkcs(B)—HLA-DR antigen; taxon = ?

**Leukocytes(Blood)—**  
**HLA-A antigen;**  
**taxon**  
**NPU21375**  
Lkcs(B)—HLA-A antigen; taxon = ?

**Leukocytes(Blood)—**  
**HLA-B antigen(B16);**  
**arbitrary number(procedure)**  
**NPU21370**  
Lkcs(B)—HLA-B antigen(B16); arb.num.(proc.) = ?

**Leukocytes(Blood)—**  
**HLA-B antigen(B27);**  
**arbitrary number(procedure)**  
**NPU21371**  
Lkcs(B)—HLA-B antigen(B27); arb.num.(proc.) = ?

**Leukocytes(Blood)—**  
**HLA-B antigen(B38);**  
**arbitrary number(procedure)**  
**NPU21372**  
Lkcs(B)—HLA-B antigen(B38); arb.num.(proc.) = ?

**Leukocytes(Blood)—**  
**HLA-B antigen(B39);**  
**arbitrary number(procedure)**  
**NPU21373**  
Lkcs(B)—HLA-B antigen(B39); arb.num.(proc.) = ?

**Leukocytes(Blood)—**  
**HLA-B antigen;**  
**taxon**  
**NPU21376**  
Lkcs(B)—HLA-B antigen; taxon = ?

**Leukocytes(Blood)—**  
**HLA-C antigen;**  
**taxon**  
**NPU21377**  
Lkcs(B)—HLA-C antigen; taxon = ?

**Leukocytes(Blood)—**  
**HLA-DP antigen;**  
**taxon**  
**NPU21385**  
Lkcs(B)—HLA-DP antigen; taxon = ?

**Leukocytes(Blood)—**  
**HLA-DQ antigen;**  
**taxon**  
**NPU21386**  
Lkcs(B)—HLA-DQ antigen; taxon = ?

**Leukocytes(Blood)—**  
**HLA-DR antigen;**  
**taxon**  
**NPU21387**  
Lkcs(B)—HLA-DR antigen; taxon = ?

**Plasma—**  
**HNA antibody(Immunoglobulin A);**  
**arbitrary concentration(list; procedure)**  
**NPU21978**  
P—HNA antibody(IgA); arb.c.(list; proc.) = ?  
NPU21979 P—HNA-1a antibody(IgA); arb.c.(proc.) = ?  
NPU21980 P—HNA-1b antibody(IgA); arb.c.(proc.) = ?  
NPU21981 P—HNA-1c antibody(IgA); arb.c.(proc.) = ?  
NPU21982 P—HNA-2a antibody(IgA); arb.c.(proc.) = ?  
NPU21983 P—HNA-3a antibody(IgA); arb.c.(proc.) = ?  
NPU21984 P—HNA-4a antibody(IgA); arb.c.(proc.) = ?  
NPU21985 P—HNA-5a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA antibody(Immunoglobulin A);**  
**taxon**  
**NPU21923**  
P—HNA antibody(IgA); taxon = ?

**Plasma—**  
**HNA antibody(Immunoglobulin G);**  
**arbitrary concentration(list; procedure)**  
**NPU21962**  
P—HNA antibody(IgG); arb.c.(list; proc.) = ?  
NPU21963 P—HNA-1a antibody(IgG); arb.c.(proc.) = ?  
NPU21964 P—HNA-1b antibody(IgG); arb.c.(proc.) = ?  
NPU21965 P—HNA-1c antibody(IgG); arb.c.(proc.) = ?  
NPU21966 P—HNA-2a antibody(IgG); arb.c.(proc.) = ?  
NPU21967 P—HNA-3a antibody(IgG); arb.c.(proc.) = ?  
NPU21968 P—HNA-4a antibody(IgG); arb.c.(proc.) = ?  
NPU21969 P—HNA-5a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA antibody(Immunoglobulin G);**  
**taxon**  
**NPU21922**  
P—HNA antibody(IgG); taxon = ?

**Plasma—**  
**HNA antibody(Immunoglobulin M);**  
**arbitrary concentration(list; procedure)**  
**NPU21970**  
P—HNA antibody(IgM); arb.c.(list; proc.) = ?  
NPU21971 P—HNA-1a antibody(IgM); arb.c.(proc.) = ?  
NPU21972 P—HNA-1b antibody(IgM); arb.c.(proc.) = ?  
NPU21973 P—HNA-1c antibody(IgM); arb.c.(proc.) = ?  
NPU21974 P—HNA-2a antibody(IgM); arb.c.(proc.) = ?  
NPU21975 P—HNA-3a antibody(IgM); arb.c.(proc.) = ?  
NPU21976 P—HNA-4a antibody(IgM); arb.c.(proc.) = ?  
NPU21977 P—HNA-5a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA antibody(Immunoglobulin M);**  
**taxon**  
**NPU21924**  
P—HNA antibody(IgM); taxon = ?

**Plasma—**  
**HNA antibody;**  
**arbitrary concentration(list; procedure)**  
**NPU21764**  
P—HNA antibody; arb.c.(list; proc.) = ?  
NPU21765 P—HNA-1a antibody; arb.c.(proc.) = ?  
NPU21766 P—HNA-1b antibody; arb.c.(proc.) = ?  
NPU21767 P—HNA-1c antibody; arb.c.(proc.) = ?  
NPU21768 P—HNA-2a antibody; arb.c.(proc.) = ?  
NPU21769 P—HNA-3a antibody; arb.c.(proc.) = ?  
NPU21770 P—HNA-4a antibody; arb.c.(proc.) = ?  
NPU21771 P—HNA-5a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA antibody;**  
**arbitrary concentration(procedure)**  
**NPU21919**  
P—HNA antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21925**  
P—HNA antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA antibody;**  
**taxon**  
**NPU21921**  
P—HNA antibody; taxon = ?

**Neutrophilocytes(Blood)—**  
**HNA antigen;**  
**arbitrary number(list; procedure)**  
**NPU21772**  
Ntrcs(B)—HNA antigen; arb.num.(list; proc.) = ?  
NPU21773 Ntrcs(B)—HNA-1a antigen; arb.num.(proc.) = ?  
NPU21774 Ntrcs(B)—HNA-1b antigen; arb.num.(proc.) = ?  
NPU21775 Ntrcs(B)—HNA-1c antigen; arb.num.(proc.) = ?  
NPU21776 Ntrcs(B)—HNA-2a antigen; arb.num.(proc.) = ?  
NPU21777 Ntrcs(B)—HNA-3a antigen; arb.num.(proc.) = ?  
NPU21778 Ntrcs(B)—HNA-4a antigen; arb.num.(proc.) = ?  
NPU21779 Ntrcs(B)—HNA-5a antigen; arb.num.(proc.) = ?

**Neutrophilocytes(Blood)—**  
**HNA antigen;**  
**taxon**  
**NPU21920**  
Ntrcs(B)—HNA antigen; taxon = ?

**Plasma—**  
**HNA-1a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21979**  
P—HNA-1a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21986**  
P—HNA-1a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21963**  
P—HNA-1a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21987**  
P—HNA-1a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21971**  
P—HNA-1a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21988**  
P—HNA-1a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21765**  
P—HNA-1a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-1a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21989**  
P—HNA-1a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-1a antigen;**  
**arbitrary number(procedure)**  
**NPU21773**  
Ntrcs(B)—HNA-1a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HNA-1b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21980**  
P—HNA-1b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21990**  
P—HNA-1b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21964**  
P—HNA-1b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21991**  
P—HNA-1b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21972**  
P—HNA-1b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21992**  
P—HNA-1b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21766**  
P—HNA-1b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-1b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21993**  
P—HNA-1b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-1b antigen;**  
**arbitrary number(procedure)**  
**NPU21774**  
Ntrcs(B)—HNA-1b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HNA-1c antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21981**  
P—HNA-1c antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1c antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21998**  
P—HNA-1c antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1c antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21965**  
P—HNA-1c antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1c antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21999**  
P—HNA-1c antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1c antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21973**  
P—HNA-1c antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-1c antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22000**  
P—HNA-1c antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-1c antibody;**  
**arbitrary concentration(procedure)**  
**NPU21767**  
P—HNA-1c antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-1c antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22001**  
P—HNA-1c antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-1c antigen;**  
**arbitrary number(procedure)**  
**NPU21775**  
Ntrcs(B)—HNA-1c antigen; arb.num.(proc.) = ?

**Plasma—**  
**HNA-2a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21982**  
P—HNA-2a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-2a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21994**  
P—HNA-2a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-2a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21966**  
P—HNA-2a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-2a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21995**  
P—HNA-2a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-2a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21974**  
P—HNA-2a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-2a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21996**  
P—HNA-2a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-2a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21768**  
P—HNA-2a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-2a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21997**  
P—HNA-2a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-2a antigen;**  
**arbitrary number(procedure)**  
**NPU21776**  
Ntrcs(B)—HNA-2a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HNA-3a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21983**  
P—HNA-3a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-3a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22002**  
P—HNA-3a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-3a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21967**  
P—HNA-3a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-3a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22003**  
P—HNA-3a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-3a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21975**  
P—HNA-3a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-3a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22004**  
P—HNA-3a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-3a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21769**  
P—HNA-3a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-3a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22005**  
P—HNA-3a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-3a antigen;**  
**arbitrary number(procedure)**  
**NPU21777**  
Ntrcs(B)—HNA-3a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HNA-4a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21984**  
P—HNA-4a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-4a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22006**  
P—HNA-4a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-4a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21968**  
P—HNA-4a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-4a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22007**  
P—HNA-4a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-4a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21976**  
P—HNA-4a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-4a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22008**  
P—HNA-4a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-4a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21770**  
P—HNA-4a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-4a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22009**  
P—HNA-4a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-4a antigen;**  
**arbitrary number(procedure)**  
**NPU21778**  
Ntrcs(B)—HNA-4a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HNA-5a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21985**  
P—HNA-5a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HNA-5a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22010**  
P—HNA-5a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-5a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21969**  
P—HNA-5a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HNA-5a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22011**  
P—HNA-5a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-5a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21977**  
P—HNA-5a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HNA-5a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22012**  
P—HNA-5a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HNA-5a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21771**  
P—HNA-5a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HNA-5a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU22013**  
P—HNA-5a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Neutrophilocytes(Blood)—**  
**HNA-5a antigen;**  
**arbitrary number(procedure)**  
**NPU21779**  
Ntrcs(B)—HNA-5a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA antibody(Immunoglobulin A);**  
**arbitrary concentration(list; procedure)**  
**NPU21460**  
P—HPA antibody(IgA); arb.c.(list; proc.) = ?  
NPU21461 P—HPA-1a antibody(IgA); arb.c.(proc.) = ?  
NPU21462 P—HPA-1b antibody(IgA); arb.c.(proc.) = ?  
NPU21463 P—HPA-2a antibody(IgA); arb.c.(proc.) = ?  
NPU21464 P—HPA-2b antibody(IgA); arb.c.(proc.) = ?  
NPU21465 P—HPA-3a antibody(IgA); arb.c.(proc.) = ?  
NPU21466 P—HPA-3b antibody(IgA); arb.c.(proc.) = ?  
NPU21467 P—HPA-4a antibody(IgA); arb.c.(proc.) = ?  
NPU21468 P—HPA-4b antibody(IgA); arb.c.(proc.) = ?  
NPU21469 P—HPA-5a antibody(IgA); arb.c.(proc.) = ?  
NPU21470 P—HPA-5b antibody(IgA); arb.c.(proc.) = ?  
NPU21471 P—HPA-6b antibody(IgA); arb.c.(proc.) = ?  
NPU21893 P—HPA-7b antibody(IgA); arb.c.(proc.) = ?  
NPU21894 P—HPA-8b antibody(IgA); arb.c.(proc.) = ?  
NPU21895 P—HPA-9b antibody(IgA); arb.c.(proc.) = ?  
NPU21896 P—HPA-10b antibody(IgA); arb.c.(proc.) = ?  
NPU21472 P—HPA-unknown antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA antibody(Immunoglobulin A);**  
**taxon**  
**NPU21872**  
P—HPA antibody(IgA); taxon = ?

**Plasma—**  
**HPA antibody(Immunoglobulin G);**  
**arbitrary concentration(list; procedure)**  
**NPU21447**  
P—HPA antibody(IgG); arb.c.(list; proc.) = ?  
NPU21448 P—HPA-1a antibody(IgG); arb.c.(proc.) = ?  
NPU21449 P—HPA-1b antibody(IgG); arb.c.(proc.) = ?  
NPU21450 P—HPA-2a antibody(IgG); arb.c.(proc.) = ?  
NPU21451 P—HPA-2b antibody(IgG); arb.c.(proc.) = ?  
NPU21452 P—HPA-3a antibody(IgG); arb.c.(proc.) = ?  
NPU21453 P—HPA-3b antibody(IgG); arb.c.(proc.) = ?  
NPU21454 P—HPA-4a antibody(IgG); arb.c.(proc.) = ?  
NPU21455 P—HPA-4b antibody(IgG); arb.c.(proc.) = ?  
NPU21456 P—HPA-5a antibody(IgG); arb.c.(proc.) = ?  
NPU21457 P—HPA-5b antibody(IgG); arb.c.(proc.) = ?  
NPU21458 P—HPA-6b antibody(IgG); arb.c.(proc.) = ?  
NPU21889 P—HPA-7b antibody(IgG); arb.c.(proc.) = ?  
NPU21890 P—HPA-8b antibody(IgG); arb.c.(proc.) = ?  
NPU21891 P—HPA-9b antibody(IgG); arb.c.(proc.) = ?  
NPU21892 P—HPA-10b antibody(IgG); arb.c.(proc.) = ?  
NPU21459 P—HPA-unknown antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA antibody(Immunoglobulin G);**  
**taxon**  
**NPU21871**  
P—HPA antibody(IgG); taxon = ?

**Plasma—**  
**HPA antibody(Immunoglobulin M);**  
**arbitrary concentration(list; procedure)**  
**NPU21473**  
P—HPA antibody(IgM); arb.c.(list; proc.) = ?  
NPU21474 P—HPA-1a antibody(IgM); arb.c.(proc.) = ?  
NPU21475 P—HPA-1b antibody(IgM); arb.c.(proc.) = ?  
NPU21476 P—HPA-2a antibody(IgM); arb.c.(proc.) = ?  
NPU21477 P—HPA-2b antibody(IgM); arb.c.(proc.) = ?  
NPU21478 P—HPA-3a antibody(IgM); arb.c.(proc.) = ?  
NPU21479 P—HPA-3b antibody(IgM); arb.c.(proc.) = ?  
NPU21480 P—HPA-4a antibody(IgM); arb.c.(proc.) = ?  
NPU21481 P—HPA-4b antibody(IgM); arb.c.(proc.) = ?  
NPU21482 P—HPA-5a antibody(IgM); arb.c.(proc.) = ?  
NPU21483 P—HPA-5b antibody(IgM); arb.c.(proc.) = ?  
NPU21484 P—HPA-6b antibody(IgM); arb.c.(proc.) = ?  
NPU21897 P—HPA-7b antibody(IgM); arb.c.(proc.) = ?  
NPU21898 P—HPA-8b antibody(IgM); arb.c.(proc.) = ?  
NPU21899 P—HPA-9b antibody(IgM); arb.c.(proc.) = ?  
NPU21900 P—HPA-10b antibody(IgM); arb.c.(proc.) = ?  
NPU21485 P—HPA-unknown antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA antibody(Immunoglobulin M);**  
**taxon**  
**NPU21873**  
P—HPA antibody(IgM); taxon = ?

**Plasma—**  
**HPA antibody;**  
**arbitrary concentration(list; procedure)**  
**NPU21328**  
P—HPA antibody; arb.c.(list; proc.) = ?  
NPU21329 P—HPA-1a antibody; arb.c.(proc.) = ?  
NPU21330 P—HPA-1b antibody; arb.c.(proc.) = ?  
NPU21331 P—HPA-2a antibody; arb.c.(proc.) = ?  
NPU21332 P—HPA-2b antibody; arb.c.(proc.) = ?  
NPU21333 P—HPA-3a antibody; arb.c.(proc.) = ?  
NPU21334 P—HPA-3b antibody; arb.c.(proc.) = ?  
NPU21335 P—HPA-4a antibody; arb.c.(proc.) = ?  
NPU21336 P—HPA-4b antibody; arb.c.(proc.) = ?  
NPU21337 P—HPA-5a antibody; arb.c.(proc.) = ?  
NPU21338 P—HPA-5b antibody; arb.c.(proc.) = ?  
NPU21339 P—HPA-6b antibody; arb.c.(proc.) = ?  
NPU21881 P—HPA-7b antibody; arb.c.(proc.) = ?  
NPU21882 P—HPA-8b antibody; arb.c.(proc.) = ?  
NPU21883 P—HPA-9b antibody; arb.c.(proc.) = ?  
NPU21884 P—HPA-10b antibody; arb.c.(proc.) = ?  
NPU21340 P—HPA-unknown antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA antibody;**  
**arbitrary concentration(procedure)**  
**NPU21327**  
P—HPA antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
Other term(s): Thrombocyte specific alloantibody; Thrombocyte autoantibody. Other term(s): Platelet(s) is a full synonym to Thrombocyte(s)  
Authority: Isth/SSC93  
**NPU03564**  
P—HPA antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA antibody;**  
**compatibility(donationID; absent present)**  
**NPU21425**  
P—HPA antibody; compatibility(donationID; absent present) = ?

**Plasma—**  
**HPA antibody;**  
**taxon**  
**NPU21870**  
P—HPA antibody; taxon = ?

**Thrombocytes(Blood)—**  
**HPA antigen;**  
**arbitrary number(list; procedure)**  
**NPU21341**  
Trcs(B)—HPA antigen; arb.num.(list; proc.) = ?  
NPU21342 Trcs(B)—HPA-1a antigen; arb.num.(proc.) = ?  
NPU21343 Trcs(B)—HPA-1b antigen; arb.num.(proc.) = ?  
NPU21344 Trcs(B)—HPA-2a antigen; arb.num.(proc.) = ?  
NPU21345 Trcs(B)—HPA-2b antigen; arb.num.(proc.) = ?  
NPU21346 Trcs(B)—HPA-3a antigen; arb.num.(proc.) = ?  
NPU21347 Trcs(B)—HPA-3b antigen; arb.num.(proc.) = ?  
NPU21348 Trcs(B)—HPA-4a antigen; arb.num.(proc.) = ?  
NPU21349 Trcs(B)—HPA-4b antigen; arb.num.(proc.) = ?  
NPU21350 Trcs(B)—HPA-5a antigen; arb.num.(proc.) = ?  
NPU21351 Trcs(B)—HPA-5b antigen; arb.num.(proc.) = ?  
NPU21352 Trcs(B)—HPA-6b antigen; arb.num.(proc.) = ?  
NPU21353 Trcs(B)—HPA-7b antigen; arb.num.(proc.) = ?  
NPU21865 Trcs(B)—HPA-8b antigen; arb.num.(proc.) = ?  
NPU21866 Trcs(B)—HPA-9b antigen; arb.num.(proc.) = ?  
NPU21867 Trcs(B)—HPA-10b antigen; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**HPA antigen;**  
**taxon**  
**NPU21869**  
Trcs(B)—HPA antigen; taxon = ?

**Plasma—**  
**HPA-10b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21896**  
P—HPA-10b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-10b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21908**  
P—HPA-10b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-10b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21892**  
P—HPA-10b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-10b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21904**  
P—HPA-10b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-10b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21900**  
P—HPA-10b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-10b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21912**  
P—HPA-10b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-10b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21884**  
P—HPA-10b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-10b antibody;**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21888**  
P—HPA-10b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-10b antigen;**  
arbitrary number(procedure)  
**NPU21867**  
Trcs(B)—HPA-10b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-1a antibody(Immunoglobulin A);**  
arbitrary concentration(procedure)  
**NPU21461**  
P—HPA-1a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-1a antibody(Immunoglobulin A);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21498**  
P—HPA-1a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-1a antibody(Immunoglobulin G);**  
arbitrary concentration(procedure)  
**NPU21448**  
P—HPA-1a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-1a antibody(Immunoglobulin G);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21486**  
P—HPA-1a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-1a antibody(Immunoglobulin M);**  
arbitrary concentration(procedure)  
**NPU21474**  
P—HPA-1a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-1a antibody(Immunoglobulin M);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21510**  
P—HPA-1a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-1a antibody;**  
arbitrary concentration(procedure)  
**NPU21329**  
P—HPA-1a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-1a antibody;**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21435**  
P—HPA-1a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-1a antigen;**  
arbitrary number(procedure)  
**NPU21342**  
Trcs(B)—HPA-1a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-1b antibody(Immunoglobulin A);**  
arbitrary concentration(procedure)  
**NPU21462**  
P—HPA-1b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-1b antibody(Immunoglobulin A);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21499**  
P—HPA-1b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-1b antibody(Immunoglobulin G);**  
arbitrary concentration(procedure)  
**NPU21449**  
P—HPA-1b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-1b antibody(Immunoglobulin G);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21487**  
P—HPA-1b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-1b antibody(Immunoglobulin M);**  
arbitrary concentration(procedure)  
**NPU21475**  
P—HPA-1b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-1b antibody(Immunoglobulin M);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21511**  
P—HPA-1b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-1b antibody;**  
arbitrary concentration(procedure)  
**NPU21330**  
P—HPA-1b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-1b antibody;**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21436**  
P—HPA-1b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-1b antigen;**  
arbitrary number(procedure)  
**NPU21343**  
Trcs(B)—HPA-1b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-2a antibody(Immunoglobulin A);**  
arbitrary concentration(procedure)  
**NPU21463**  
P—HPA-2a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-2a antibody(Immunoglobulin A);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21500**  
P—HPA-2a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-2a antibody(Immunoglobulin G);**  
arbitrary concentration(procedure)  
**NPU21450**  
P—HPA-2a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-2a antibody(Immunoglobulin G);**  
arbitrary substance concentration(procedure)  
arbitrary unit/litre  
**NPU21488**  
P—HPA-2a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-2a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21476**  
P—HPA-2a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-2a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21512**  
P—HPA-2a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-2a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21331**  
P—HPA-2a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-2a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21437**  
P—HPA-2a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-2a antigen;**  
**arbitrary number(procedure)**  
**NPU21344**  
Trcs(B)—HPA-2a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-2b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21464**  
P—HPA-2b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-2b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21501**  
P—HPA-2b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-2b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21451**  
P—HPA-2b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-2b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21489**  
P—HPA-2b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-2b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21477**  
P—HPA-2b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-2b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21513**  
P—HPA-2b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-2b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21332**  
P—HPA-2b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-2b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21438**  
P—HPA-2b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-2b antigen;**  
**arbitrary number(procedure)**  
**NPU21345**  
Trcs(B)—HPA-2b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-3a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21465**  
P—HPA-3a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-3a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21502**  
P—HPA-3a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-3a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21452**  
P—HPA-3a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-3a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21490**  
P—HPA-3a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-3a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21478**  
P—HPA-3a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-3a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21514**  
P—HPA-3a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-3a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21333**  
P—HPA-3a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-3a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21439**  
P—HPA-3a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-3a antigen;**  
**arbitrary number(procedure)**  
**NPU21346**  
Trcs(B)—HPA-3a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-3b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21466**  
P—HPA-3b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-3b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21503**  
P—HPA-3b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-3b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21453**  
P—HPA-3b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-3b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21491**  
P—HPA-3b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-3b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21479**  
P—HPA-3b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-3b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21515**  
P—HPA-3b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-3b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21334**  
P—HPA-3b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-3b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21440**  
P—HPA-3b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-3b antigen;**  
**arbitrary number(procedure)**  
**NPU21347**  
Trcs(B)—HPA-3b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-4a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21467**  
P—HPA-4a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-4a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21504**  
P—HPA-4a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-4a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21454**  
P—HPA-4a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-4a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21492**  
P—HPA-4a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-4a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21480**  
P—HPA-4a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-4a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21516**  
P—HPA-4a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-4a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21335**  
P—HPA-4a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-4a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21441**  
P—HPA-4a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-4a antigen;**  
**arbitrary number(procedure)**  
**NPU21348**  
Trcs(B)—HPA-4a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-4b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21468**  
P—HPA-4b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-4b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21505**  
P—HPA-4b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-4b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21455**  
P—HPA-4b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-4b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21493**  
P—HPA-4b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-4b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21481**  
P—HPA-4b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-4b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21517**  
P—HPA-4b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-4b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21336**  
P—HPA-4b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-4b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21442**  
P—HPA-4b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-4b antigen;**  
**arbitrary number(procedure)**  
**NPU21349**  
Trcs(B)—HPA-4b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-5a antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21469**  
P—HPA-5a antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-5a antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21506**  
P—HPA-5a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-5a antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21456**  
P—HPA-5a antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-5a antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21494**  
P—HPA-5a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-5a antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21482**  
P—HPA-5a antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-5a antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21518**  
P—HPA-5a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-5a antibody;**  
**arbitrary concentration(procedure)**  
**NPU21337**  
P—HPA-5a antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-5a antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21443**  
P—HPA-5a antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-5a antigen;**  
**arbitrary number(procedure)**  
**NPU21350**  
Trcs(B)—HPA-5a antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-5b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21470**  
P—HPA-5b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-5b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21507**  
P—HPA-5b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-5b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21457**  
P—HPA-5b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-5b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21495**  
P—HPA-5b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-5b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21483**  
P—HPA-5b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-5b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21519**  
P—HPA-5b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-5b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21338**  
P—HPA-5b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-5b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21444**  
P—HPA-5b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-5b antigen;**  
**arbitrary number(procedure)**  
**NPU21351**  
Trcs(B)—HPA-5b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-6b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21471**  
P—HPA-6b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-6b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21508**  
P—HPA-6b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-6b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21458**  
P—HPA-6b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-6b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21496**  
P—HPA-6b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-6b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21484**  
P—HPA-6b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-6b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21520**  
P—HPA-6b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-6b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21339**  
P—HPA-6b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-6b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21445**  
P—HPA-6b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-6b antigen;**  
**arbitrary number(procedure)**  
**NPU21352**  
Trcs(B)—HPA-6b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-7b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21893**  
P—HPA-7b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-7b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21905**  
P—HPA-7b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-7b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21889**  
P—HPA-7b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-7b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21901**  
P—HPA-7b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-7b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21897**  
P—HPA-7b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-7b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21909**  
P—HPA-7b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-7b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21881**  
P—HPA-7b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-7b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21885**  
P—HPA-7b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-7b antigen;**  
**arbitrary number(procedure)**  
**NPU21353**  
Trcs(B)—HPA-7b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-8b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21894**  
P—HPA-8b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-8b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21906**  
P—HPA-8b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-8b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21890**  
P—HPA-8b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-8b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21902**  
P—HPA-8b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-8b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21898**  
P—HPA-8b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-8b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21910**  
P—HPA-8b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-8b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21882**  
P—HPA-8b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-8b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21886**  
P—HPA-8b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-8b antigen;**  
**arbitrary number(procedure)**  
**NPU21865**  
 Trcs(B)—HPA-8b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-9b antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21895**  
 P—HPA-9b antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-9b antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21907**  
 P—HPA-9b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-9b antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21891**  
 P—HPA-9b antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-9b antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21903**  
 P—HPA-9b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-9b antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21899**  
 P—HPA-9b antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-9b antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21911**  
 P—HPA-9b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

**Plasma—**  
**HPA-9b antibody;**  
**arbitrary concentration(procedure)**  
**NPU21883**  
 P—HPA-9b antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-9b antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21887**  
 P—HPA-9b antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Thrombocytes(Blood)—**  
**HPA-9b antigen;**  
**arbitrary number(procedure)**  
**NPU21866**  
 Trcs(B)—HPA-9b antigen; arb.num.(proc.) = ?

**Plasma—**  
**HPA-unknown antibody(Immunoglobulin A);**  
**arbitrary concentration(procedure)**  
**NPU21472**  
 P—HPA-unknown antibody(IgA); arb.c.(proc.) = ?

**Plasma—**  
**HPA-unknown antibody(Immunoglobulin A);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21509**  
 P—HPA-unknown antibody(IgA); arb.subst.c.(proc.) = ?  
 arb.unit/l

**Plasma—**  
**HPA-unknown antibody(Immunoglobulin G);**  
**arbitrary concentration(procedure)**  
**NPU21459**  
 P—HPA-unknown antibody(IgG); arb.c.(proc.) = ?

**Plasma—**  
**HPA-unknown antibody(Immunoglobulin G);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21497**  
 P—HPA-unknown antibody(IgG); arb.subst.c.(proc.) = ?  
 arb.unit/l

**Plasma—**  
**HPA-unknown antibody(Immunoglobulin M);**  
**arbitrary concentration(procedure)**  
**NPU21485**  
 P—HPA-unknown antibody(IgM); arb.c.(proc.) = ?

**Plasma—**  
**HPA-unknown antibody(Immunoglobulin M);**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21521**  
 P—HPA-unknown antibody(IgM); arb.subst.c.(proc.) = ?  
 arb.unit/l

**Plasma—**  
**HPA-unknown antibody;**  
**arbitrary concentration(procedure)**  
**NPU21340**  
 P—HPA-unknown antibody; arb.c.(proc.) = ?

**Plasma—**  
**HPA-unknown antibody;**  
**arbitrary substance concentration(procedure)**  
**arbitrary unit/litre**  
**NPU21446**  
 P—HPA-unknown antibody; arb.subst.c.(proc.) = ? arb.unit/l

**Erythrocytes(Blood)—**  
**Immunoglobulin A;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
*M* = 160 000 g/mol  
 Other term(s): IgA  
**NPU01947**  
 Eracs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin A;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21943**  
 Ntrcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ?  
 arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin A;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20057**  
 Trcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin A;**  
**arbitrary number(procedure)**  
**NPU20028**  
Eracs(B)—Immunoglobulin A; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin A;**  
**arbitrary number(procedure)**  
**NPU20046**  
Tracs(B)—Immunoglobulin A; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin A;**  
**entitic number**  
*M* = 160 000 g/mol  
Other term(s): IgA  
**NPU02475**  
Eracs(B)—Immunoglobulin A; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin A;**  
**entitic number**  
**NPU21955**  
Ntracs(B)—Immunoglobulin A; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin A;**  
**entitic number**  
**NPU20068**  
Tracs(B)—Immunoglobulin A; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20003**  
Eracs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ?  
arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21944**  
Ntracs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin G;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20058**  
Tracs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin G;**  
**arbitrary number(procedure)**  
*M* = 160 000 g/mol  
Other term(s): IgG  
**NPU04070**  
Eracs(B)—Immunoglobulin G; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G;**  
**arbitrary number(procedure)**  
**NPU20047**  
Tracs(B)—Immunoglobulin G; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G;**  
**entitic number**  
*M* = 160 000 g/mol  
Other term(s): IgG  
**NPU01948**  
Eracs(B)—Immunoglobulin G; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G;**  
**entitic number**  
**NPU21956**  
Ntracs(B)—Immunoglobulin G; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G;**  
**entitic number**  
**NPU20069**  
Tracs(B)—Immunoglobulin G; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G1;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
*M* = 146 000 g/mol  
**NPU04066**  
Eracs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ?  
arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G1;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21945**  
Ntracs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin G1;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20059**  
Tracs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ?  
arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin G1;**  
**arbitrary number(procedure)**  
**NPU20030**  
Eracs(B)—Immunoglobulin G1; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G1;**  
**arbitrary number(procedure)**  
**NPU20048**  
Tracs(B)—Immunoglobulin G1; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G1;**  
**entitic number**  
**NPU01949**  
Eracs(B)—Immunoglobulin G1; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G1;**  
**entitic number**  
**NPU21957**  
Ntracs(B)—Immunoglobulin G1; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G1;**  
**entitic number**  
**NPU20070**  
Tracs(B)—Immunoglobulin G1; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G2;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
*M* = 146 000 g/mol  
**NPU04067**  
Eracs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ?  
arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G2;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21946**  
Ntrcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin G2;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20060**  
Trcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ?  
arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin G2;**  
**arbitrary number(procedure)**  
**NPU20031**  
Eracs(B)—Immunoglobulin G2; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G2;**  
**arbitrary number(procedure)**  
**NPU20049**  
Trcs(B)—Immunoglobulin G2; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G2;**  
**entitic number**  
*M* = 146 000 g/mol  
**NPU01950**  
Eracs(B)—Immunoglobulin G2; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G2;**  
**entitic number**  
**NPU21958**  
Ntrcs(B)—Immunoglobulin G2; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G2;**  
**entitic number**  
**NPU20071**  
Trcs(B)—Immunoglobulin G2; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G3;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
*M* = 170 000 g/mol  
**NPU04068**  
Eracs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ?  
arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G3;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21947**  
Ntrcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin G3;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20061**  
Trcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ?  
arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin G3;**  
**arbitrary number(procedure)**  
**NPU20032**  
Eracs(B)—Immunoglobulin G3; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G3;**  
**arbitrary number(procedure)**  
**NPU20050**  
Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G3;**  
**entitic number**  
*M* = 170 000 g/mol  
**NPU01951**  
Eracs(B)—Immunoglobulin G3; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G3;**  
**entitic number**  
**NPU21959**  
Ntrcs(B)—Immunoglobulin G3; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G3;**  
**entitic number**  
**NPU20072**  
Trcs(B)—Immunoglobulin G3; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G4;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
*M* = 146 000 g/mol  
**NPU04069**  
Eracs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ?  
arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G4;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21948**  
Ntrcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ?  
arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin G4;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20062**  
Trcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ?  
arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin G4;**  
**arbitrary number(procedure)**  
**NPU20033**  
Eracs(B)—Immunoglobulin G4; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G4;**  
**arbitrary number(procedure)**  
**NPU20051**  
Trcs(B)—Immunoglobulin G4; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin G4;**  
**entitic number**  
*M* = 146 000 g/mol  
**NPU01952**  
Eracs(B)—Immunoglobulin G4; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin G4;**  
**entitic number**  
**NPU21960**  
Ntrcs(B)—Immunoglobulin G4; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin G4;**  
**entitic number**  
**NPU20073**  
 Trcs(B)—Immunoglobulin G4; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin M;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
*M* = 950 000 g/mol  
 Other term(s): IgM  
**NPU02487**  
 Eracs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ?  
 arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin M;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21949**  
 Ntrcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ?  
 arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin M;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20063**  
 Trcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ?  
 arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin M;**  
**arbitrary number(procedure)**  
**NPU20034**  
 Eracs(B)—Immunoglobulin M; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin M;**  
**arbitrary number(procedure)**  
**NPU20052**  
 Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin M;**  
**entitic number**  
*M* = 950 000 g/mol  
**NPU01953**  
 Eracs(B)—Immunoglobulin M; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin M;**  
**entitic number**  
**NPU21961**  
 Ntrcs(B)—Immunoglobulin M; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin M;**  
**entitic number**  
**NPU20074**  
 Trcs(B)—Immunoglobulin M; entitic num. = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20176**  
 Eracs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

**Neutrophilocytes(Blood)—**  
**Immunoglobulin;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21942**  
 Ntrcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

**Thrombocytes(Blood)—**  
**Immunoglobulin;**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU20179**  
 Trcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

**Erythrocytes(Blood)—**  
**Immunoglobulin;**  
**arbitrary number(procedure)**  
**NPU20175**  
 Eracs(B)—Immunoglobulin; arb.num.(proc.) = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin;**  
**arbitrary number(procedure)**  
**NPU20178**  
 Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?

**Erythrocytes(Blood)—**  
**Immunoglobulin;**  
**entitic number**  
**NPU20177**  
 Eracs(B)—Immunoglobulin; entitic num. = ?

**Neutrophilocytes(Blood)—**  
**Immunoglobulin;**  
**entitic number**  
**NPU21954**  
 Ntrcs(B)—Immunoglobulin; entitic num. = ?

**Thrombocytes(Blood)—**  
**Immunoglobulin;**  
**entitic number**  
**NPU20180**  
 Trcs(B)—Immunoglobulin; entitic num. = ?

**Culture(Lymphocytes; Blood)—**  
**Lymphocyte stimulation(antigen);**  
**relative number concentration(list;**  
**stimulated/unstimulated; procedure)**  
**NPU21413**  
 Culture(Lymcs; B)—Lymphocyte stimulation(Ag);  
 rel.num.c.(list; stim./unstim.; proc.) = ?  
 NPU21415 Culture(Lymcs; B)—*Candida albicans* stimulated  
 lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?  
 NPU21416 Culture(Lymcs; B)—*Cytomegalovirus* stimulated  
 lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?  
 NPU21417 Culture(Lymcs; B)—*Staphylococcus aureus*  
 stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?  
 NPU21418 Culture(Lymcs; B)—Tetanus toxoid stimulated  
 lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?  
 NPU21419 Culture(Lymcs; B)—Tuberculin stimulated  
 lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?

**Culture(Lymphocytes; Blood)—**  
**Lymphocyte stimulation(mitogen);**  
**relative number ratio(list; actual/norm; procedure)**  
**NPU21421**  
 Culture(Lymcs; B)—Lymphocyte stimulation(mitogen);  
 rel.num.ratio(list; actual/norm; proc.) = ?  
 NPU21422 Culture(Lymcs; B)—Concanavalin A stimulated  
 lymphocytes; rel.num.ratio(actual/norm; proc.) = ?  
 NPU21423 Culture(Lymcs; B)—Phytohæmaglutinin stimulated  
 lymphocytes; rel.num.ratio(actual/norm; proc.) = ?  
 NPU21424 Culture(Lymcs; B)—Pokeweed stimulated  
 lymphocytes; rel.num.ratio(actual/norm; proc.) = ?

**Blood—****Lymphocyte type;  
number concentration(list)****NPU21818**

B—Lymphocyte type; num.c.(list)

NPU21819 B—B-lymphocytes; num.c. = ? × 10<sup>9</sup>/lNPU21820 B—B-lymphocytes(mature); num.c. = ? × 10<sup>9</sup>/lNPU21821 B—B-lymphocytes(immature); num.c. = ? × 10<sup>9</sup>/lNPU21822 B—T-lymphocytes; num.c. = ? × 10<sup>9</sup>/lNPU21823 B—T-lymphocytes(helper; virgin); num.c. = ? × 10<sup>9</sup>/l10<sup>9</sup>/l

NPU21825 B—T-lymphocytes(helper; memory); num.c. = ? ×

10<sup>9</sup>/l

NPU21826 B—T-lymphocytes(helper; memory; Th1); num.c. =

? × 10<sup>9</sup>/l

NPU21827 B—T-lymphocytes(helper; memory; Th2); num.c. =

? × 10<sup>9</sup>/lNPU21828 B—T-lymphocytes(cytotox.); num.c. = ? × 10<sup>9</sup>/l

NPU21829 B—T-lymphocytes(cytotox.; virgin); num.c. = ? ×

10<sup>9</sup>/l10<sup>9</sup>/l

NPU21830 B—T-lymphocytes(cytotox.; memory); num.c. = ? ×

10<sup>9</sup>/l

NPU21831 B—T-lymphocytes(cytotox.; memory; Th1); num.c.

= ? × 10<sup>9</sup>/l

NPU21832 B—T-lymphocytes(cytotox.; memory; Th2); num.c.

= ? × 10<sup>9</sup>/l

NPU21833 B—T-lymphocytes(alpha beta TCR); num.c. = ? ×

10<sup>9</sup>/l

NPU21834 B—T-lymphocytes(gamma delta TCR); num.c. = ?

× 10<sup>9</sup>/lNPU21835 B—NK-lymphocytes; num.c. = ? × 10<sup>9</sup>/l**Bone marrow—****Lymphocyte type;  
number concentration(list)****NPU21836**

Marrow—Lymphocyte type; num.c.(list)

NPU21837 Marrow—B-lymphocytes; num.c. = ? × 10<sup>9</sup>/l

NPU21838 Marrow—B-lymphocytes(mature); num.c. = ? ×

10<sup>9</sup>/l

NPU21839 Marrow—B-lymphocytes(immature); num.c. = ? ×

10<sup>9</sup>/lNPU21840 Marrow—T-lymphocytes; num.c. = ? × 10<sup>9</sup>/lNPU21841 Marrow—T-lymphocytes(helper); num.c. = ? × 10<sup>9</sup>/l

NPU21842 Marrow—T-lymphocytes(helper; virgin); num.c. = ?

× 10<sup>9</sup>/l

NPU21843 Marrow—T-lymphocytes(helper; memory); num.c.

= ? × 10<sup>9</sup>/l

NPU21844 Marrow—T-lymphocytes(helper; memory; Th1);

num.c. = ? × 10<sup>9</sup>/l

NPU21845 Marrow—T-lymphocytes(helper; memory; Th2);

num.c. = ? × 10<sup>9</sup>/l

NPU21846 Marrow—T-lymphocytes(cytotox.); num.c. = ? ×

10<sup>9</sup>/l

NPU21847 Marrow—T-lymphocytes(cytotox.; virgin); num.c. =

? × 10<sup>9</sup>/l

NPU21848 Marrow—T-lymphocytes(cytotox.; memory); num.c.

= ? × 10<sup>9</sup>/l

NPU21849 Marrow—T-lymphocytes(cytotox.; memory; Th1);

num.c. = ? × 10<sup>9</sup>/l

NPU21850 Marrow—T-lymphocytes(cytotox.; memory; Th2);

num.c. = ? × 10<sup>9</sup>/l

NPU21851 Marrow—T-lymphocytes(alpha beta TCR); num.c.

= ? × 10<sup>9</sup>/l

NPU21852 Marrow—T-lymphocytes(gamma delta TCR);

num.c. = ? × 10<sup>9</sup>/lNPU21853 Marrow—NK-lymphocytes; num.c. = ? × 10<sup>9</sup>/l**Lymphocytes(Blood)—****Lymphocyte type;  
number fraction(list)****NPU21780**

Lymcs(B)—Lymphocyte type; num.fr.(list)

NPU21781 Lymcs(B)—B-lymphocytes; num.fr. = ?

NPU21782 Lymcs(B)—B-lymphocytes(mature); num.fr. = ?

NPU21783 Lymcs(B)—B-lymphocytes(immature); num.fr. = ?

NPU21784 Lymcs(B)—T-lymphocytes; num.fr. = ?

NPU21785 Lymcs(B)—T-lymphocytes(helper); num.fr. = ?

NPU21786 Lymcs(B)—T-lymphocytes(helper; virgin); num.fr. =

?

NPU21787 Lymcs(B)—T-lymphocytes(helper; memory);

num.fr. = ?

NPU21788 Lymcs(B)—T-lymphocytes(helper; memory; Th1);

num.fr. = ?

NPU21789 Lymcs(B)—T-lymphocytes(helper; memory; Th2);

num.fr. = ?

NPU21790 Lymcs(B)—T-lymphocytes(cytotox.); num.fr. = ?

NPU21791 Lymcs(B)—T-lymphocytes(cytotox.; virgin); num.fr.

= ?

NPU21792 Lymcs(B)—T-lymphocytes(cytotox.; memory);

num.fr. = ?

NPU21793 Lymcs(B)—T-lymphocytes(cytotox.; memory; Th1);

num.fr. = ?

NPU21794 Lymcs(B)—T-lymphocytes(cytotox.; memory; Th2);

num.fr. = ?

NPU21795 Lymcs(B)—T-lymphocytes(alpha beta TCR);

num.fr. = ?

NPU21796 Lymcs(B)—T-lymphocytes(gamma delta TCR);

num.fr. = ?

NPU21797 Lymcs(B)—T-lymphocytes(activated); num.fr. = ?

NPU21798 Lymcs(B)—NK-lymphocytes; num.fr. = ?

**Lymphocytes(Bone marrow)—****Lymphocyte type;  
number fraction(list)****NPU21799**

Lymcs(Marrow)—Lymphocyte type; num.fr.(list)

NPU21800 Lymcs(Marrow)—B-lymphocytes; num.fr. = ?

NPU21801 Lymcs(Marrow)—B-lymphocytes(mature); num.fr. =

?

NPU21802 Lymcs(Marrow)—B-lymphocytes(immature);

num.fr. = ?

NPU21803 Lymcs(Marrow)—T-lymphocytes; num.fr. = ?

NPU21804 Lymcs(Marrow)—T-lymphocytes(helper); num.fr. =

?

NPU21805 Lymcs(Marrow)—T-lymphocytes(helper; virgin);

num.fr. = ?

NPU21806 Lymcs(Marrow)—T-lymphocytes(helper; memory);

num.fr. = ?

NPU21807 Lymcs(Marrow)—T-lymphocytes(helper; memory;

Th1); num.fr. = ?

NPU21808 Lymcs(Marrow)—T-lymphocytes(helper; memory;

Th2); num.fr. = ?

NPU21809 Lymcs(Marrow)—T-lymphocytes(cytotox.); num.fr.

= ?

NPU21810 Lymcs(Marrow)—T-lymphocytes(cytotox.; virgin);

num.fr. = ?

NPU21811 Lymcs(Marrow)—T-lymphocytes(cytotox.;

memory); num.fr. = ?

NPU21812 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory;

Th1); num.fr. = ?

NPU21813 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory;

Th2); num.fr. = ?

NPU21814 Lymcs(Marrow)—T-lymphocytes(alpha beta TCR);

num.fr. = ?

NPU21815 Lymcs(Marrow)—T-lymphocytes(gamma delta

TCR); num.fr. = ?

NPU21816 Lymcs(Marrow)—T-lymphocytes(activated); num.fr.

= ?

NPU21817 Lymcs(Marrow)—NK-lymphocytes; num.fr. = ?

- Blood—**  
**NK-lymphocytes;**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21835**  
 B—NK-lymphocytes; num.c. = ? × 10<sup>9</sup>/l
- Bone marrow—**  
**NK-lymphocytes;**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21853**  
 Marrow—NK-lymphocytes; num.c. = ? × 10<sup>9</sup>/l
- Lymphocytes(Blood)—**  
**NK-lymphocytes;**  
**number fraction**  
**NPU21798**  
 Lymcs(B)—NK-lymphocytes; num.fr. = ?
- Lymphocytes(Bone marrow)—**  
**NK-lymphocytes;**  
**number fraction**  
**NPU21817**  
 Lymcs(Marrow)—NK-lymphocytes; num.fr. = ?
- Culture(Lymphocytes; Blood)—**  
**Phytohæmagglutinin stimulated lymphocytes;**  
**relative number ratio(actual/norm; procedure)**  
**NPU21423**  
 Culture(Lymcs; B)—Phytohæmagglutinin stimulated lymphocytes; rel.num.ratio(actual/norm; proc.) = ?
- Culture(Lymphocytes; Blood)—**  
**Pokeweed stimulated lymphocytes;**  
**relative number ratio(actual/norm; procedure)**  
**NPU21424**  
 Culture(Lymcs; B)—Pokeweed stimulated lymphocytes; rel.num.ratio(actual/norm; proc.) = ?
- Culture(Lymphocytes; Blood)—**  
***Staphylococcus aureus* stimulated lymphocytes;**  
**relative number concentration(stimulated/unstimulated; procedure)**  
**NPU21417**  
 Culture(Lymcs; B)—*Staphylococcus aureus* stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
- Thrombocytes(Blood)—**  
**Surface glycoprotein(GMP-140);**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21876**  
 Trcs(B)—Surface glycoprotein(GMP-140); arb.entitic num.(proc.) = ? arb.unit
- Thrombocytes(Blood)—**  
**Surface glycoprotein(GMP-140);**  
**relative entitic number(actual/norm)**  
**NPU21748**  
 Trcs(B)—Surface glycoprotein(GMP-140); rel.entitic num.(actual/norm) = ?
- Thrombocytes(Blood)—**  
**Surface glycoprotein(Ia);**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21874**  
 Trcs(B)—Surface glycoprotein(Ia); arb.entitic num.(proc.) = ? arb.unit
- Thrombocytes(Blood)—**  
**Surface glycoprotein(Ia);**  
**relative entitic number(actual/norm)**  
**NPU21749**  
 Trcs(B)—Surface glycoprotein(Ia); rel.entitic num.(actual/norm) = ?
- Thrombocytes(Blood)—**  
**Surface glycoprotein(Ib);**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21428**  
 Trcs(B)—Surface glycoprotein(Ib); arb.entitic num.(proc.) = ? arb.unit
- Thrombocytes(Blood)—**  
**Surface glycoprotein(Ib);**  
**relative entitic number(actual/norm)**  
**NPU21750**  
 Trcs(B)—Surface glycoprotein(Ib); rel.entitic num.(actual/norm) = ?
- Thrombocytes(Blood)—**  
**Surface glycoprotein(IIa);**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21875**  
 Trcs(B)—Surface glycoprotein(IIa); arb.entitic num.(proc.) = ? arb.unit
- Thrombocytes(Blood)—**  
**Surface glycoprotein(IIa);**  
**relative entitic number(actual/norm)**  
**NPU21751**  
 Trcs(B)—Surface glycoprotein(IIa); rel.entitic num.(actual/norm) = ?
- Thrombocytes(Blood)—**  
**Surface glycoprotein(IIb);**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21426**  
 Trcs(B)—Surface glycoprotein(IIb); arb.entitic num.(proc.) = ? arb.unit
- Thrombocytes(Blood)—**  
**Surface glycoprotein(IIb);**  
**relative entitic number(actual/norm)**  
**NPU21752**  
 Trcs(B)—Surface glycoprotein(IIb); rel.entitic num.(actual/norm) = ?
- Thrombocytes(Blood)—**  
**Surface glycoprotein(IIIa);**  
**arbitrary entitic number(procedure)**  
**arbitrary unit**  
**NPU21427**  
 Trcs(B)—Surface glycoprotein(IIIa); arb.entitic num.(proc.) = ? arb.unit
- Thrombocytes(Blood)—**  
**Surface glycoprotein(IIIa);**  
**relative entitic number(actual/norm)**  
**NPU21753**  
 Trcs(B)—Surface glycoprotein(IIIa); rel.entitic num.(actual/norm) = ?
- Culture(Lymphocytes; Blood)—**  
**Tetanus toxoid stimulated lymphocytes;**  
**relative number concentration(stimulated/unstimulated; procedure)**  
**NPU21418**  
 Culture(Lymcs; B)—Tetanus toxoid stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
- Thrombocytes(Blood)—**  
**Thrombocytes;**  
**compatibility(Plasma; donationID; absent present)**  
**NPU21755**  
 Trcs(B)—Thrombocytes; compatibility(P; donationID; absent present) = ?

**Plasma—**  
**T-lymphocyte antibody;**  
**compatibility(donationID; absent present)**  
**NPU21411**  
P—T-lymphocyte antibody; compatibility(donationID; absent present) = ?

**Lymphocytes(Blood)—**  
**T-lymphocytes(activated);**  
**number fraction**  
**NPU21797**  
Lymcs(B)—T-lymphocytes(activated); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(activated);**  
**number fraction**  
**NPU21816**  
Lymcs(Marrow)—T-lymphocytes(activated); num.fr. = ?

**Blood—**  
**T-lymphocytes(alpha beta TCR);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21833**  
B—T-lymphocytes(alpha beta TCR); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(alpha beta TCR);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21851**  
Marrow—T-lymphocytes(alpha beta TCR); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(alpha beta TCR);**  
**number fraction**  
**NPU21795**  
Lymcs(B)—T-lymphocytes(alpha beta TCR); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(alpha beta TCR);**  
**number fraction**  
**NPU21814**  
Lymcs(Marrow)—T-lymphocytes(alpha beta TCR); num.fr. = ?

**Blood—**  
**T-lymphocytes(cytotox.);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21828**  
B—T-lymphocytes(cytotox.); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(cytotox.);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21846**  
Marrow—T-lymphocytes(cytotox.); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(cytotox.);**  
**number fraction**  
**NPU21790**  
Lymcs(B)—T-lymphocytes(cytotox.); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(cytotox.);**  
**number fraction**  
**NPU21809**  
Lymcs(Marrow)—T-lymphocytes(cytotox.); num.fr. = ?

**Blood—**  
**T-lymphocytes(cytotox.; memory);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21830**  
B—T-lymphocytes(cytotox.; memory); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(cytotox.; memory);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21848**  
Marrow—T-lymphocytes(cytotox.; memory); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(cytotox.; memory);**  
**number fraction**  
**NPU21792**  
Lymcs(B)—T-lymphocytes(cytotox.; memory); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(cytotox.; memory);**  
**number fraction**  
**NPU21811**  
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory); num.fr. = ?

**Blood—**  
**T-lymphocytes(cytotox.; memory; Th1);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21831**  
B—T-lymphocytes(cytotox.; memory; Th1); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(cytotox.; memory; Th1);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21849**  
Marrow—T-lymphocytes(cytotox.; memory; Th1); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(cytotox.; memory; Th1);**  
**number fraction**  
**NPU21793**  
Lymcs(B)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(cytotox.; memory; Th1);**  
**number fraction**  
**NPU21812**  
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?

**Blood—**  
**T-lymphocytes(cytotox.; memory; Th2);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21832**  
B—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(cytotox.; memory; Th2);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21850**  
Marrow—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(cytotox.; memory; Th2);**  
**number fraction**  
**NPU21794**  
Lymcs(B)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(cytotox.; memory; Th2);**  
**number fraction**  
**NPU21813**  
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?

**Blood—**  
**T-lymphocytes(cytotox.; virgin);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21829**  
B—T-lymphocytes(cytotox.; virgin); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(cytotox.; virgin);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21847**  
Marrow—T-lymphocytes(cytotox.; virgin); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(cytotox.; virgin);**  
**number fraction**  
**NPU21791**  
Lymcs(B)—T-lymphocytes(cytotox.; virgin); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(cytotox.; virgin);**  
**number fraction**  
**NPU21810**  
Lymcs(Marrow)—T-lymphocytes(cytotox.; virgin); num.fr. = ?

**Blood—**  
**T-lymphocytes(gamma delta TCR);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21834**  
B—T-lymphocytes(gamma delta TCR); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(gamma delta TCR);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21852**  
Marrow—T-lymphocytes(gamma delta TCR); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(gamma delta TCR);**  
**number fraction**  
**NPU21796**  
Lymcs(B)—T-lymphocytes(gamma delta TCR); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(gamma delta TCR);**  
**number fraction**  
**NPU21815**  
Lymcs(Marrow)—T-lymphocytes(gamma delta TCR); num.fr. = ?

**Blood—**  
**T-lymphocytes(helper);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21823**  
B—T-lymphocytes(helper); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(helper);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21841**  
Marrow—T-lymphocytes(helper); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(helper);**  
**number fraction**  
**NPU21785**  
Lymcs(B)—T-lymphocytes(helper); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(helper);**  
**number fraction**  
**NPU21804**  
Lymcs(Marrow)—T-lymphocytes(helper); num.fr. = ?

**Lymphocytes(Blood)—**  
**T-lymphocytes(helper/cytotox);**  
**numberratio**  
**NPU21856**  
Lymcs(B)—T-lymphocytes(helper/cytotox); numberratio = ?

**Blood—**  
**T-lymphocytes(helper; memory);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21825**  
B—T-lymphocytes(helper; memory); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(helper; memory);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21843**  
Marrow—T-lymphocytes(helper; memory); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(helper; memory);**  
**number fraction**  
**NPU21787**  
Lymcs(B)—T-lymphocytes(helper; memory); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(helper; memory);**  
**number fraction**  
**NPU21806**  
Lymcs(Marrow)—T-lymphocytes(helper; memory); num.fr. = ?

**Blood—**  
**T-lymphocytes(helper; memory; Th1);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21826**  
B—T-lymphocytes(helper; memory; Th1); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(helper; memory; Th1);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21844**  
Marrow—T-lymphocytes(helper; memory; Th1); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(helper; memory; Th1);**  
**number fraction**  
**NPU21788**  
Lymcs(B)—T-lymphocytes(helper; memory; Th1); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(helper; memory; Th1);**  
**number fraction**  
**NPU21807**  
Lymcs(Marrow)—T-lymphocytes(helper; memory; Th1); num.fr. = ?

**Blood—**  
**T-lymphocytes(helper; memory; Th2);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21827**  
B—T-lymphocytes(helper; memory; Th2); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(helper; memory; Th2);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21845**  
Marrow—T-lymphocytes(helper; memory; Th2); num.c. = ? ×  
10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(helper; memory; Th2);**  
**number fraction**  
**NPU21789**  
Lymcs(B)—T-lymphocytes(helper; memory; Th2); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(helper; memory; Th2);**  
**number fraction**  
**NPU21808**  
Lymcs(Marrow)—T-lymphocytes(helper; memory; Th2); num.fr.  
= ?

**Blood—**  
**T-lymphocytes(helper; virgin);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21824**  
B—T-lymphocytes(helper; virgin); num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes(helper; virgin);**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21842**  
Marrow—T-lymphocytes(helper; virgin); num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes(helper; virgin);**  
**number fraction**  
**NPU21786**  
Lymcs(B)—T-lymphocytes(helper; virgin); num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes(helper; virgin);**  
**number fraction**  
**NPU21805**  
Lymcs(Marrow)—T-lymphocytes(helper; virgin); num.fr. = ?

**Lymphocytes(Blood)—**  
**T-lymphocytes;**  
**compatibility(Plasma; donationID; absent present)**  
**NPU21412**  
Lymcs(B)—T-lymphocytes; compatibility(P; donationID;  
absent present) = ?

**Blood—**  
**T-lymphocytes;**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21822**  
B—T-lymphocytes; num.c. = ? × 10<sup>9</sup>/l

**Bone marrow—**  
**T-lymphocytes;**  
**number concentration**  
**10<sup>9</sup>/litre**  
**NPU21840**  
Marrow—T-lymphocytes; num.c. = ? × 10<sup>9</sup>/l

**Lymphocytes(Blood)—**  
**T-lymphocytes;**  
**number fraction**  
**NPU21784**  
Lymcs(B)—T-lymphocytes; num.fr. = ?

**Lymphocytes(Bone marrow)—**  
**T-lymphocytes;**  
**number fraction**  
**NPU21803**  
Lymcs(Marrow)—T-lymphocytes; num.fr. = ?

**Culture(Lymphocytes; Blood)—**  
**Tuberculin stimulated lymphocytes;**  
**relative number concentration(stimulated/unstimulated;**  
**procedure)**  
**NPU21419**  
Culture(Lymcs; B)—Tuberculin stimulated lymphocytes;  
rel.num.c.(stim./unstim.; proc.) = ?